

Controlled Clinical Trials Involving Motivational Interviewing

Updated 12/5/2019

This is a cumulative bibliography of outcome trials involving motivational interviewing (MI) in some way, all of which include at least one control or alternative treatment condition comparing outcomes. The typical method for allocation of individuals to treatment was random assignment, but quasi-experimental designs are also included. Single group pre/post treatment evaluation designs have not been included. Descriptions of new clinical trial protocols are included, and then replaced as outcome reports become available. Additions and corrections to this bibliography are welcome: WRMILLER@UNM.EDU.

Caveat: The interventions evaluated in these trials varied widely in content and quality. Some were explicitly designed as MI and included fidelity monitoring. Others simply mentioned MI techniques or training as part of the intervention and offered no quality assurance documentation to indicate how well, if at all, MI was actually delivered. For a discussion of these methodological issues see Miller, W. R., & Rollnick, S. (2014). The effectiveness and ineffectiveness of complex behavioral interventions: Impact of treatment fidelity. *Contemporary Clinical Trials*, 37(2), 234-241.

- Aarons, G. A., Ehrhart, M. G., Moullin, J. C., Torres, E. M., & Green, A. E. (2017). Testing the leadership and organizational change for implementation (LOCI) intervention in substance abuse treatment: A cluster randomized trial study protocol. *Implementation Science*, 12(29). doi: 10.1186/s13012-017-0562-3
- Aasdahl, L., Foldal, V. S., Standal, M. I., Hagen, R., Johnsen, R., Solbjør, M., . . . Fors, E. A. (2018). Motivational interviewing in long-term sickness absence: Study protocol of a randomized controlled trial followed by qualitative and economic studies. *BMC Public Health*, 18(756).
- Aazh, H. (2016). Feasibility of conducting a randomized controlled trial to evaluate the effect of motivational interviewing on hearing-aid use. *International Journal of Audiology*, 55(3), 149-156.
- Abbott, M., Hodgins, D. C., Bellringer, M., Vandal, A. C., Du Preez, K. P., Landon, J., . . . Feigin, V. (2018). Brief telephone interventions for problem gambling: A randomized controlled trial. *Addiction*, 113(4), 883-895. See also Abbott, M., Bellringer, M., Vandal, A. C., Hodgins, D. C., Battersby, M., & Rodda, S. N. (2017). Effectiveness of problem gambling interventions in a service setting: A protocol for a pragmatic randomised controlled clinical trial. *BMJ Open*, 7(e013490), 1-10. doi: 10.1136/bmjopen-2016-013490
- Abdull, M. M., McCambridge, J., Evans, J., Muazu, F., & Clare, G. (2017). Can adapted motivational interviewing improve uptake of surgical or laser treatment for glaucoma in Nigeria: Randomized controlled trial. *Journal of Glaucoma*, 26(9), 822-828. [Abdull, M. M. (2017). *Adapted Motivational Interviewing to improve uptake of glaucoma treatment in Bauchi, Nigeria*. Ph.D. Dissertation, London School of Hygiene & Tropical Medicine, London.]
- Abildsnes, E., Meland, E., Mildestvedt, T., Stea, T. H., Brentsen, S., & Samdal, G. B. (2017). The Norwegian Health Life Study: Protocol for a pragmatic RCT with longitudinal follow-up on physical activity and diet for adults. *BMC Public Health*, 17(18). doi: 10.1186/s12889-016-3981-1
- Abughosh, S. M., Vadheriya, A., Johnson, M. L., Essien, E. J., Esse, T. W., Serna, O., . . . Fleming, M. L. (2019). Enhancing statin adherence using a motivational interviewing intervention and past adherence trajectories in patients with suboptimal adherence. *J Manag Care Spec Pharm*, 25(10), 1053-1062. See also: Paranjpe, R., Vadheriya, A., & Abughosh, S. (2019). Evaluating intervention trajectories of statin adherence following a motivational interviewing intervention customized by past adherence trajectories to improve statin adherence. *Value in Health*, 22, S160. See also: Abughosh, S., Wang, X., Serna, O., Esse, T., Mann, A., Masilamani, S., . . . Fleming, M. (2017). A motivational interviewing intervention by pharmacy students to improve medication adherence. *Journal of managed care & specialty pharmacy*, 23(5), 549-560
- Achterbergh, R. C. A., van der Helm, J. J., Van den Brink, W., & de Vries, C. (2017). Design of a syndemic based intervention to facilitate care for men who have sex with men with high risk behaviour: The syn.bas.in randomized controlled trial. *BMC Infectious Diseases*, 17(398).
- Acuff, S. F., Voss, A. T., Dennhardt, A. A., Borsari, B., Martens, M. P., & Murphy, J. G. (2019). Brief motivational interventions are associated with reductions in alcohol-induced blackouts among heavy drinking college students. *Alcoholism: Clinical & Experimental Research*, 43(5), 988-996.

- Adams, I., Braun, A., Hill, E., Al-Muhanna, K., Stigall, N., Lobb, J., . . . Spees, C. (2019). Garden-based intervention for youth improves dietary and physical activity patterns, quality of life, family relationships, and indices of health. *Journal of Nutrition Education and Behavior*, 51(75), S20-21.
- Addy, C., Mooney, K., Moore, J. E., Crossan, A. J., Hanna, S. J., Ryan, C., . . . Downey, D. G. (2017). Assessing the clinical impact of motivational interviewing on inhaled antibiotic (IA) adherence in CF. *Journal of Cystic Fibrosis*, 16(Supplement 1), S59.
- Agarwal, S. D., Kerwin, M., Meindertsma, J., & Wolf, A. M. (2018). A novel decisional aid to encourage smoking cessation among patients at an urban safety net clinic. *Prevention of Chronic Disease*, 15(180215).
- Aguirre, T., Struwe, L., Koehler, A., Kreman, R., Bowman, R., Schulte, E., . . . Holloway, J. (2018). Impact of four obesity interventions on biometric measures of individuals positive and negative for food addiction. *Archives of Psychiatry and Mental Health*, 2, 001-005.
- Aharonovich, E., Sarvet, A., Stohl, M., DesJarlais, D., Tross, S., Hurst, T., . . . Hasin, D. (2017). Reducing non-injection drug use in HIV primary care: A randomized trial of brief motivational interviewing, with and without HealthCall, a technology-based enhancement. *Journal of Substance Abuse Treatment*, 74, 71-79. doi: 10.1016/j.jsat.2016.12.009
- Aharonovich, E., Stohl, M., Cannizzaro, D., & Hasin, D. (2017). HealthCall delivered via smartphone to reduce co-occurring drug and alcohol use in HIV-infected adults: A randomized pilot trial. *Journal of Substance Abuse Treatment*, 83, 15-26.
- Ahluwalia, J. S., N. Nollen, et al. (2007). Pathway to health: Cluster-randomized trial to increase fruit and vegetable consumption among smokers in public housing. *Health Psychology* 26(2): 214-221.
- Ahluwalia, J. S., K. Okuyemi, et al. (2006). The effects of nicotine gum and counseling among African American light smokers: A 2 x 2 factorial design. *Addiction* 101(6): 883-891.
- Ahmadi, M., Laumeier, I., Ihl, T., Steinicke, M., Ferse, C., Endres, M., . . . Audebert, H. J. (2019 in press). A support programme for secondary prevention in patients with transient ischaemic attack and minor stroke (INSPiRE-TMS): An open-label, randomised controlled trial. *The Lancet*.
- Alderson, H., McGovern, R., Brown, R., Howel, D., Becker, F., Carr, L., . . . Lingam, R. (2017). Supporting Looked After Children and Care Leavers In Decreasing Drugs, and alcohol (SOLID): protocol for a pilot feasibility randomised controlled trial of interventions to decrease risky substance use (drugs and alcohol) and improve mental health of looked after children and care leavers aged 12–20 years. *BMC Pilot and Feasibility Studies*, 3(25).
- Alexander, G. L., J. B. McClure, et al. (2010). A randomized clinical trial evaluating online interventions to improve fruit and vegetable consumption. *American Journal of Public Health* 100(2): 319-326.
- Al-Ganmi, A. H. A., Perry, L., Gholizdeh, L., & Alotaibi, A. M. (2018). Behaviour change interventions to improve medication adherence in patients with cardiac disease: Protocol for a mixed methods study including a pilot randomised controlled trial. *Collegian: The Australian Journal of Nursing Practice, Scholarship & Research*, 25(4), 385-394.
- Allen, E., Polikina, O., Saburova, L., McCambridge, J., Elbourne, D., Pakriev, S., . . . Leon, D. A. (2011). The efficacy of a brief intervention in reducing hazardous drinking in working age men in Russia: The HIM (Health for Izhevsk men) individually randomised parallel group exploratory trial *Trials*, 12(238).
- Allsop, S., B. Saunders, et al. (1997). A trial of relapse prevention with severely dependent male problem drinkers. *Addiction* 92(1): 61-73.
- Almomani, F., K. Williams, et al. (2009). Effects of an oral health promotion program in people with mental illness. *Journal of Dental Research* 88(7): 648-652.
- Aloia, M. S., Arnedt, J. T., Riggs, R. L. Hecht, J. & Borelli, B. (2004). Clinical management of poor adherence to CPAP: Motivational enhancement. *Behavioral Sleep Medicine* 2(4): 205-222.
- Alves, P. C., Ferreira, I. S., Santos, M. C. L., de Almeida, A. O. A., & Fernandes, A. F. C. (2019). Effects of educational intervention on knowledge and attitude on early detection of breast cancer *Revista da Rede de Enfermagem do Nordeste - Rev Rene*, 20(e40765).
- Alwyn, T., B. John, et al. (2004). The addition of a psychological intervention to a home detoxification programme. *Alcohol and Alcoholism* 39(6): 536-541.
- Ambresin, A. E., Otjes, C. P., Patton, G. C., Sawyer, S. M., Thursiaingam, S., English, D. R., . . . Sanci, L. A. (2017). Training general practitioners to detect probable mental disorders in young people during health risk screening. *Journal of Adolescent Health*, 61(3), 302-309.

- Amorim, A. B., Pappas, E., Simic, M., Ferreira, M. L., Jennings, M., Tiedemann, A., . . . Ferreira, P. H. (2019). Integrating Mobile-health, health coaching, and physical activity to reduce the burden of chronic low back pain trial (IMPACT): A pilot randomised controlled trial. *BMC Musculoskeletal Disorders*, 20(71).
- Anastopoulou, K., Fradelos, E. C., Misouridou, E., Kourakos, M., Berk, A., Papathanasiou, J. V., . . . Zyga, S. (2016). Moderating nutritious habits in psychiatric patients using transtheoretical model of change and counseling *GeNeDis*, 63-71.
- Anderson, D., Seib, C., Tjondronegoro, D., Turner, J., Monterosso, L., McGuire, A., . . . McCarthy, A. L. (2017). The women's wellness after cancer program: A multisite, single-blinded, randomised controlled trial protocol. *BMC Cancer*, 17(98).
- Andreasson, S., Hansagi, H., & Österlund, B. (2002). Short-term treatment for alcohol-related problems: Four-session guided self-change versus one session of advice - a randomized, controlled trial. *Alcohol*, 28(1), 57-62.
- Ang, D. C., Kaelth, A. S., Bigatti, S., Mazzuca, S. A., Jensen, M. P., Hillgoss, J., . . . Saha, C. (2013). Research to encourage exercise for fibromyalgia (REEF): Use of motivational interviewing, outcomes from a randomized-controlled trial. *Clinical Journal of Pain*, 29(4), 296-304. doi: 10.1097/AJP.0b013e318254ac76. See also: Kim, S., Slaven, J. E., & Ang, D. C. (2017). Sustained benefits of exercise-based motivational interviewing, but only among nonusers of opioids in patients with fibromyalgia. *Journal of Rheumatology*, 44, 505-511.
- Anton, R. F., D. H. Moak, et al. (2005). Naltrexone combined with either cognitive behavioral or motivational enhancement therapy for alcohol dependence. *Journal of Clinical Psychopharmacology* 25(4): 349-357.
- Anton, R. F., O'Malley, S. S., Ciraulo, D. A., Cisler, R. A., Couper, D., Donovan, D. M., Gastfriend, D. R., Hosking, J. D., Johnson, B. A., LoCastro, J. S., Longabaugh, R., Mason, B. J., Mattson, M. E., Miller, W. R., Pettinati, H. M., Randall, C. L., Swift, R., Weiss, R. D., Williams, L. D., & Zweben, A. for the COMBINE Study Research Group (2006). Combined pharmacotherapies and behavioral interventions for alcohol dependence. The COMBINE study: A randomized controlled trial. *Journal of the American Medical Association*, 295, 2003-2017.
- Appelhans, B. M., French, S. A., Bradley, L. E., Lui, K., Janssen, I., & Richardson, D. (2019 in press). CHECK: A randomized trial evaluating the efficacy and cost-effectiveness of home visitation in pediatric weight loss treatment. *Contemporary Clinical Trials*(105891).
- Arabian, M., Tavafian, S. S., Zarandi, S. M., Hidarnia, A. R., Burri, A., & Montazeri, A. (2017). A behavioral strategy to minimize air pollution exposure in pregnant women: A randomized controlled trial. *Environmental Health and Preventive Medicine*, 22(26). doi: 10.1186/s12199-017-0633-8
- Arkkukangas, M., Söderlund , A., Eriksson, S., & Johansson, A.-C. (2017). One-year adherence to the Otago exercise programme with or without motivational interviewing in community-dwelling older people. *Journal of Aging and Physical Activity*, 26(3), 390-395.
- Arkkukangas, M., Tuvemo Johnson, S., Hellström, K., & Söderlund, A. (2015). A feasibility study of a randomised controlled trial comparing fall prevention using exercise with or without the support of motivational interviewing. *Preventive Medicine Reports*, 2, 134-140.
- Armstrong, M. J., Campbell, T. S., Lewin, A. M., Khandwala, F., Culos-Reed, S. N., & Sigal, R. J. (2013). Motivational interviewing-based exercise counselling promotes maintenance of physical activity in people with type 2 diabetes. *Canadian Journal of Diabetes*, 37(Supplement 4), S2-S3. doi: 10.1016/j.jcjd.2013.08.006
- Armstrong, S., Mendelsohn, A., Bennett, G., Taveras, E., Kimberg, A., & Kemper, A. R. (2018). Texting motivational interviewing: A randomized controlled trial of motivational interviewing text messages designed to augment childhood obesity treatment. *Childhood Obesity*, 14(1), 4-10.
- Arnaud, N., Baldus, C., Elgan, T. H., De Paepe, N., Tonnesen, H., Csemy, L., & Thomasius, R. (2016). Effectiveness of a Web-Based Screening and Fully Automated Brief Motivational Intervention for Adolescent Substance Use: A Randomized Controlled Trial. *Journal of Medical Internet Research*, 18(5), e103. doi: 10.2196/jmir.4643
- Arredondo, E. M., Elder, J. P., Haughton, J., Slymen, D. J., Sallis, J. F., Perez, L. G., . . . Ayala, G. X. (2017). Fe en acción: Promoting physical activity among churchgoing Latinas. *American Journal of Public Health*, 107(7), 1109-1115.
- Arrow, P., Raheb, J., & Miller, M. (2013). Brief oral health promotion intervention among parents of young children to reduce early childhood dental decay. *BMC public health*, 13, 245.
- Aschbrenner, K. A., Pratt, S. I., Bond, G. R., Zubkoff, L., Naslunde, J. A., Jue, K., . . . Bartels, S. J. (2019). A virtual learning collaborative to implement health promotion in routine mental health settings: Protocol for a cluster randomized trial. *Contemporary Clinical Trials*, 84(105816).

- Ásbjörnsdóttir, B., Vestgaard, M., Ringholm, L., Andersen, L. L. T., Jensen, D. M., Damm, P., & Mathiesen, E. R. (2019). Effect of motivational interviewing on gestational weight gain and fetal growth in pregnant women with type 2 diabetes. *BMJ Open Diabetes Research & Care*, 7(1), e000733.
- Ashe, M. C., Merali, K., Edwards, N. C., Schiller, C., Hanson, H. M., Fleig, L., . . . McKay, H. A. (2018). Integrating research into clinical practice for hip fracture rehabilitation: Implementation of a pragmatic RCT. *AIMS Medical Science*, 5(2), 102-121.
- Aubrey, L. L. (1998). Motivational interviewing with adolescents presenting for outpatient substance abuse treatment. Dissertation Abstracts International: Section B: The Sciences and Engineering, Vol 59(3-B), Sep 1998, 1357.
- Auer, R., Gencer, B., Tango, R., Nanchen, D., Matter, C. M., Luscher, T. F., . . . Rodondi, N. (2016). Uptake and efficacy of a systematic intensive smoking cessation intervention using motivational interviewing for smokers hospitalised for an acute coronary syndrome: A multicentre before-after study with parallel group comparisons. *BMJ Open*. doi: 10.1136/bmjopen-2016-011520
- Azizah, N., Wibowo, M. E., & Purwanto, E. (2020). The effectiveness of strength based intervention motivational interviewing group counseling to improve students' self-compassion. *Jurnal Bimbingan Konseling*, 9(2), 189-193.
- Babor, T. F. (2004). Brief treatments for cannabis dependence: Findings from a randomized multisite trial. *Journal of Consulting and Clinical Psychology* 72(3): 455-466.
- Baca, C. T., & Manuel, J. K. (2007). Satisfaction with long-distance motivational interviewing for problem drinking. *Addictive Disorders and Their Treatment*, 6(1), 39-41.
- Bachiller, D., Grau-Lopez, L., Barral, C., Daigre, C., Alberich, C., Rodriguez-Cintas, L., . . . Roncero, C. (2015). Motivational interviewing group at inpatient detoxification, its influence in maintaining abstinence and treatment retention after discharge. *Adicciones*, 27(2), 109-118.
- Baer, J. S., S. B. Garrett, et al. (2007). Brief motivational intervention with homeless adolescents: Evaluating effects on substance use and service utilization. *Psychology of Addictive Behaviors* 21(4): 582-586.
- Baer, J. S., D. R. Kivlahan, et al. (2001). Brief intervention for heavy-drinking college students: 4-year follow-up and natural history. *American Journal of Public Health* 91(8): 1310-1316.
- Baer, J. S., G. A. Marlatt, et al. (1992). An experimental test of three methods of alcohol risk reduction with young adults. *Journal of Consulting and Clinical Psychology* 60(6): 974-979.
- Bagøien, G., Bjorngaard, J. H., Ostensen, C., Reitan, S. K., Romundstad, P., & Morken, G. (2013). The effects of motivational interviewing on patients with comorbid substance use admitted to a psychiatric emergency unit: A randomised controlled trial with two year follow-up. *BMC Psychiatry*, 13, 93. doi: 10.1186/1471-244X-13-93
- Bai, B., Yan, Z., Hao, Y., Zhang, Z., Li, G., Dekker, J., & Qiu, C. (2017). A randomised controlled multimodal intervention trial in patients with ischaemic stroke in Shandong, China: design and rationale. *The Lancet*, 390 (Special Issue S13).
- Bailey, K. A., Baker, A. L., Webster, R. A., & Lewin, T. J. (2004). Pilot randomized controlled trial of a brief alcohol intervention group for adolescents. *Drug and Alcohol Review*, 23(2), 157-166.
- Bailey, K. A., Baker, A. L., McElduff, P., Jones, M. A., Oldmeadow, C., & Kavanagh, D. J. (2017). Effects of assault type on cognitive behaviour therapy for coexisting depression and alcohol use. *Journal of Clinical Medicine*, 6(7), 72.
- Baird, J., Longabaugh, R., Lee, C. S., Nirenberg, T. D., Woolard, R., Mello, M. J., . . . Gogineni, A. (2007). Treatment completion in a brief motivational intervention in the emergency department: The effect of multiple interventions and therapists' behavior. *Alcoholism: Clinical and Experimental Research*, 31(3), 71S-75s.
- Baker, A., S. Bucci, et al. (2006). Cognitive-behavioural therapy for substance use disorders in people with psychotic disorders: Randomised controlled trial. *British Journal of Psychiatry* 188(5): 439-448.
- Baker, A., Heather, N., Wodak, A., Dixon, J., & Holt, P. (1993). Evaluation of a cognitive behavioral intervention for HIV prevention among injecting drug users. *AIDS*, 7, 247-256.
- Baker, A. L., Kavanagh, D. J., Kay-Lambkin, F. J., Hunt, S. A., Lewin, T. J., Carr, V. J., & McElduff, P. (2014). Randomized controlled trial of MICBT for co-existing alcohol misuse and depression: Outcomes to 36-months. *Journal of Substance Abuse Treatment*, 46(3), 281-290.
- Baker, A., N. K. Lee, et al. (2005). Brief cognitive behavioural interventions for regular amphetamine users: A step in the right direction. *Addiction* 100(3): 367-378.
- Baker, A., Lewin, T., Reichler, H., Clancy, R., Carr, V., Garrett, R., . . . Terry, M. (2002). Evaluation of a motivational interview for substance use within psychiatric in-patient services. *Addiction*, 97(10), 1329-1337.
- Baker, A., R. Richmond, et al. (2006). A randomized controlled trial of a smoking cessation intervention among people with a psychotic disorder. *The American Journal of Psychiatry* 163(11): 1934-1942. Baker, A. L., Richmond, R., Kay-Lambkin, F. J., Filia, S. L., Castle, D., Williams, J. M., . . . Palazzi, K. (2017). Randomised controlled trial of a healthy lifestyle intervention among smokers with psychotic disorders: Outcomes to 36 months. *Australian and New Zealand Journal of Psychiatry*, 52(3), 239-252.

- Bakker, J. P., Wang, R., Weng, J., Aloia, M. S., Toth, C., Morrical, M. G., . . . Redline, S. (2016). Motivational enhancement for increasing adherence to CPAP: A randomized controlled trial. *Chest*, 150(2), 337-345. doi: 10.1016/j.chest.2016.03.019
- Bakker, R. M., Mens, J. W. M., de Groot, H. E., Tuijnman-Raasveld, C. C., Braat, C., Hompus, W. C. P., . . . ter Kuile, M. M. (2016). A nurse-led sexual rehabilitation intervention after radiotherapy for gynecological cancer. *Supportive Care in Cancer*, 9. Retrieved from <http://link.springer.com/article/10.1007/s00520-016-3453-2> doi:10.1007/s00520-016-3453-2
- Ball, G. D. C., Spence, N. D., Browne, N. E., O'Connor, K., Srikanthar, S., Zelichowska, J., . . . Geller, J. (2017). The readiness and motivation interview for families (RMI-Family) managing pediatric obesity: Study protocol. *BMC Health Services Research*, 17(261). doi: 10.1186/s12913-017-2201-8
- Ball, S. A., S. Martino, et al. (2007). Site matters: Multisite randomized trial of motivational enhancement therapy in community drug abuse clinics. *Journal of Consulting and Clinical Psychology* 75(4): 556-567.
- Ball, S. A., M. Todd, et al. (2007). Brief motivational enhancement and coping skills interventions for heavy drinking. *Addictive Behaviors* 32(6): 1105-1118.
- Baquet-Simpson, A., Spettell, C. M., Freeman, A. N., Bates, A. M., Paz, H. L., Mirsky, R., . . . Brennan, T. A. (2019). Aetna's Compassionate Care Program: Sustained value for our members with advanced illness. *Journal of Palliative Medicine*, 22(11), 1324-1330.
- Barkin, S. L. (2008). Is office-based counseling about media use, timeouts, and firearm storage effective? Results from a cluster-randomized, controlled trial. *Pediatrics* 122(1): e15-e25.
- Baradaran, M., Zare, H., Alipour, A., & Farzad, V. (2017). Effectiveness of motivational interviewing on physical and mental indicators in patients with essential hypertension. *Journal of Research in Psychological Health (Khwarizmi University of Tehran)*, 10(4), 10-19.
- Barnes, J., Stuart, J., Allen, E., Petrou, S., Sturgess, J., Barlow, J., . . . Elbourne, D. (2017). Results of the First Steps study: A randomised controlled trial and economic evaluation of the Group Family Nurse Partnership (gFNP) programme compared with usual care in improving outcomes for high-risk mothers and their children and preventing abuse. *Public Health Research*, 5(9).
- Barnes, M. C., Haase, A. M., Bard, A. M., Donovan, J. L., Davies, R., Dursley, S., . . . Gunnell, D. (2017). HOPE: Help for People with money, employment, benefit or housing problems: Study protocol for a randomised controlled trial. *BMC Pilot and Feasibility Studies*, 3(44).
- Barnes, M. C., Haase, A. M., Scott, L. J., Linton, M.-J., Bard, A. M., Donovan, J. L., . . . Gunnell, D. (2018). The help for people with money, employment or housing problems (HOPE) intervention: Pilot randomised trial with mixed methods feasibility research. *Pilot and Feasibility Studies*, 4(172).
- Barnes, R. D., Ivezaj, V., Martino, S., Pittman, B. P., & Grilo, C. M. (2017). Back to basics? No weight loss from motivational interviewing compared to nutrition psychoeducation at one-year follow-up. *Obesity*, 25(12). Barnet, B., J. Liu, et al. (2009). Motivational intervention to reduce rapid subsequent births to adolescent mothers: A community-based randomized trial. *Annals of Family Medicine* 7(5): 436-445.
- Barnett, E., Spruijt-Metz, D., Unger, J. B., Sun, P., Rohrbach, L. A., & Sussman, S. (2012). Boosting a teen substance use prevention program with motivational interviewing. *Substance Use & Misuse*, 47(4), 418-428. doi: 10.3109/10826084.2011.641057
- Barnett, N. P., Monti, P. M., & Wood, M. D. (2001). Motivational interviewing for alcohol-involved adolescents in the emergency room. In E. F. Wagner & H. B. Waldron (Eds.), *Innovations in adolescent substance abuse intervention* (pp. 143-168). New York: Pergamon Press.
- Barrett, S., Begg, S., O'Halloran, P., & Kingsley, M. (2018). Integrated motivational interviewing and cognitive behaviour therapy can increase physical activity and improve health of adult ambulatory care patients in a regional hospital: The Healthy4U randomised controlled trial. *BMC Public Health*, 18(1166). See also Barrett, S., Kingsley, M., Begg, S., & O'Halloran, P. (2018). Motivational interviewing with cognitive behaviour therapy influences physical activity patterns of adult ambulatory care patients in a regional hospital: Healthy 4U randomized controlled trial. *Journal of Science and Medicine in Sport*, 21(Supplement 1), S28-29.
- Barrowclough, C., Haddock, G., Tarrier, N., Lewis, S. W., Moring, J., O'Brien, R., . . . McGovern, J. (2001). Randomized controlled trial of motivational interviewing, cognitive behavior therapy, and family intervention for patients with comorbid schizophrenia and substance use disorders. *American Journal of Psychiatry*, 158, 1706-1713.
- Barrowclough, C., Haddock, G., Wykes, T., Beadmore, R., Conrod, P., Craig, T., . . . Tarrier, N. (2010). Integrated motivational interviewing and cognitive behavioural therapy for people with psychosis and comorbid substance misuse: Randomised controlled trial. *BMJ*, 341(c6325).
- Batliner, T. S., Tiwari, T., Henderson, W. G., Wilson, A. R., Gregorich, S. E., Fehringer, K. A., . . . Albino, J. (2018). Randomized trial of motivational interviewing to prevent early childhood caries in American Indian children. *JDR*

- Clinical and Translational Research*, 3(4), 366-375. See also Batliner, T., Fehringer, K. A., Tiwari, T., Henderson, W. G., Wilson, A., Brega, A. G., & Albino, J. (2014). Motivational interviewing with American Indian mothers to prevent early childhood caries: Study design and methodology of a randomized control trial. *Trials*, 15, 125. doi: 10.1186/1745-6215-15-125
- Battjes, R. J., Gordon, M. S., O'Grady, K. E., Kinlock, T. W., Katz, E. C., & Sears, E. A. (2004). Evaluation of a group-based substance abuse treatment program for adolescents. *Journal of Substance Abuse Treatment*, 27, 123-134.
- Baum, D. E. (2016). *The effects of a brief motivational enhancement targeting parents of adolescent substance users*. Dissertation, Xavier University. Retrieved from <https://etd.ohiolink.edu/>
- Bayley, A., de Zoysa, N., Cook, D. G., Whincup, P. H., Stahl, D., Twist, K., . . . Ismail, K. (2015). Comparing the effectiveness of an enhanced MOTiVational intErviewing InTervention (MOVE IT) with usual care for reducing cardiovascular risk in high risk subjects: Study protocol for a randomised controlled trial. *Trials*, 16, 112. doi: 10.1186/s13063-015-0593-5
- Beadnell, B., Crisafulli, M. A., Stafford, P. A., Rosengren, D. B., & DiClemente, C. C. (2015). Operating under the influence: Three year recidivism rates for motivation-enhancing versus standard care programs. *Accident Analysis and Prevention*, 80, 48-56. See also: Beadnell, B., Nason, N., Stafford, P. A., Rosengren, D. B., & Daugherty, R. (2012). Short-term outcomes of a motivation-enhancing approach to DUI intervention. *Accidental Analysis & Prevention*, 45, 792-801
- Bean, M. K., Ingersoll, K. S., Powell, P., Stern, M., Evans, R. K., Wickham, E. P., 3rd, & Mazzeo, S. E. (2018). Impact of motivational interviewing on outcomes of an adolescent obesity treatment: Results from the MI Values randomized controlled pilot trial. *Clinical Obesity*, 8(5), 323-326. See also Bean, M. K., Powell, P., Ingersoll, K., Stern, M., R., E., Wickham, E., & Mazzeo, S. (2014). Randomized controlled trial of a motivational interviewing intervention in pediatric obesity: The MI values study. *Annals of Behavioral Medicine*, 47, S230.
- Bean, M. K., Thornton, L. M., Jeffers, A. J., Gow, R. W., & Mazzeo, S. E. (2019). Impact of motivational interviewing on engagement in a parent-exclusive paediatric obesity intervention: Randomized controlled trial of NOURISH+MI. *Pediatric Obesity*, 14(4), e12484.
- Becker, A., Leonhardt, C., Kochen, M. M., Keller, S., Wegscheider, K., E., B., . . . Chenot, J. F. (2008). Effects of two guideline implementation strategies on patient outcomes in primary care: A cluster randomized controlled trial. *Spine*, 33(5), 473-489.
- Beckerman, H., Blikman, L. J. M., Heine, M., Malekzadeh, A., Teunissen, C. E., Bussmann, J. B. J., . . . TREFAMS-ACT Study Group. (2013). The effectiveness of aerobic training, cognitive behavioural therapy, and energy conservation management in treating MS-related fatigue: the design of the TREFAMS-ACE programme. *Trials*, 14(250).
- Beckham, N. (2007). Motivational interviewing with hazardous drinkers. *Journal of the American Academy of Nurse Practitioners* 19(2): 103-110.
- Beckie, T. M. (2006). A behavior change intervention for women in cardiac rehabilitation. *Journal of Cardiovascular Nursing*, 21, 146-153.
- Beckman, M., Forsberg, L., Lindqvist, H., Persson, E., & Ghaderi, A. (2017). The dissemination of motivational interviewing in Swedish county councils: Results of a randomized controlled trial. *PLoS One*, 12(7), :e018171.
- Befort, C., N. Nollen, et al. (2008). Motivational interviewing fails to improve outcomes of a behavioral weight loss program for obese africanamerican women: A pilot randomized trial. *Journal of Behavioral Medicine* 31(5): 367-377.
- Bejerholm, U., Larsson, M. E., & Johanson, S. (2017). Supported employment adapted for people with affective disorders—A randomized controlled trial. *Journal of Affective Disorders*, 207, 212-220.
- Bekelman, D. B., Allen, L. A., Peterson, J., Hattler, B., Havranek, E. P., Fairclough, D. L., . . . Meek, P. M. (2016). Rationale and study design of a patient-centered intervention to improve health status in chronic heart failure: The Collaborative Care to Alleviate Symptoms and Adjust to Illness (CASA) randomized trial. *Contemporary Clinical Trials*, 51, 1-7. doi: 10.1016/j.cct.2016.09.002
- Bell, D. L., Garbers, S., Catalozzi, M., Hum, S., Nechitilo, M., McKeague, I. W., . . . Gold, M. A. (2018). Computer-assisted motivational interviewing intervention to facilitate teen pregnancy prevention and fitness behavior changes: A randomized trial for young men. *Journal of Adolescent Health*, 62(3, Supplement), S72-S80.
- Bell, J. B. (2008). Volitional control, self-regulation, and motivational interviewing in veterans with alcohol problems. US, ProQuest Information & Learning. 68.
- Bell, K. R., N. R. Temkin, et al. (2005). The effect of a scheduled telephone intervention on outcome after moderate to severe traumatic brain injury: A randomized trial. *Archives of Physical Medicine and Rehabilitation* 86(5): 851-856.

- Bellack, A. S., M. E. Bennett, et al. (2006). A randomized clinical trial of a new behavioral treatment for drug abuse in people with severe and persistent mental illness. *Archives of General Psychiatry* 63(4): 426-432.
- Beltrán, L. F. A. (2019). Effects of motivational interviewing on cardiovascular patient adherence. *Enfermeria Global*, 56.
- Ben-Ami, N., Chodick, G., Mirovsky, Y., Pincus, T., & Shapiro, Y. (2017). Increasing recreational physical activity in patients with chronic low back pain: A pragmatic controlled clinical trial. *Journal of Orthopaedic and Sports Physical Therapy*, 47(2), 57-66. doi: 10.2519/jospt.2017.7057
- Benbassat, D. O., P. C. Dos Reis, et al. (2008). Motivational interviewing increases physical activity in depressed inpatients. *European Psychiatry* (Supplement 2) S299.
- Bennett, J. A., Lyons, K. S., Winters-Stone, K., Nail, L. M., & Scherer, J. (2007). Motivational interviewing to increase physical activity in long-term cancer survivors: A randomized controlled trial. *Nursing Research*, 56(1), 18-27.
- Bennett, J. A., N. A. Perrin, et al. (2005). Healthy aging demonstration project: Nurse coaching for behavior change in older adults. *Research in Nursing and Health* 28(3): 187-197.
- Bennett, J. A., H. M. Young, et al. (2008). A telephone-only motivational intervention to increase physical activity in rural adults: A randomized controlled trial. *Nursing Research* 57(1): 24-32.
- Benzo, R., Douglas, K. V., Novotny, P. J., Tucker, S., Hoult, J., Neuenfeldt, P., . . . McEnvoy, C. (2016). Health coaching and COPD re-hospitalization: A randomized study. *American Journal of Respiratory and Critical Care Medicine*, 194(6), 672-680.
- Berger, B. A., H. Liang, et al. (2005). Evaluation of software-based telephone counseling to enhance medication persistency among patients with multiple sclerosis. *Journal of the American Pharmacists Association* 45(4): 466-472.
- Berks, D., Hoedjes, M., Raat, H., Franx, A., Loosman, C. W. N., Van Oostwaard, M. F., . . . Steegers, E. A. P. (2019). Feasibility and effectiveness of a lifestyle intervention after complicated pregnancies to improve risk factors for future cardiometabolic disease. *Pregnancy Hypertension*, 15, 98-107.
- Berman, A. H., L. Forsberg, et al. (2010). Single-session motivational interviewing for drug detoxification inpatients: Effects on self-efficacy, stages of change and substance use. *Substance Use and Misuse* 45(3): 384-402.
- Bernstein, J., E. Bernstein, et al. (2005). Brief motivational intervention at a clinic visit reduces cocaine and heroin use. *Drug and Alcohol Dependence* 77(1): 49-59.
- Bernstein, R. M. (2019). *Expand, connect, thrive: Increasing positive health behaviors in at-risk adolescents*. Ph.D. Dissertation, University of Miami, Open Access Dissertations. Retrieved from https://scholarlyrepository.miami.edu/oa_dissertations/2318 (2318)
- Bernstein, S. L., D'Onofrio, G., Rosner, J., O'Malley, S., Makuch, R., Busch, S., . . . Toll, B. (2015). Successful tobacco dependence treatment in low-income emergency department patients: A randomized trial. *Annals of Emergency Medicine*, 66(2), 140-147. doi: 10.1016/j.annemergmed.2015.03.030
- Bernstein, S. L., Dziura, J., Weiss, J., Miller, T., Vickerman, K. A., Grau, L. E., . . . Toll, B. (2018). Tobacco dependence treatment in the emergency department: A randomized trial using the Multiphase Optimization Strategy. *Contemporary Clinical Trials* 66, 1-8.
- Bernstein, S. L., Rosner, J., & Toll, B. (2016). A multicomponent intervention including texting to promote tobacco abstinence in emergency department smokers: A pilot study. *Academic Emergency Medicine*, 23(7): 803-808.
- Berry, K., Palmer, T., Gregg, L., Barrowclough, C., & Lobban, F. (2018). Attachment and therapeutic alliance in psychological therapy for people with recent onset psychosis who use cannabis. *Clinical Psychology and Psychotherapy*, 25(3).
- Bertrand, K., Roy, E., Vaillancourt, E., Vandermeerschen, J., Berbiche, D., & Boivin, J.-F. (2015). Randomized controlled trial of motivational interviewing for reducing injection risk behaviours among people who inject drugs. *Addiction*, 110, 832-841
- Bhimani, R. H., Cross, L. J. S., Taylor, B. C., Meis, L. A., Fu, S. S., Allen, K. D., . . . Burgess, D. J. (2017). Taking ACTION to reduce pain: ACTION study rationale, design and protocol of a randomized trial of a proactive telephone-based coaching intervention for chronic musculoskeletal pain among African Americans. *BMC Musculoskeletal Disorders*, 18(15). doi: 10.1186/s12891-016-1363-6
- Bien, T. H., Miller, W. R., & Boroughs, J. M. (1993). Motivational interviewing with alcohol outpatients. *Behavioural and Cognitive Psychotherapy*, 21, 347-356.
- Black, M. M., Hager, E. R., Le, K., Anliker, J., Arteaga, S. S., Diclemente, C., . . . Wang, Y. (2010). Challenge! Health promotion/obesity prevention mentorship model among urban, black adolescents. *Pediatrics*, 126(2), 280-288
- Blevins, C. E., Banes, K. E., Stephens, R. S., Walker, D. D., & Roffman, R. A. (2016). Change in motives among frequent cannabis-using adolescents: Predicting treatment outcomes. *Drug and Alcohol Dependence*, 167, 175-181. doi: 10.1016/j.drugalcdep.2016.08.018

- Blow, F. C., M. A. Walton, et al. (2010). Intervention attendance among emergency department patients with alcohol- and drug-use disorders. *Journal of Studies on Alcohol and Drugs*, 71(5): 713-719.
- Blow, F. C., Walton, M. A., Bohnert, A. S. B., Ignacio, R. V., Chermack, S., Cunningham, R. M., . . . Barry, K. L. (2017). A randomized controlled trial of brief interventions to reduce drug use among adults in a low-income urban emergency department: the HealthiER You study. *Addiction*, 112(8), 1395-1405.
- Boccio, M., Sanna, R. S., Adams, S. R., Goler, N. C., Brown, S. D., Neugebauer, S., . . . Schmittdiek, J. A. (2017). Telephone-based coaching: A comparison of tobacco cessation programs in an integrated health care system. *American Journal of Health Promotion*, 31(2), 136-142.
- Boffo, M., Pronk, T., Wiers, R. W., & Mannarini, S. (2015). Combining cognitive bias modification training with motivational support in alcohol dependent outpatients: study protocol for a randomised controlled trial. *Trials*, 16(63).
- Bogaerts, A., Ameye, L., Bijholt, M., Amuli, K., Heynicks, D., & Devlieger, R. (2017). INTER-ACT: prevention of pregnancy complications through an e-health driven interpregnancy lifestyle intervention – study protocol of a multicentre randomised controlled trial. *BMC Pregnancy and Childbirth*, 17(154).
- Bogaerts, A. F., Devlieger, R., Nuyts, E., Witters, I., Gyselaers, W., & Van den Bergh, B. R. (2013). Effects of lifestyle intervention in obese pregnant women on gestational weight gain and mental health: a randomized controlled trial. *International Journal of Obesity*, 37(6), 814-821. doi: 10.1038/ijo.2012.162
- Bogart, L. M., Mutchler, M. G., McDavitt, B., Klein, D. J., Cunningham, W. E., Goggin, K. J., . . . Wagner, G. J. (2017). A randomized controlled trial of *Rise*, A community-based culturally congruent adherence intervention for Black Americans living with HIV. *Annals of Behavioral Medicine*, 51(6), 868-878.
- Bogenschutz, M. P., Donovan, D. M., Mandler, R. N., Perl, H. I., Forcehimes, A. A., Crandall, C., . . . Douaihy, A. (2014). Brief intervention for patients with problematic drug use presenting in emergency departments: A randomized clinical trial *JAMA Internal Medicine*, 174(11), 1736-1745
- Bogg, T., Marshbanks, M. R., Doherty, H. K., & Vo, P. T. (2019). Testing a brief motivational-interviewing educational commitment module for at-risk college drinkers: A randomized trial. *Addictive Behaviors*, 90, 151-157.
- Boggs, T. G. et al. (2001). Randomized controlled trial of brief cognitive-behavioural interventions among regular users of amphetamine. *Addiction*, 96(9): 1279-1287.
- Bohnert, A. S. B., Bonar, E. E., Cunningham, R., Greenwald, M. K., Thomas, L., Chermack, S., . . . Walton, M. (2016). A pilot randomized clinical trial of an intervention to reduce overdose risk behaviors among emergency department patients at risk for prescription drug overdose. *Drug and Alcohol Dependence*, 163, 40-47.
- Bolger, K., K. Carter, et al. (2010). Motivational interviewing for smoking cessation among college students. *Journal of College Student Psychotherapy*, 24(2): 116-129.
- Bonaparte, F., Graves, C. C., Farber, E. W., Gillespie, S. E., Hussen, S. A., Thomas-Seaton, L., . . . Camacho-Gonzalez, A. F. (2019 in press). Metropolitan Atlanta Community Adolescent Rapid Testing Initiative: The impact of motivational interviewing and intensive case management on the psychosocial and clinical care outcomes of adolescents and young adults with HIV. *Psychotherapy*.
- Boman, J., Lindqvist, H., Forsberg, L., Janlert, U., Granåsen, G., & Nylander, E. (2017). Brief manual-based single-session motivational interviewing for reducing high-risk sexual behaviour in women – An evaluation. *International Journal of STD & AIDS*, 29(4), 396-403.
- Bombardier, C. H., K. R. Bell, et al. (2009). The efficacy of a scheduled telephone intervention for ameliorating depressive symptoms during the first year after traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 24(4): 230-238.
- Bombardier, C. H., Cunniffe, M., Wadhwani, R., Gibbons, L. E., Blake, K. D., & Kraft, G. H. (2008). The efficacy of telephone counseling for health promotion in people with multiple sclerosis: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, 89(10), 1849-1857.
- Bombardier, C. H. and C. T. Rimmele (1999). Motivational interviewing to prevent alcohol abuse after traumatic brain injury: A case series. *Rehabilitation Psychology*, 44(1): 52-67.
- Bommele, J., Schoenmakers, T. M., Kleinjan, M., Peters, G.-J. Y., Dijkstra, A., & van de Mheen, D. (2017). Targeting hardcore smokers: The effects of an online tailored intervention, based on motivational interviewing techniques. *British Journal of Health Psychology*, 22(3), 644-660.
- Bonevski, B., Twyman, L., Paul, C., D'Este, C., West, R., Siahpush, M., . . . Palazzi, K. (2018). Smoking cessation intervention delivered by social service organisations for a diverse population of Australian disadvantaged smokers: A pragmatic randomised controlled trial. *Preventive Medicine*, 112, 38-44.
- Bonsack, C., Gibellini Manetti, S., Favrod, J., Montagrin, Y., Besson, J., Bovet, P., & Conus, P. (2011). Motivational intervention to reduce cannabis use in young people with psychosis: A randomized controlled trial. *Psychotherapy and Psychosomatics*, 80(5), 287-297.

- Booth, R. E., Corsi, K. F., & Mikulich-Gilbertson, S. K. (2004). Factors associated with methadone maintenance treatment retention among street-recruited injection drug users. *Drug and Alcohol Dependence*, 74, 177-185.
- Booth, R. E., Kwiatkowski, C., Iguchi, M. Y., Pinto, F., & John, D. (1999). Facilitating Treatment Entry Among Out-of-Treatment Injection Drug Users. *Public Health*, 113, 116-128.
- Borg, A., Haughton, C. F., Sawyer, M., Lemon, S. C., Kane, K., Pbert, L., . . . Rosal, M. C. (2019). Design and methods of the Healthy Kids & Families study: A parent-focused community health worker-delivered childhood obesity prevention intervention. *BMC Obesity*, 6(19).
- Borji, M., Taghinejad, H., & Salimi, A. H. (2018). The effect of motivational interviewing on fatigue in patients with multiple sclerosis. *Archives of Neuroscience*, 5(3), e63436.
- Borreli, B., Endrighi, R., Hammond, S. K., & Dunsiger, S. (2017). Smokers who are unmotivated to quit and have a child with asthma are more likely to quit with intensive motivational interviewing and repeated biomarker feedback. *Journal of Consulting and Clinical Psychology*, 85(11), 1019-1028.
- Borreli, B., E. L. McQuaid, et al. (2010). Motivating Latino caregivers of children with asthma to quit smoking: A randomized trial. *Journal of Consulting and Clinical Psychology* 78(1): 34-43.
- Borreli, B., S. Novak, et al. (2005). Home health care nurses as a new channel for smoking cessation treatment: outcomes from project CARES (community-nurse assisted research and education on smoking). *Preventive Medicine* 41(5-6): 815-821.
- Borsari, B. and K. B. Carey (2000). Effects of a brief motivational intervention with college student drinkers. *Journal of Consulting and Clinical Psychology* 68(4): 728-733.
- Borsari, B., Hustad, J. T., Mastroleo, N. R., Tevyaw, T. O., Barnett, N. P., Kahler, C. W., . . . Monti, P. M. (2012). Addressing alcohol use and problems in mandated college students: A randomized clinical trial using stepped care. *Journal of Consulting and Clinical Psychology*, 80(6), 1062-1074.
- Borsari, B., Merrill, J. E., Yurasek, A., Miller, M. B., & Carey, K. B. (2016). Does a brief motivational intervention reduce frequency of pregaming in mandated students? *Substance Use & Misuse*, 51(8), 1056-1066. doi: 10.3109/10826084.2016.1152494
- Bortolon, C. B., Moreira, T. C., Signor, L., Guahyba, B. L., Figueiro, L. R., Ferigolo, M., & Barros, H. M. (2017). Six-month outcomes of a randomized, motivational tele-intervention for change in the codependent behavior of family members of drug users. *Substance Use & Misuse*, 52(2), 164-174. doi: 10.1080/10826084.2016.1223134
- Bosselmann, L., Fangauf, S. V., Belnap, B. H., Chavanon, M.-L., Nagel, J., Neitzel, C., . . . Herrmann-Lingen, C. (2019 in press). Blended collaborative care in the secondary prevention of coronary heart disease improves risk factor control: Results of a randomised feasibility study. *European Journal of Cardiovascular Nursing*.
- Bosworth, H. B., Olsen, M. K., McCant, F., Stechuchak, K. M., Danus, S., Crowley, M. J., . . . Oddone, E. Z. (2018). Telemedicine cardiovascular risk reduction in veterans: The CITIES trial. *American Heart Journal*, 199, 122-129.
- Boulmpou, A., Kartas, A., Farmakis, I., Zafeiropoulos, S., Nevras, V., Papadimitriou, I., . . . Giannakoulas, G. (2019, in press). Motivational interviewing to support LDL-C therapeutic goals and lipid-lowering therapy compliance in patients with acute coronary syndromes (IDEAL-LDL) study: Rationale and design. *Hellenic Journal of Cardiology*.
- Bowen, D., Ehret, C., Pedersen, M., Snetselaar, L., Johnson, M., Tinker, L., . . . Beedoe, J. W. (2002). Results of an Adjunct Dietary Intervention Program in the women's Health Initiative. *Journal of the American Dietetic Association*, 102, 1631-1637.
- Braciszewski, J. M., Wernette, G. K. T., Moore, R. S., Bock, B. C., Stout, R. L., & Chamberlain, P. (2018). A pilot randomized controlled trial of a technology-based substance use intervention for youth exiting foster care. *Children and Youth Services Review*, 94, 466-476.
- Brand, V. S., Bray, K. K., MacNeill, S., Catley, D., & Williams, K. (2013). Impact of single-session motivational interviewing on clinical outcomes following periodontal maintenance therapy. *International Journal of Dental Hygiene*, 11(2), 134-141.
- Braun, A., Portner, J., Grainger, E. M., Hill, E. B., Young, G. S., Clinton, S. K., & Spees, C. K. (2018). Tele-motivational interviewing for cancer survivors: Feasibility, preliminary efficacy, and lessons learned. *Journal of Nutrition Education and Behavior*, 50(1), 19-32.e11.
- Braver, S. L., Sandler, I. N., Hita, L. C., & Wheeler, L. A. (2016). A randomized comparative effectiveness trial of two court-connected programs for high-conflict families. *Family Court Review*, 54(3), 349-363.
- Britt, E., & Blampied, N. M. (2014). Training dietitians in motivational interviewing: A pilot study of the effects of dietitian and patient behaviour. *Motivational Interviewing: Training, Research, Implementation, Practice*, 1(3), 7-12. doi: 10.5195/mitrip.2014.55

- Bradley, K. A., Ludman, E. J., Chavez, L. J., Bobb, J. F., Rueyebusch, S. J., Achtmeyer, C. E., . . . Kivlahan, D. R. (2017). Patient-centered primary care for adults at high risk for AUDs: The Choosing Healthier Drinking in Collaborative Care (CHOICE) trial. *Addiction Science & Clinical Practice*, 12(15).
- Brinson, D., Wallace-Bell, M., Kirk, R., & Hornblow, A. (2015). Buddy-motivational interviewing (buddy-MI) to increase physical activity in community settings: Results of a pragmatic randomised controlled trial. *Motivational Interviewing: Training, Research, Implementation, Practice*, 1(3).
- Britt, E., Sawatzky, R., & Swibaker, K. (2018). Motivational interviewing to promote employment. *Journal of Employment Counseling*, 55(4), 176-189.
- Britton, B., Baker, A., Clover, K., McElduff, P., Wratten, C., & Carter, G. (2017). Heads Up: A pilot trial of a psychological intervention to improve nutrition in head and neck cancer patients undergoing radiotherapy. *European Journal of Cancer Care*, 26(4), e12502.
- Britton, B., Baker, A. L., Wolfenden, L., Wratten, C., Bauer, J., Beck, A. K., . . . Carter, G. (2019). Eating As Treatment (EAT): A stepped wedge, randomized controlled trial of a health behavior change intervention provided by dietitians to improve nutrition in patients with head and neck cancer undergoing radiation therapy. *International Journal of Oncology, Biology, Physics*, 103(2), 353–362.
- Britton, P. C., Conner, K. R., Chapman, B. P., & Maisto, S. A. (2019 in press). Motivational interviewing to address suicidal ideation: A randomized controlled trial in veterans. *Suicide and Life-Threatening Behavior*.
- Broccoli, S., Davoli, A. M., Bonvicini, L., Fabbri, A., Ferrari, E., Montagna, G., . . . Giorgi Rossi, P. (2016). Motivational interviewing to treat overweight children: 24-month follow-up of a randomized controlled trial. *Pediatrics*, 137(1). doi: 10.1542/peds.2015-1979
- Broder-Fingert, S., Walls, M., Augustyn, M., Beidas, R., Mandell, D., Wiltsey-Stirman, S., . . . Feinberg, E. (2018). A hybrid type I randomized effectiveness-implementation trial of patient navigation to improve access to services for children with autism spectrum disorder. *BMC Psychiatry*, 18(79).
- Brodie, D. A. and A. Inoue (2005). Motivational interviewing to promote physical activity for people with chronic heart failure. *Journal of Advanced Nursing* 50(5): 518-527.
- Brodie, D. A., A. Inoue, et al. (2008). Motivational interviewing to change quality of life for people with chronic heart failure: A randomised controlled trial. *International Journal of Nursing Studies* 45(4): 489-500.
- Broekhuizen, K., Jelsma, J. G. M., van Poppel, M. N. M., Koppes, L. L. J., Brug, J., & van Mechelen, W. (2012). Is the process of delivery of an individually tailored lifestyle intervention associated with improvements in LDL cholesterol and multiple lifestyle behaviours in people with familial hypercholesterolemia? *BMC Public Health*, 12(348).
- Brookman-Frazee, L., & Stahmer, A. C. (2018). Effectiveness of a multi-level implementation strategy for ASD interventions: Study protocol for two linked cluster randomized trials. *Implementation Science*, 13(66).
- Brooks, D. R., Burtner, J. L., Borrelli, B., Heeren, T. C., Evans, T., Davine, J. A., . . . Geller, A. C. (2017). Twelve-month outcomes of a group-randomized community health advocate-led smoking cessation intervention in public housing. *Nicotine & Tobacco Research* (ntx193).
- Broussard, J., & Wulfert, E. (2019). Debiasing of gambling beliefs and behaviors using a digital gambling accelerator. *Psychology of Addictive Behaviors*, 33(3), 337-348.
- Brouwers, R. W. M., Kraal, J. J., Traa, S. C. J., Spee, R. F., Oostveen, L. M. L. C., & Kemps, H. M. C. (2017). Effects of cardiac telerehabilitation in patients with coronary artery disease using a personalised patient-centred web application: Protocol for the SmartCare-CAD randomised controlled trial. *BMC Cardiovascular Disorders*, 17(46).
- Brown, J. M., & Miller, W. R. (1993). Impact of motivational interviewing on participation and outcome in residential alcoholism treatment. *Psychology of Addictive Behaviors*, 7, 211-218.
- Brown, R. A., Abrantes, A. M., Minami, H., Prince, M. A., Bloom, E. L., Apodaca, T. R., . . . Hunt, J. I. (2015). Motivational interviewing to reduce substance use in adolescents with psychiatric comorbidity. *Journal of Substance Abuse Treatment*, 59, 20-29. doi: 10.1016/j.jsat.2015.06.016. See also Minami, H., Bloom, E. L., Brinkman, H. R., Abrantes, A. M., Young, C. C., & Brown, R. A. (2018). Factors related to cigarette smoking and intent to quit among adolescent inpatients with psychiatric and substance use disorders. *Drug and Alcohol Dependence*, 186, 215-218.
- Brown, R. A., Ramsey, S. E., Strong, D. R., Myers, M. G., Kahler, C. W., Lejuez, C. W., . . . Abrams, D. B. (2003). Effects of motivational interviewing on smoking cessation in adolescents with psychiatric disorders. *Tobacco Control*, 12(Suppl. 4), 3-10.
- Brown, R. A., D. R. Strong, et al. (2009). Effects on substance use outcomes in adolescents receiving motivational interviewing for smoking cessation during psychiatric hospitalization. *Addictive Behaviors* 34(10): 887-891.

- Brown, S. D., Hedderson, M. M., Ehrlich, S. F., Galarce, M. N., Tsai, A.-L., Quesenberry, C. P., & Ferrara, A. (2019). Gestational weight gain and optimal wellness (GLOW): Rationale and methods for a randomized controlled trial of a lifestyle intervention among pregnant women with overweight or obesity. *BMC Pregnancy and Childbirth*, 19(145).
- Brown, T. G., M. Dongier, et al. (2007). Group-delivered brief intervention versus standard care for mixed alcohol/other drug problems. *Alcoholism Treatment Quarterly* 24(4): 23-40.
- Brown, T. G., Dongier, M., Ouimet, M. C., Tremblay, J., Chanut, F., Legault, L., & Kin, N. M. K. N. Y. (2010). Brief motivational interviewing for DWI recidivists who abuse alcohol and are not participating in DWI intervention: A randomized controlled trial. *Alcoholism: Clinical & Experimental Research*, 34(2), 292-301.
- Brug, J., Spikmans, F., Aartsen, C., Breedveld, B., Bes, R., & Fereira, I. (2007). Training dietitians in basic motivational interviewing skills results in changes in their counseling style and in lower saturated fat intakes in their patients. *Journal of Nutrition Education and Behavior*, 39, 8-12
- Brunette, M. F., Ferron, J. C., Robinson, D., Coletti, D., Geiger, P., Devitt, T., . . . McHugo, G. J. (2018). Brief web-based interventions for young adult smokers with severe mental illnesses: A randomized, controlled pilot study. *Nicotine & Tobacco Research*, 20(10), 1206-1214.
- Bruzzone, J.-M., Brown, E., McMillen, J., Thomas, J., George, M. R., Evans, D., . . . Kocher, K. (2017). The development, usability and acceptability of an online self-management intervention for adolescents with uncontrolled asthma. *American Journal of Respiratory and Critical Care Medicine*, 195, A3323
- Bruzzone, J.-M., Sheares, B. J., Zhao, Y., Kingston, S., Cespedes, A., Sadeghi, H., . . . Evans, D. (2016). Efficacy of a school-based behavioral intervention for urban adolescents with undiagnosed asthma: A controlled trial. *American Journal of Respiratory and Critical Care Medicine*, 193, A6428 (Abstract).
- Bryant, R. A., Schafer, A., Dawson, K. S., Anjuri, D., Mulili, C., Ndogoni, L., . . . van Ommeren, M. (2017). Effectiveness of a brief behavioural intervention on psychological distress among women with a history of gender-based violence in urban Kenya: A randomised clinical trial. *Plos Medicine*, 14(8), e1002371.
- Buckingham-Schutt, L. M., Ellingson, L. D., Vazou, S., Welk, G. J., & Campbell, C. G. (2018). Efficacy trial of a behavioral lifestyle intervention to promote appropriate gestational weight gain. *Medicine & Science in Sports & Exercise*, 50(5S), 52. See also Buckingham-Schutt, L. M. (2017). *The Behavioral Wellness in Pregnancy Study: A theory-based multi-component intervention to promote appropriate weight gain and healthy lifestyle behaviors in previously sedentary pregnant women*. Ph.D., Iowa State University, Ames, Iowa. Retrieved from <https://lib.dr.iastate.edu/cgi/viewcontent.cgi?article=7086&context=etd> (Graduate Theses and Dissertations. 16079.)
- Buckner, J. D. and N. B. Schmidt (2009). A randomized pilot study of motivation enhancement therapy to increase utilization of cognitive-behavioral therapy for social anxiety. *Behavior Research and Therapy* 47(8): 710-715.
- Budney, A. J., S. T. Higgins, et al. (2000). Adding voucher-based incentives to coping skills and motivational enhancement improves outcomes during treatment for marijuana dependence. *Journal of Consulting and Clinical Psychology* 68(6): 1051-1061.
- Butler, C. C., S. Rollnick, et al. (1999). Motivational consulting versus brief advice for smokers in general practice: A randomized trial. *British Journal of General Practice* 49(445): 611-616.
- Butterworth, S., A. Linden, et al. (2006). Effect of motivational interviewing-based health coaching on employees' physical and mental health status. *Journal of Occupational Health Psychology* 11(4): 358-365.
- Button, M. (2018). *Ambivalence as a moderator of treatment outcomes in motivational interviewing and cognitive behavioural therapy for generalized anxiety disorder*. Ph.D., Department of Psychology, York University, Toronto, Ontario.
- Butz, A. M., Bollinger, M. E., Ogborn, J., Morphew, T., Mudd, S. S., Kub, J. E., . . . Tsoukleris, M. (2019). Children with poorly controlled asthma: Randomized controlled trial of a home-based environmental control intervention. *Pediatric Pulmonology*, 54(3), 245-256.
- Byers, A. M., Lamanna, L., & Rosenberg, A. (2010). The effect of motivational interviewing after ischemic stroke on patient knowledge and patient satisfaction with care: A pilot study. *Journal of Neuroscience Nursing*, 42(6), 312-322.
- Caponnetto, P., DiPiazza, J., Cappello, G. C., Demma, S., Maglia, M., & Polosa, R. (2019). Multimodal smoking cessation in a real-life setting: Combining motivational interviewing with official therapy and reduced risk products. *Tobacco Use Insights*, 12, 1-11.
- Carballo, D., Rodondi, N., Auer, R., Carballo, S., Nanchen, D., Räber, L., . . . Gencer, B. (February 21, 2019). Clinical impact of a structured secondary cardiovascular prevention program following acute coronary syndromes: A prospective multicenter healthcare intervention. *Plos One*.

- Caldwell, A. L., Tingen, M. S., Nguyen, J. T., Andrews, J. O., Heath, J., Waller, J. L., & Treiber, F. A. (2018). Parental smoking cessation: Impacting children's tobacco smoke exposure in the home. *Pediatrics*, 141(Supplement 1), S96-S106.
- Calhoun, D., Brod, R., Kirlin, K., Howard, B. V., Schuldberg, D., & Fiore, C. (2010). Effectiveness of motivational interviewing for improving self-care among northern plains Indians with type 2 diabetes. *Diabetes Spectrum*, 23(2), 107-114. doi: 10.2337/diaspect.23.2.107
- Campbell, M. K., Carr, C., DeVellis, B., Switzer, B., Biddle, A., Amamoo, A., . . . Sandler, R. (2009). A randomized trial of tailoring and motivational interviewing to promote fruit and vegetable consumption for cancer prevention and control. *Annals of Behavioral Medicine*, 38, 71-85.
- Cardi, V., Albano, G., Ambwani, S., & Cao, L. (2019 in press). A randomised clinical trial to evaluate the acceptability and efficacy of an early phase, online, guided augmentation of outpatient care for adults with anorexia nervosa. *Psychological Medicine*. See also: Cardi, V., Ambwani, S., Crosby, R., Macdonald, P., Todd, G., Park, J., . . . Treasure, J. (2015). Self-Help And Recovery guide for Eating Disorders (SHARED): study protocol for a randomized controlled trial *Trials*, 16(165).
- Carels, R. A., L. Darby, et al. (2007). Using motivational interviewing as a supplement to obesity treatment: A stepped-care approach. *Health Psychology* 26(3): 369-374.
- Carey, K. B., Carey, M. P., Henson, J. M., Maisto, S. A., & DeMartini, K. S. (2011). Brief alcohol interventions for mandated college students: Comparison of face-to-face counseling and computer-delivered interventions. *Addiction*, 106(3), 528-537.
- Carey, K. B., Carey, M. P., Maisto, S. A., & Henson, J. M. (2006). Brief motivational interventions for heavy college drinkers: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 74(5), 943-954.
- Carey, K. B., Henson, J. M., Carey, M. P., & Maisto, S. A. (2009). Computer versus in-person intervention for students violating campus alcohol policy. *Journal of Consulting and Clinical Psychology*, 77(1), 74-87.
- Carey, M. P., Maisto, S. A., Kalichman, S. C., Forsyth, A. D., Wright, E. M., & Johnson, B. T. (1997). Using information, motivational enhancement, and skill training to reduce the risk of HIV infection for low-income urban women: A second randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 65, 531-541.
- Carey, M. P., L. S. Braaten, et al. (2000). Using information, motivational enhancement, and skills training to reduce the risk of HIV infection for low-income urban women: A second randomized clinical trial. *Health Psychology* 19(1): 3-11.
- Carlbring, P., Jonsson, J., Josephson, H., & Forsberg, L. (2010). Motivational interviewing versus cognitive behavioral group therapy in the treatment of problem and pathological gambling: a randomized controlled trial. *Cognitive Behaviour Therapy*, 39(2), 92-103. doi: 10.1080/16506070903190245
- Carlbring, P., & Smit, F. (2008). Randomized trial of internet-delivered self-help with telephone support for pathological gamblers. *Journal of Consulting and Clinical Psychology*, 76(6), 1090-1094.
- Carroll, K. M., S. A. Ball, et al. (2006). Motivational interviewing to improve treatment engagement and outcome in individuals seeking treatment for substance abuse: A multisite effectiveness study. *Drug and Alcohol Dependence* 81(3): 301-312.
- Carroll, K. M., C. J. Easton, et al. (2006). The use of contingency management and motivational/skills-building therapy to treat young adults with marijuana dependence. *Journal of Consulting and Clinical Psychology* 74(5): 955-966.
- Carroll, K. M., Libby, B., Sheehan, J., & Hyland, N. (2001). Motivational interviewing to enhance treatment initiation in substance abusers: An effectiveness study. *American Journal on Addictions*, 10, 335-339.
- Carroll, K. M., S. Martino, et al. (2009). A multisite randomized effectiveness trial of motivational enhancement therapy for Spanish-speaking substance users. *Journal of Consulting and Clinical Psychology* 77(5): 993-999.
- Carter, J., Walton, A., Donelan, K., & Thorndike, A. (2018). Implementing community health worker-patient pairings at the time of hospital discharge: A randomized control trial. *Contemporary Clinical Trials* 74, 32-37.
- Carter, P. M., Walton, M. A., Zimmerman, M. A., Chermack, S. T., Roche, J. S., & Cunningham, R. M. (2016). Efficacy of a universal brief intervention for violence among urban emergency department youth. *Academic Emergency Medicine*, 23(9), 1061-1070. doi: 10.1111/acem.13021
- Cartes-Velasquez, R., Araya, C., Flores, R., Luengo, L., Castillo, F., & Bustos, A. (2017). A motivational interview intervention delivered at home to improve the oral health literacy and reduce the morbidity of Chilean disadvantaged families: a study protocol for a community trial. *BMJ Open*, 7(7), e011819.
- Cassidy, R. M., Bernstein, M. H., Magill, M., MacKillop, J., Murphy, J. G., & Colby, S. M. (2019 in press). Alcohol demand moderates brief motivational intervention outcomes in underage young adult drinkers. *Addictive Behaviors*.
- Cassin, S. E., K. M. von Ranson, et al. (2008). Adapted motivational interviewing for women with binge eating disorder: A randomized controlled trial. *Psychology of Addictive Behaviors* 22(3): 417-425.

- Catley, D., Goggin, K., Harris, K. J., Richter, K. P., Williams, K., Patten, C., . . . Grobe, J. E. (2016). A randomized trial of motivational interviewing: Cessation induction among smokers with low desire to quit. *American Journal of Preventive Medicine*, 50(5), 573-583. doi: 10.1016/j.amepre.2015.10.013
- Celano, C., Albanese, A. M., Milstein, R. A., Mastromarco, C. A., Chung, W.-J., Campbell, K. L., . . . Huffman, J. C. (2018). Optimizing a positive psychology intervention to promote health behaviors following an acute coronary syndrome: The Positive Emotions after Acute Coronary Events-III (PEACE-III) randomized factorial trial. *Psychosomatic Medicine*, 80(6), 526-534.
- Celano, C. M., Gianangelo, T. A., Millstein, R. A., Chung, W.-J., Wexler, D. J., Park, E. R., & Huffman, J. C. (2019). A positive psychology-motivational interviewing intervention for patients with type 2 diabetes: Proof-of-concept trial. *International Journal of Psychiatry in Medicine*, 54(2), 97-114.
- Chaffin, M., Valle, L. A., Funderburk, B., Gurwitch, R., Silovsky, J., Bard, D., . . . Kees, M. (2009). A motivational intervention can improve retention in PCIT for low-motivation child welfare clients. *Child Maltreatment*, 14(4), 356-368.
- Chahal, N., Rush, J., Manlhiot, C., Boydell, K. M., Jelen, A., & McCrindle, B. W. (2017). Dyslipidemia management in overweight or obese adolescents: A mixed-methods clinical trial of motivational interviewing. *Sage Open Medicine*, 5, 1-15
- Chair, S. Y., Chan, S. W., Thompson, D. R., Leung, K. P., Ng, S. K., & Choi, K. C. (2013). Long-term effect of motivational interviewing on clinical and psychological outcomes and health-related quality of life in cardiac rehabilitation patients with poor motivation in Hong Kong: A randomized controlled trial. *Clinical Rehabilitation*, 27(12), 1107-1117. See also: Chair, S. Y., Chan, S. W., Thompson, D. R., Leung, K. P., Ng, S. K., & Choi, K. C. (2012). Short-term effect of motivational interviewing on clinical and psychological outcomes and health-related quality of life in cardiac rehabilitation patients with poor motivation in Hong Kong: A randomized controlled trial. *European Journal of Preventive Cardiology*, 19(6), 1383-1392. doi: 10.1177/1741826711425428
- Chan, S. C., T. H. Lam, et al. (2005). A randomized controlled trial of an individualized motivational intervention on smoking cessation for parents of sick children: a pilot study. *Applied Nursing Research* 18(3): 178-181.
- Chang, L. W., Mbabali, I. K., X., Hutton, H., Amico, K. R., Kennedy, C. E., Nalugoda, F., . . . Nakigozi, G. (2017). Impact of a community health worker HIV treatment and prevention intervention in an HIV hotspot fishing community in Rakai, Uganda (mLAKE): study protocol for a randomized controlled trial. *BMC Trials*, 18(494).
- Chang, M.-W., Brown, R., & Nitzke, S. (2017). Results and lessons learned from a prevention of weight gain program for low-income overweight and obese young mothers: Mothers In Motion. *BMC Public Health*, 17(182). doi: 10.1186/s12889-017-4109-y
- Channon, S. J., Huws-Thomas, M. V., Rollnick, S., Hood, K., Cannings-John, R. L., Rogers, C. R., & Gregory, J. W. (2007). A multicenter randomized controlled trial of motivational interviewing in teenagers with diabetes. *Diabetes Care*, 30(6), 1390-1395
- Chapman, A., Browning, C. J., Enticott, J. C., Yang, H., Liu, S., Zhang, T., & Thomas, S. A. (2018). Effect of a health coach intervention for the management of individuals with type 2 diabetes mellitus in China: A pragmatic cluster randomized controlled trial. *Frontiers in Public Health*, 6, 252.
- Chasan-Taber, L., Marcus, B., Rosal, M., Tucker, K., Hartman, S., Pekow, P., . . . Markenson, G. (2015). Proyecto Mamá: A lifestyle intervention in overweight and obese Hispanic women: a randomised controlled trial-study protocol. *BMC Pregnancy and Childbirth*, 15(157).
- Chasan-Taber, L., Marcus, B. H., Rosal, M. C., Tucker, K. L., Hartman, S. J., Pekow, P., . . . Markenson, G. (2014). Estudio Parto: Postpartum diabetes prevention program for hispanic women with abnormal glucose tolerance in pregnancy: a randomised controlled trial - study protocol. *BMC Pregnancy and Childbirth*, 14(1), 100.
- Chee, W. S. S., Singh, H. K. G., Hamdy, O., Mechanick, J. I., Lee, V. K. M., Barua, A., . . . Hussein, Z. (2017). Structured lifestyle intervention based on a trans-cultural diabetes-specific nutrition algorithm (tDNA) in individuals with type 2 diabetes: a randomized controlled trial. *BMJ Open Diabetes Research & Care*, 5(1), e000384.
- Chemtob, K., Rocchi, M., Arbour-Nicitopoulos, K., Kairy, D., Fillion, B., & Sweet, S. N. (2019). Using tele-health to enhance motivation, leisure time physical activity, and quality of life in adults with spinal cord injury: A self-determination theory-based pilot randomized control trial. *Psychology of Sport & Exercise*, 43, 243-252.
- Chen, S. M., Creedy, D., Lin, H.-S., & Wollin, J. (2011). Effects of motivational interviewing intervention on self-management, psychological and glycemic outcomes in type 2 diabetes: A randomized controlled trial. *International Journal of Nursing Studies*, 49(6), 637-644.
- Chen, J., Li, X., Xiong, Y., Fennie, K. P., Wang, H., & Williams, A. B. (2016). Reducing the risk of HIV transmission among men who have sex with men: A feasibility study of the motivational interviewing counseling method. *Nursing & Health Sciences*, 18(3), 400-407.

- Chen, J., Zhao, H., Hao, S., Xie, J., Ouyang, Y., & Zhao, S. (2018). Motivational interviewing to improve the self-care behaviors for patients with chronic heart failure: A randomized controlled trial. *International Journal of Nursing Sciences*, 5(3), 213-217.
- Chen, J.-y., Yu, J.-c., Cao, J.-p., Xiao, Y., Gu, H., Zhong, R.-l., . . . Wang, Z.-z. (2019). Abstinence following a motivation-skill-desensitization-mental energy intervention for heroin dependence: A three-year follow-up result of a randomized controlled trial. *Current Medical Science*, 39(3), 472-482.
- Chermack, S. T., Bonar, E. E., Goldstick, J. E., Winters, J., Blow, F. C., Friday, S., . . . Walton, M. A. (2019). A randomized controlled trial for aggression and substance use involvement among Veterans: Impact of combining motivational interviewing, cognitive behavioral treatment and telephone-based continuing care. *Journal of Substance Abuse Treatment*, 98, 78-88.
- Chiang, L. C., Heitkemper, M. M., Chiang, S. L., Tzeng, W. C., Lee, M. S., Hung, Y. J., & Lin, C. H. (2019). Motivational counseling to reduce sedentary behaviors and depressive symptoms and improve health-related quality of life among women with metabolic syndrome. *Journal of Cardiovascular Nursing*, 34(4), 327-335.
- Chiappetta, L., Stark, S., Mahmoud, K. F., Bahnsen, K. R., & Mitchell, A. M. (2018). Motivational interviewing to increase outpatient attendance for adolescent psychiatric patients. *Journal of Psychosocial Nursing and Mental Health Services*, 56(6), 31-35.
- Chien, W. T., Mui, J. H., Cheung, E. F., & Gray, R. (2015). Effects of motivational interviewing-based adherence therapy for schizophrenia spectrum disorders: a randomized controlled trial. *Trials*, 16, 270. doi: 10.1186/s13063-015-0785-z. See also Chien, W. T., Cheung, E. F. C., Mui, J. H. C., Gray, R., & Ip, G. (2019). Adherence therapy for schizophrenia: A randomized controlled trial. *Hong Kong Medical Journal*, 25(Suppl 2), S4-9.
- Chike-Okoli, A., & Okoli, T. (2018). Investigating the effectiveness of motivational interviewing on the academic performance of senior secondary students in private schools in Niger State, Nigeria. *International Journal of Innovative Research & Development*, 7(6), 107-114.
- Chlebowy, D. O., El-Mallakh, P., Myers, J., Kubiak, N., Cloud, R., & Wall, M. P. (2015). Motivational interviewing to improve diabetes outcomes in African Americans adults with diabetes. *Western Journal of Nursing Research*, 37(5), 566-580. doi: 10.1177/0193945914530522
- Cho, J. M., & Lee, K. (2018). Effects of motivational interviewing using a group art therapy program on negative symptoms of schizophrenia. *Archives of Psychiatric Nursing*, 32(6), 878-884.
- Choi, K.-H., Jaekal, E., & Lee, G.-Y. (2016, 14 November). Motivational and behavioral activation as an adjunct to psychiatric rehabilitation for mild to moderate negative symptoms in individuals with schizophrenia: A proof-of-concept pilot study. *Frontiers in Psychology*. **Record Number:** A470159174 Retrieved from <http://journal.frontiersin.org/article/10.3389/fpsyg.2016.01759/full> doi:10.3389/fpsyg.2016.01759
- Choi, W. S., Faseru, B., Beebe, L. A., Greiner, A. K., Yeh, H.-W., Shireman, T. I., . . . Daley, C. M. (2011). Culturally-tailored smoking cessation for American Indians: Study protocol for a randomized controlled trial. *Trials*, 12(126).
- Christie, D., Hudson, L. D., Kinra, S., Wong, I. C. K., Nazareth, I., Cole, T. J., . . . Viner, R. M. (2017). A community-based motivational personalised lifestyle intervention to reduce BMI in obese adolescents: Results from the Healthy Eating and Lifestyle Programme (HELP) randomised controlled trial. *BMJ Archives of Disease in Childhood*. Retrieved from <http://adc.bmjjournals.org/content/early/2017/07/07/archdischild-2016-311586> doi:10.1136/archdischild-2016-311586 See also: Panca, M., Christie, D., Cole, T. J., Costa, S., Gregson, J., Holt, R., . . . Morris, S. (2018). Cost-effectiveness of a community delivered multicomponent intervention compared with enhanced standard care of obese adolescents: Cost-utility analysis alongside a randomised controlled trial (the HELP trial). *BMJ Open Diabetes Research & Care*, 8, e018640.
- Chwastiak, L. A., Luongo, M., Russo, J., Johnson, L., Lowe, J. M., Hoffman, G., . . . Wisse, B. (2017). Use of a mental health center collaborative care team to improve diabetes care and outcomes for patients with psychosis. *Psychiatric Services*, 69(3), 349-352.
- Cigrang, J. A., H. H. Severson, et al. (2002). Pilot evaluation of a population-based health intervention for reducing use of smokeless tobacco. *Nicotine and Tobacco Research* 4(1): 127-131.
- Cimini, M. D., M. P. Martens, et al. (2009). Assessing the effectiveness of peer-facilitated interventions addressing high-risk drinking among judicially mandated college students. *Journal of Studies on Alcohol and Drugs Supplement* 16: 57-66.
- Cinar, A. B., & Schou, L. (2014). Impact of empowerment on toothbrushing and diabetes management. *Oral Health and Preventive Dentistry*, 12(4), 337-344.
- Claborn, K., Becker, S., Operario, D., Safren, S., Rich, J. D., & Ramsey, S. (2018). Adherence intervention for HIV-infected persons who use drugs: adaptation, open trial, and pilot randomized hybrid type 1 trial protocol. *Addiction Science & Clinical Practice*, 13(12).

- Clair, M., Stein, L. A., Soenksen, S., Martin, R. A., Lebeau, R., & Golembeske, C. (2013). Ethnicity as a moderator of motivational interviewing for incarcerated adolescents after release. *Journal of Substance Abuse Treatment*, 45(4), 370-375. doi: 10.1016/j.jsat.2013.05.006
- Clair-Michaud, M., Martin, R. A., Stein, L. A. R., Bassett, S., Lebeau, R., & Golembeske, C. (2016). The impact of motivational interviewing on delinquent behaviors in incarcerated adolescents. *Journal of Substance Abuse Treatment*, 65, 13-19.
- Clark, B. J., Sorrell, T., Hodapp, R. M., Reed, K., Moss, M., Aagaard, L., & Cook, P. F. (2019). Pilot randomized trial of a recovery navigator program for survivors of critical illness with problematic alcohol use. *Critical Care Explorations*, 1(10), e0051.
- Clark, M., Hampson, S. E., Avery, L., & Simpson, R. (2004). Effects of a tailored lifestyle self-management intervention in patients with type 2 diabetes. *British Journal of Health Psychology*, 9(3), 365-379. doi: 10.1348/1359107041557066
- Clarke, J., Gold, M. A., Simon, R. E., Roberts, M. B., & Stein, L. A. R. (2012). Motivational Interviewing with computer assistance as an intervention to empower women to make contraceptive choices while incarcerated: study protocol for randomized controlled trial *Trials*, 13(101).
- Cochran, G., Chen, Q., Field, C., Seybert, A. L., Hruschak, V., Jaber, A., . . . Tarter, R. (2019). A community pharmacy-led intervention for opioid medication misuse: A small-scale randomized clinical trial. *Drug and Alcohol Dependence*, 205(107570). See also: Cochran, G., Field, C., Karp, J., Seybert, A. L., Chen, Q., Ringwald, W., . . . Tarter, R. (2018). A community pharmacy intervention for opioid medication misuse: A pilot randomized clinical trial. *Journal of the American Pharmacists Association*, 58(4), 395-403.
- Coffeng, J. K., van der Ploeg, H. P., Vazquez, J. M. C., Alvira, J. M. P., Ibanez, B., Lunar, I. G., . . . Fuster, V. (2016). A 30-month worksite-based lifestyle program to promote cardiovascular health in middle-aged bank employees: Design of the TANSNIP-PESA randomized controlled trial. *American Heart Journal*, 184, 121-132. doi: 10.1016/j.ahj.2016.11.002
- Coffin, P. O., Santos, G. M., Behar, E., Hern, J., Walker, J., Matheson, T., . . . Page, K. (2019). Randomized feasibility trial of directly observed versus unobserved hepatitis C treatment with ledipasvir-sofosbuvir among people who inject drugs. *Plos One*, 14(6), e0217471. See also Coffin, P. O., Santos, G. M., Matheson, T., Behar, E., Rowe, C., Rubin, T., . . . Vittinghoff, E. (2017). Behavioral intervention to reduce opioid overdose among high-risk persons with opioid use disorder: A pilot randomized controlled trial. *PLoS One*, 12(10), e0183354.
- Colby, S. M., P. M. Monti, et al. (1998). Brief motivational interviewing in a hospital setting for adolescent smoking: A preliminary study. *Journal of Consulting and Clinical Psychology* 66(3): 574-578.
- Colby, S. M., P. M. Monti, et al. (2005). Brief motivational intervention for adolescent smokers in medical settings. *Addictive Behaviors* 30(5): 865-874.
- Colby, S. M., Nargiso, J., Tevyaw, T. O., Barnett, N. P., Metrik, J., Lewander, W., . . . Monti, P. M. (2012). Enhanced motivational interviewing versus brief advice for adolescent smoking cessation: results from a randomized clinical trial. *Addictive Behaviors*, 37(7), 817-823. doi: 10.1016/j.addbeh.2012.03.011
- Colby, S. M., Orchowski, L., Magill, M., Murphy, J. G., Brazil, L. A., Apodaca, T., . . . Barnett, N. P. (2018). Brief motivational intervention for underage young adult drinkers: Results from a randomized clinical trial. *Alcoholism: Clinical & Experimental Research*, 42, 1342-1351.
- Cole, A. J., Johnson, R. W. I., Egede, L. E., Baliga, P. K., & Taber, D. J. (2018). Improving medication safety and cardiovascular risk factor control to mitigate disparities in African-American kidney transplant recipients: Design and methods. *Contemporary Clinical Trials*, 9, 1-6.
- Cole, H., Thompson, H. S., White, M., Browne, R., C., T.-S., Braithwaite, S., . . . Ravenell, J. (2017). Community-based, preclinical patient navigation for colorectal cancer screening among older black men recruited from barbershops: The MISTER B trial. *American Journal of Public Health*, 107(9), 1433-1440.
- Collins, B. N., Lepore, S. J., Winickoff, J. P., Nair, U. S., Moughan, B., Bryant-Stephens, T., . . . Godfrey, M. (2018). An office-initiated multilevel intervention for tobacco smoke exposure: A randomized trial. *Pediatrics*, 141(Supplement 1), S75-S85.
- Collins, T. C., Lu, L., Valverde, M. G., Silva, M. X., & Parra-Medina, D. (2019). Efficacy of a multi-component intervention to promote physical activity among Latino adults: A randomized controlled trial. *Preventive Medicine Reports*, 16(100965).
- Connors, G. J., K. S. Walitzer, et al. (2002). Preparing clients for alcoholism treatment: Effects on treatment participation and outcomes. *Journal of Consulting and Clinical Psychology* 70(5): 1161-1169.
- Cook, J. W., Collins, L. M., Fiore, M. C., Smith, S. S., Fraser, D., Bolt, D. M., . . . Mermelstein, R. (2016). Comparative effectiveness of motivation phase intervention components for use with smokers unwilling to quit: a factorial screening experiment. *Addiction*, 111(1), 117-128.

- Cook, P. F., S. Emiliozzi, et al. (2008). Effects of telephone counseling on antipsychotic adherence and emergency department utilization. *American Journal of Managed Care* 14(12): 841-846.
- Cook, P. F., Schmiege, S. J., Mansberger, S. L., Sheppeler, C., Kammer, J., Fitzgerald, T., & Kahook, M. Y. (2017). Motivational interviewing or reminders for glaucoma medication adherence: Results of a multi-site randomised controlled trial. *Psychology & Health*, 32(2), 145-165. doi: 10.1080/08870446.2016.1244537
- Coolbrandt, A., Wildiers, H., Laenen, A., Aertgeerts, B., Dierckx de Casterlé, B., van Achterberg, T., & Milisen, K. (2018). A nursing intervention for reducing symptom burden during chemotherapy. *Oncology Nursing Forum*, 45(1), 115-128.
- Córdoba, R., Delgado, M. T., Pico, V., Altisent, R., Fores, D., Montreal, A., . . . del Val, A. L. (1998). Effectiveness of brief intervention on non-dependent alcohol drinkers (EBIAL): A Spanish multi-centre study. *Family Practice*, 15(6), 562-568.
- Cordova, J. V., R. L. Scott, et al. (2005). The marriage checkup: An indicated preventive intervention for treatment-avoidant couples at risk for marital deterioration. *Behavior Therapy* 36(4): 301-309.
- Cordovilla-Guardia, S., Fernandez-Mondejar, E., Vilar-Lopez, R., Navas, J. F., Portillo-Santamaría, M., Rico-Martín, S., & Lardelli-Claret, P. (2017). Effect of a brief intervention for alcohol and illicit drug use on trauma recidivism in a cohort of trauma patients. *PloS One*, 12(8), e0182441.
- Corrigan, J. D., Bogner, J., Lamb-Hart, G., Heinemann, A. W., & Moore, D. (2005). Increasing substance abuse treatment compliance for persons with traumatic brain injury. *Psychology of Addictive Behaviors*, 19(2), 131-139.
- Costanza, M. E., Luckmann, R., Frisard, C., White, M. J., & Cranios, C. (2019 in press). Comparing telephone counseling with reminding to promote on-time repeated mammography: A randomized trial in a cohort with 4 years follow-up. *Health Education & Behavior*.
- Cottrill, C. B., Lemle, S., Matson, S. C., Bonny, A. E., & McKnight, E. R. (2019). Multifaceted quality improvement initiative improves retention in treatment for youth with opioid use disorder. *Pediatric Quality & Safety*(May 16, 2019).
- Coulton, S., Stockdale, K., Marchand, C., Hendrie, N., Billings, J., Boniface, S., . . . Wilson, E. (2017). Pragmatic randomised controlled trial to evaluate the effectiveness and cost effectiveness of a multi-component intervention to reduce substance use and risk-taking behaviour in adolescents involved in the criminal justice system: A trial protocol (RISKIT-CJS). *BMC Public Health*, 17(246). doi: 10.1186/s12889-017-4170-6
- Coyne, A. E., Constantino, M. J., Westra, H. A., & Antony, M. M. (2019). Interpersonal change as a mediator of the within- and between-patient alliance-outcome association in two treatments for generalized anxiety disorder. *Journal of Consulting and Clinical Psychology*, 87(5), 472-483.
- Craig, T., Shepherd, G., Rinaldi, M., Smith, J., Carr, S., Preston, F., & Singh, S. (2014). Vocational rehabilitation in early psychosis: cluster randomised trial. *British journal of psychiatry*, 205(2), 145-150.
- Crane, C. A., & Eckhardt, C. I. (2013). Evaluation of a single-session brief motivational enhancement intervention for partner abusive men. *Journal of Counseling Psychology*, 60(2), 180-187. doi: 10.1037/a0032178
- Cranney, L., O'Hara, B., Gale, J., Rissel, C., Bauman, A., & Phongsavan, P. (2019, in press). Telephone based coaching for adults at risk of diabetes: Impact of Australia's Get Healthy Service. *Translational Behavioral Medicine*, ibz007.
- Creber, R. M., Patey, M., Lee, C. S., Kuan, A., Jurgens, C., & Riegel, B. (2016). Motivational interviewing to improve self-care for patients with chronic heart failure: MITI-HF randomized controlled trial. *Patient Education and Counseling*, 99(2), 256-264.
- Creel, D. B., Schuh, L. M., Reed, C. A., Gomez, A. R., Hurst, L. A., Stote, J., & Cacucci, B. M. (2016). A randomized trial comparing two interventions to increase physical activity among patients undergoing bariatric surgery. *Obesity*, 24(8), 1660-1668. doi: 10.1002/oby.21548
- Crombie, I. K., Irvine, L., Williams, B., Sniehotta, F. F., Petrie, D., Evans, J. M. M., . . . Slane, P. W. (2014). A mobile phone intervention to reduce binge drinking among disadvantaged men: study protocol for a randomised controlled cost-effectiveness trial. *Trials*, 15(494).
- Cukor, D., Pencille, M., Ver Halen, N., Primus, N., Gordon-Peters, V., Fraser, M., & Salifu, M. (2018). An RCT comparing remotely delivered adherence promotion for sleep apnea assessment against an information control in a Black community sample. *Sleep Health*, 4(4), 369-376.
- Cukor, D., Ver Halen, N., Pencille, M., Tedla, F., & Salifu, M. (2017). A pilot randomized controlled trial to promote immunosuppressant adherence in adult kidney transplant recipients. *Nephron*, 135(1), 614. doi: 10.1159/000448627
- Cunningham, R. M., Chermack, S. T., Ehrlich, P. F., Carter, P. M., Booth, B. M., Blow, F. C., . . . Walton, M. A. (2015). Alcohol interventions among underage drinkers in the ED: A randomized controlled trial. *Pediatrics*, 136(4), e783-793.

- Cunningham, R. M., Chermack, S. T., Zimmerman, M. A., Shope, J. T., Bingham, C. R., Blow, F. C., & Walton, M. A. (2012). Brief motivational interviewing intervention for peer violence and alcohol use in teens: One-year follow-up. *Pediatrics*, 129(6), 1083-1090.
- Cunningham, R. M., Whiteside, L. K., Chermack, S. T., Zimmerman, M. A., Shope, J. T., Bingham, C. R., . . . Walton, M. A. (2013). Outcomes following a brief motivational interviewing intervention among at-risk adolescents in an urban emergency department. *Academic EMergency Medicine*, 20(6), 562-569.
- Currie, J., Collier, D., Raedeke, T. D., Lutes, L. D., Kemble, C. D., & DuBose, K. D. (2017). The effects of a low-dose physical activity intervention on physical activity and body mass index in severely obese adolescents. *International Journal of Adolescent Medicine and Health*, 30(6).
- Curry, S. J., E. J. Ludman, et al. (2003). Pediatric-based smoking cessation intervention for low-income women: A randomized trial. *Archives of Pediatrics and Adolescent Medicine* 157(3): 295-302.
- Cusumano, J., Martin, C. S., Butler, B., Bixler, B., & Shirk, K. (2017). Efficacy of a physician assistant student-developed behavior change program at a local free clinic. *Journal of Physician Assistant Education*, 28(1), 41-44. doi: 10.1097/JPA.0000000000000106
- Czyz, E. K., King, C. A., & Biermann, B. J. (2019). Motivational Interviewing-Enhanced Safety Planning for Adolescents at High Suicide Risk: A Pilot Randomized Controlled Trial. *Journal of Clinical Child & Adolescent Psychology*, 48(2), 250-262.
- D'Amico, E. J., Hunter, S. B., Miles, J. N., Ewing, B. A., & Osilla, K. C. (2013). A randomized controlled trial of a group motivational interviewing intervention for adolescents with a first time alcohol or drug offense. *Journal of Substance Abuse Treatment*, 45(5), 400-408. doi: 10.1016/j.jsat.2013.06.005
- D'Amico, E. J., Miles, J., Stern, S. A., & Meredith, L. S. (2008). Brief motivational interviewing for teens at risk of substance use consequences: A randomized pilot study in a primary care clinic. *Journal of Substance Abuse Treatment*, 35(1), 53-61.
- D'Amico, E. J., Parast, L., Osilla, K. C., Seelam, R., Meredith, L. S., Shadel, W. G., & Stein, B. D. (2019). Understanding which teenagers benefit most from a brief primary care substance use intervention. *Pediatrics*, 144(2), e20183014.
- D'Angelo, M. S. (2006). A comparative study of motivational interviewing and traditional treatment approach on movement along stages of change, treatment completion, compliance with aftercare plan, and length of abstinence. Dissertation Abstracts International: Section B: The Sciences and Engineering. Unpublished doctoral dissertation.
- Dale, J., I. Caramlau, et al. (2009). Telephone peer-delivered intervention for diabetes motivation and support: The telecare exploratory RCT. *Patient Education and Counseling* 75(1): 91-98.
- Daley, D. C., I. M. Salloum, et al. (1998). Increasing treatment adherence among outpatients with depression and cocaine dependence: Results of a pilot study. *American Journal of Psychiatry* 155(11): 1611-1613.
- Daley, D. C., & Zuckoff, A. (1998). Improving compliance with the initial outpatient session among discharged inpatient dual diagnosis clients. *Social Work*, 43, 470-473.
- Damashek, A., Doughty, D., Ware, L., & Silovsky, J. (2011). Predictors of client engagement and attrition in home-based child maltreatment prevention services. *Child Maltreatment*, 16(1), 9-20.
- D'Amico, E. J., Parast, L., Shadel, W. G., Meredith, L. S., Seelam, R., & Stein, B. D. (2018). Brief motivational interviewing intervention to reduce alcohol and marijuana use for at-risk adolescents in primary care. *Journal of Consulting and Clinical Psychology*, 86(9), 775-786.
- Daniels, J., Komarek, A., Makusha, T., Van Heerden, A., Gray, G., Chingono, A., . . . Richter, L. (2014). Effects of a community intervention on HIV prevention behaviors among men who experienced childhood sexual or physical abuse in four African settings: findings from NIMH Project Accept (HPTN 043). *PloS one*, 9(6), e99643
- Darker, C. D., Sweeney, B., Keenan, E., Whiston, L., Anderson, R., & Barry, J. (2016). Screening and brief interventions for illicit drug use and alcohol use in methadone maintained opiate-dependent patients: Results of a pilot randomized controlled trial feasibility study. *Substance Use and Misuse*, 51(9): 1104-1115..
- Darnell, D., Dunn, C., Atkins, D., Ingraham, L., & Zatzick, D. (2016). A randomized evaluation of motivational interviewing training for mandated implementation of alcohol screening and brief intervention in trauma centers. *Journal of Substance Abuse Treatment*, 60, 36-44. doi: 10.1016/j.jsat.2015.05.010
- Darnell, D., O'Connor, S., Wagner, A., Russo, J., Wang, J., Ingraham, L., . . . Zatzick, D. (2016). Enhancing the reach of cognitive-behavioral therapy targeting posttraumatic stress in acute care medical settings. *Psychiatric Services*, 68(3), 258-263. doi: 10.1176/appi.ps.201500458
- Dashti, A., Yousefi, H., Maghsoudi, J., & Etemadifar, M. (2016). The effects of motivational interviewing on health promoting behavior of patients with multiple sclerosis. *Iranian Journal of Nursing and Midwifery Research*, 21(6), 640-645. doi: 10.4103/1735-9066.197682

- Dashtidehkordi, A., Shahgholian, N., Maghsoudi, J., & Sadeghian, J. (2018). The effects of motivational interviewing on the health status of patients undergoing hemodialysis. *Iranian Journal of Nursing and Midwifery Research*, 23, 287-291.
- Daugherty, M. D. (2009). A randomized trial of motivational interviewing with college students for academic success. Dissertation Abstracts International: Section B: The Sciences and Engineering. US, ProQuest Information & Learning. 69.
- Davidson, D., S. B. Gulliver, et al. (2007). Building better cognitive-behavioral therapy: Is broad-spectrum treatment more effective than motivational-enhancement therapy for alcohol-dependent patients treated with naltrexone? *Journal of Studies on Alcohol and Drugs* 68(2): 238-247.
- Davis, T. M., J. S. Baer, et al. (2003). Brief motivational feedback improves post-incarceration treatment contact among veterans with substance use disorders. *Drug and Alcohol Dependence* 69(2): 197-203.
- Davoli, A. M., Broccoli, S., Bonvicini, L., Fabbri, A., Ferrari, E., D'Angelo, S., . . . Giorgi Rossi, P. (2013). Pediatrician-led motivational interviewing to treat overweight children: An RCT. *Pediatrics*, 132(5), e1236-1246.
- Dawson, A. M., Brown, D. A., Cox, A., Williams, S. M., Treacy, L., Haszard, J., . . . Taylor, R. W. (2014). Using motivational interviewing for weight feedback to parents of young children. *Journal of paediatrics and child health*, 50(6), 461-470. doi: 10.1111/jpc.12518
- deWildt, W. A. J. M., G. M. Schippers, et al. (2002). Does psychosocial treatment enhance the efficacy of acamprostate in patients with alcohol problems? *Alcohol and Alcoholism* 37(4): 375-382.
- Dean, H. Y., E. Rieger, et al. (2008). Group motivational enhancement therapy as an adjunct to inpatient treatment for eating disorders: A preliminary study. *European Eating Disorders Review* 16(4): 256-267.
- Dean, S., Britt, E., Stanley, J., & Collings, S. (2016). Motivational interviewing to enhance adolescent mental health treatment engagement: A randomized clinical trial. *Psychological Medicine*, 46(9): 1961-1969.
- de Dios, M. A., Herman, D. S., Britton, W. B., Hagerty, C. E., Anderson, B. J., & Stein, M. D. (2012). Motivational and mindfulness intervention for young adult female marijuana users. *Journal of Substance Abuse Treatment*, 42(1), 56-64.
- de Geus, E., Aalfs, C. M., Verdam, M. G. E., de Haes, H. C. J. M., & Smets, E. M. A. (2014). Informing relatives about their hereditary or familial cancer risk: study protocol for a randomized controlled trial. *Trials*, 15(86).
- DeGroff, A., Schroy, P. C., Morrissey, K. G., Slotman, B., Rohan, E. A., Bethel, J., & Murillo, J. (2017). Patient navigation for colonoscopy completion: Results of an RCT. *American Journal of Preventive Medicine*, 53(3), 363-372.
- Dempsey, A. F., Pyrzanowski, J., Lockhart, S., Barnard, J., Campagna, E., Garrett, K., . . . O'Leary, S. T. (2018). Effect of a health care professional communication training intervention on adolescent human papillomavirus vaccination: A cluster randomized clinical trial. *JAMA Pediatrics*, 172(5), e180016.
- Dench, S. and G. Bennett (2000). The impact of a brief motivational intervention at the start of an outpatient day programme for alcohol dependence. *Behavioural and Cognitive Psychotherapy* 28(2): 121-130.
- Dennett, A. M., Shields, N., Peiris, C. L., Prendergast, L. A., O'Halloran, P. D., Parente, P., & Taylor, N. F. (2018). Motivational interviewing added to oncology rehabilitation did not improve moderate-intensity physical activity in cancer survivors: A randomised trial. *Journal of Physiotherapy*, 64(4), 255-263.
- Dennis, M., S. H. Godley, et al. (2004). The cannabis youth treatment (CYT) study: Main findings from two randomized trials. *Journal of Substance Abuse Treatment* 27(3): 197-213.
- Dennis, M., Scott, C. K., & Funk, R. (2003). An experimental evaluation of recovery management checkups (RMC) for people with chronic substance use disorders. *Evaluation and Program Planning*, 26, 339-352.
- DePatis, K. L., & Harrington, C. (2019). The impact of pharmacist-delivered motivational interviewing on chronic kidney disease identification and management in patients with diabetes mellitus and low socioeconomic status. *Innovations in Pharmacy*, 10(4), Article 8.
- de Vries, N. M., Staal, J. B., van der Wees, P. J., Adang, E. M. M., Akkermans, R., Rikkert, M. G. M. O., & Nijhuis-van der Sander, M. W. G. (2016). Patient-centred physical therapy is (cost-) effective in increasing physical activity and reducing frailty in older adults with mobility problems: A randomized controlled trial with 6 months follow-up *Journal of Cachexia, Sarcopenia, and Muscle*, 7(4), 422-435.
- Dew, M. A., DiMartini, A. F., Dabbs, A. J. D., Zuckoff, A., Tan, H. P., McNulty, M. L., . . . Human, A. (2013). Preventive intervention for living donor psychosocial outcomes: Feasibility and efficacy in a randomized controlled trial. *American Journal of Transplantation*, 10, 2672-2684.
- Dew, M. A., Dabbs, A. J. D., & DiMartini, A. F. (2017 i press). Gaining ground in efforts to promote medication adherence after organ transplantation. *Journal of Heart and Lung Transplantation*. doi: 10.1016/j.healun.2017.02.019

- DeWildt, W. A. J. M., Schippers, G. M., Van den Brink, W., Potgeiter, A. S., Deckers, F., & Bets, D. (2002). Does psychosocial treatment enhance the efficacy of acamprosate in patients with alcohol problems? *Alcohol and Alcoholism*, 37, 375-382.
- Diestelkamp, S., Wartberg, L., Kaess, M., Bauer, S., Rummel-Kluge, C., Becker, K., . . . the ProHEAD consortium. (2019). Effectiveness of a web-based screening and brief intervention with weekly text-message-initiated individualised prompts for reducing risky alcohol use among teenagers: Study protocol of a randomised controlled trial within the ProHEAD consortium. *Trials*, 20(73).
- Dilorio, C., McCarty, F., Resnicow, K., Holstad, M. M., Soet, J., Yeager, K., . . . Lundberg, B. (2008). Using motivational interviewing to promote adherence to antiretroviral medications: A randomized controlled study. *AIDS Care: Psychological and Socio-Medical Aspects of AIDS/HIV*, 20, 273-283.
- Dilorio, C., E. L. Reisinger, et al. (2009). A telephone-based self-management program for people with epilepsy. *Epilepsy and Behavior* 14(1): 232-236.
- Dilorio, C., K. Resnicow, et al. (2003). Using motivational interviewing to promote adherence to antiretroviral medications: A pilot study. *Journal of the Association of Nurses in AIDS Care* 14(2): 52-62.
- DiMarco, I. D., D. A. Klein, et al. (2009). The use of motivational interviewing techniques to enhance the efficacy of guided self-help behavioral weight loss treatment. *Eating Behaviors* 10(2): 134-136.
- DiPrete, B. L., Pence, B. W., Golin, C. E., Knight, K., Flynn, P. M., Carda-Auten, J., . . . Wohl, D. A. (2019). Antiretroviral adherence following prison release in a randomized trial of the imPACT intervention to maintain suppression of HIV viremia. *AIDS and Behavior*, 2019(9), 2386-2395.
- Dishion, T. J., Brennan, L. M., Shaw, D. S., McEachern, A. D., Wilson, M. N., & Jo, B. (2014). Prevention of problem behavior through annual family check-ups in early childhood: Intervention effects from home to early elementary school. *Journal of Abnormal Psychology*, 42(3), 343-354. For a listing of other publications from this multisite trial see also <http://www.ppcp.pitt.edu/publications/early-steps-multisite-study-publications>
- Dishion, T. J., Connell, A., Weaver, C., Shaw, D., Gardner, F., & Wilson, M. (2008). The family check-up with high-risk indigent families: Preventing problem behavior by increasing parents' positive behavior support in early childhood. *Child Development*, 79(5), 1395-1414.
- Diskin, K. M. and D. C. Hodgins (2009). A randomized controlled trial of a single session motivational intervention for concerned gamblers. *Behaviour Research and Therapy* 47(5): 382-388.
- Dobbels, F., De Bleser, L., Berben, L., Kristanto, P., Dupont, L., Nevens, F., . . . De Geest, S. (2017). Efficacy of a medication adherence enhancing intervention in transplantation: The MAESTRO-Tx trial. *Journal of Heart and Lung Transplantation*, 36(5), 499-508.
- Döbler, A., Herbeck Belnap, B., Pollmann, H., Farin, E., Raspe, H., & Mittag, O. (2018). Telephone-delivered lifestyle support with action planning and motivational interviewing techniques to improve rehabilitation outcomes. *Rehabilitation Psychology*, 63(2), 170-181.
- Dogru, A., & Ovayolu, O. (2019). The effect of motivational interview persons with diabetes on self-management and metabolic variables. *Journal of Pakistan Medical Association*, 69(3), 294-300.
- Doležel, J., & Jarošová, D. (2019). Educational process in patients after myocardial infarction. *Central European Journal of Nursing and Midwifery*, 10(7), 1026-1034.
- D'Onofrio, G., Pantalon, M. V., Degutis, L. C., Fiellin, D. A., Busch, S. H., Shawarski, M. C., . . . O'Connor, P. G. (2008). Brief intervention for hazardous and harmful drinkers in the emergency department. *Annals of Emergency Medicine*, 51, 742-750.
- Donovan, D. M., D. B. Rosengren, et al. (2001). Attrition prevention with individuals awaiting publicly funded drug treatment. *Addiction* 96(8): 1149-1160.
- Döring, N., Ghaderi, A., Bohman, B., Heitmann, B. L., Larsson, C., Berglind, D., . . . Rasmussen, F. (2016). Motivational interviewing to prevent childhood obesity: A cluster RCT. *Pediatrics*, 137(5). doi: 10.1542/peds.2015-3104 Also see Persson, J. E., Bohman, M., Tynelius, P., Rasmussen, F., & Ghaderi, A. (2018). Prevention of childhood obesity in child health services: Follow-up of the PRIMROSE trial. *Childhood Obesity*, 14(2).
- Douglas, K. V., Novotny, P. J., Tucker, S., Hoult, J., Neuenfeldt, P., . . . McEnvoy, C. (2016). Health coaching and COPD re-hospitalization: A randomized study. *American Journal of Respiratory and Critical Care Medicine*, 193, A1116 (Abstract).
- Doumas, D. M. and E. Hannah (2008). Preventing high-risk drinking in youth in the workplace: A web-based normative feedback program. *Journal of Substance Abuse Treatment* 34(3): 263-271.
- Doumas, D. M., Esp, S., Johnson, J., Trull, R., & Shearer, K. (2016). The eCHECKUP TO GO for high school: Impact on risk factors and protective behavioral strategies for alcohol use. *Addictive Behaviors*, 64: 93-100. doi: 10.1016/j.addbeh.2016.08.030

- Drake, R., Nordentoft, M., Haddock, G., Ainsworth, J., & Lewis, S. (2018). Can we improve functional outcome and adherence in OPTIMISE participants with a psychosocial intervention? *Schizophrenia Bulletin*, 44(Supplement 1), S50.
- D'Souza, M. S., Karkada, S. N., Labrague, L. J., & Ammour, A. A. A. (2019 in press). How do multi-modality strategies affect outcomes in T2D using a randomized control trial? *Clinical Epidemiology and Global Health*.
- DuBose, K. D., & Dlugonski, D. (2018). Effect of a parental modeling intervention on parent and 1- to 5-year-old children's physical activity. *Translational Journal of the American College of Sports Medicine*, 3(21), 169-175.
- Duncan, A. D., Peters, B. S., Rivas, C., & Goff, L. M. (2019 in press). Reducing risk of Type 2 diabetes in HIV: a mixed-methods investigation of the STOP-Diabetes diet and physical activity intervention. *Diabetic Medicine*.
- Duncan, S., Goodyear-Smith, F., McPhee, J., Zinn, C., Grontved, A., & Schofield, G. (2016). Family-centered brief intervention for reducing obesity and cardiovascular disease risk: A randomized controlled trial. *Obesity*, 24(11): 2311-2318.. doi: 10.1002/oby.21602
- Dunn, C., Droesch, R. M., Johnston, B. D., & Rivara, F. P. (2004). Motivational interviewing with injured adolescents in the emergency department: In-session predictors of change. *Behavioural and Cognitive Psychotherapy*, 32(1), 113-116.
- Dunn, C. W., & Ries, R. (1997). Linking substance abuse services with general medical care: Integrated, brief interventions with hospitalized patients. *American Journal of Drug and Alcohol Abuse*, 23, 1-13.
- Dunn, E. C. (2004). Efficacy of a brief motivational interview add-on session to self-help treatment for binge eating. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. US, ProQuest Information & Learning. 65.
- Dunn, E. C., C. Neighbors, et al. (2006). Motivational enhancement therapy and self-help treatment for binge eaters. *Psychology of Addictive Behaviors* 20(1): 44-52.
- Dunn, S. L., Robbins, L. B., Smith, S. W., Ranganathan, R., DeVon, H. A., Schafer, J. A., & Tintle, N. L. (2017). Improving physical activity and decreasing hopelessness in patients with ischemic heart disease: Testing of the Heart Up! intervention. *Circulation*, 136(Supplement 1), A14541.
- Dwommoh, R., Sorsdahl, K., Myers, B., Asante, K. P., Naledi, T., Stein, D. J., & Cleary, S. (2018). Brief interventions to address substance use among patients presenting to emergency departments in resource poor settings: A cost-effectiveness analysis. *Cost Effectiveness and Resource Allocation*, 16(24).
- Eakin, M. N., Rand, C. S., Borrelli, B., Bilderback, A., Hovell, M., & Riekert, K. A. (2014). Effectiveness of motivational interviewing to reduce Head Start children's secondhand smoke exposure. A randomized clinical trial. *American Journal of Respiratory and Critical Care Medicine*, 189(12), 1530-1537. doi: 10.1164/rccm.201404-0618OC
- Early, G. J., & Cheffer, N. D. (2019). Motivational interviewing and home visits to improve health behaviors and reduce childhood obesity: A pilot study. *Hispanic Health Care International*, 17(3), 103-110.
- Easton, C., S. Swan, et al. (2000). Motivation to change substance use among offenders of domestic violence. *Journal of Substance Abuse Treatment* 19(1): 1-5.
- Eda, C., & Nevin, H. S. (2017). The effect of a breastfeeding motivation program maintained during pregnancy on supporting breastfeeding: Randomized controlled trial. *Breastfeeding Medicine*, 12(4), 218-226.
- Edelman, E. J., Maisto, S. A., Hansen, N. B., Cutter, C. J., Dziura, J., Deng, Y., . . . Fiellin, D. A. (2019). Integrated stepped alcohol treatment for patients with HIV and liver disease: A randomized trial. *Journal of Substance Abuse Treatment*, 106, 97-106.
- Edwards, J., Elkins, K., Hinton, M., Harrigan, S. M., Donovan, K., Athanasopoulos, O., & McGorry, P. D. (2006). Randomized controlled trial of a cannabis-focused intervention for young people with first-episode psychosis. *Acta Psychiatrica Scandinavica*, 114(2), 109-117.
- Egede, L. E., Williams, J. S., Voronca, D. C., Gebregziabher, M., & Lynch, C. P. (2017). Telephone-delivered behavioral skills intervention for African American adults with type 2 diabetes: A randomized controlled trial. *Journal of General Internal Medicine*, 32(7), 775-782. doi: 10.1007/s11606-017-4023-0
- Ekwunife, O., Anetoh, M., Kalu, S., & Eleje, G. (2019). Conditional economic incentives and motivational interviewing to improve adolescents' retention and adherence to antiretroviral therapy in Nigeria: ARA trial *BMJ Global Health*, 4(Supplement 3), PO 7139.
- El-Din, R. M. B., El-Badawy, A. A., & Khafajy, G. M. (2016). Effect of motivational interviewing in improvement of diabetic knowledge of Type 2 diabetic patients in Zagazig University Hospital: A randomized control trial. *Zagazig Medical University Journal*, 22(5), 241-249.
- Elinder, L. S., Patterson, E., Nyberg, G., & Norman, Å. (2018). A Healthy School Start Plus for prevention of childhood overweight and obesity in disadvantaged areas through parental support in the school setting - study protocol for a parallel group cluster randomised trial. *BMC Public Health*, 18(459). See also Norman, Å., Zeebari, Z., Nyberg, G., & Elinder, L. S. (2019). Parental support in promoting children's health behaviours and preventing overweight

- and obesity – a long-term follow-up of the cluster-randomised healthy school start study II trial. *BMC Pediatrics*, 19(104).
- Ellingson, L. D., Lansing, J. E., DeShaw, K. J., Peyer, K. L., Bai, Y., Perez, M., . . . Welk, G. J. (2019). Evaluating motivational interviewing and habit formation to enhance the effect of activity trackers on healthy adults' activity levels: Randomized intervention. *JMIR mHealth and uHealth*, 7(2), e10988.
- Elliott, D. L., L. Goldberg, et al. (2007). The PHLAME (promoting healthy lifestyles: alternative models' effects) firefighter study: Outcomes of two models of behavior change. *Journal of Occupational and Environmental Medicine* 49(2): 204-213.
- Elliott, J. C., Delker, E., Wall, M. M., Feng, T., Aharonovich, E., Tracy, M., . . . Hasin, D. S. (2016). Neighborhood-level drinking norms and alcohol intervention outcomes in HIV patients who are heavy drinkers. *Alcoholism: Clinical & Experimental Research*, 40(10), 2240-2246. doi: 10.1111/acer.13198
- Elliott-Rudder, M., Pilotto, L., McIntyre, E., & Ramanathan, S. (2014). Motivational interviewing improves exclusive breastfeeding in an Australian randomised controlled trial. *Acta Paediatrica*, 103(1): e11-16..
- Ellis, D. A., Carcone, A. I., Naar-King, S., Dekelbab, B., & Moltz, K. (January 2017 ahead of print). Brief computer-delivered intervention to increase parental monitoring in families of African American adolescents with type 1 diabetes: A randomized controlled trial. *Telemedicine and e-Health*. doi: 10.1089/tmj.2016.0182
- Emmen, M. J., G. M. Schippers, et al. (2005). Adding psychologist's intervention to physicians' advice to problem drinkers in the outpatient clinic. *Alcohol and Alcoholism* 40(3): 219-226.
- Emmons, K. M., S. K. Hammond, et al. (2001). A randomized trial to reduce passive smoke exposure in low-income households with young children. *Pediatrics* 108(1): 18-24.
- Enea, V. and I. Dafinoiu (2009). Motivational/solution-focused intervention for reducing school truancy among adolescents. *Journal of Cognitive and Behavioral Psychotherapies* 9(2): 185-198.
- Ershoff, D. H., V. P. Quinn, et al. (1999). The Kaiser Permanente prenatal smoking-cessation trial: When more isn't better, what is enough? *American Journal of Preventive Medicine* 17(3): 161-168.
- Ertem, M. Y., & Duman, Z. C. (2019). The effect of motivational interviews on treatment adherence and insight levels of patients with schizophrenia: A randomized controlled study. *Perspectives in Psychiatric Care*, 55(1), 75-86.
- Esbensen, B. A., Thomsen, T., Hetland, M. L., Beyer, N., Midtgård, J., & Loppenthin, K. (2015). The efficacy of motivational counseling and SMS-reminders on daily sitting time in patients with rheumatoid arthritis: protocol for a randomized controlled trial. *Trials*, 16(23).
- Ewald, B., Stacey, F., Johnson, N., Plotnikoff, R. C., Holliday, E., Brown, W., & James, E. L. (2018). Physical activity coaching by Australian exercise physiologists is cost effective for patients referred from general practice. *Australian and New Zealand Journal of Public Health*, 42(1), 12-15.
- Ewing, S. W. F., H. A. LaChance, et al. (2009). Do genetic and individual risk factors moderate the efficacy of motivational enhancement therapy? Drinking outcomes with an emerging adult sample. *Addiction Biology* 14(3): 356-365.
- Faris, A. S. (2007). Examining process variables in a motivational intervention for college student drinkers. Dissertation Abstracts International: Section B: The Sciences and Engineering. US, ProQuest Information & Learning. 67.
- Faustino-Silva, D. D., Colvara, B. C., Meyer, E., Hugo, F. N., Celeste, R. K., & Hilgert, J. B. (2019 in press). Motivational interviewing effects on caries prevention in children differ by income: A randomized cluster trial. *Community Dentistry and Oral Epidemiology*, 47(6), 477-484. See also: Colvara, B. C., Faustino-Silva, D. D., Meyer, E., Hugo, F. N., Hilgert, J. B., & Celeste, R. K. (2018). Motivational interviewing in preventing early childhood caries in primary healthcare: A community-based randomized cluster trial. *Journal of Pediatrics*, 201, 190-195.
- Fehily, C., Bartlem, K., Wiggers, J., Wye, P., Clancy, R., Castle, D., . . . Bowman, J. (2017). Evaluating the effectiveness of a healthy lifestyle clinician in addressing the chronic disease risk behaviours of community mental health clients: study protocol for a randomised controlled trial. *BMC Trials*, 18(276).
- Feldstein, S. W. (2008). Motivational interviewing with late-adolescent/college underage drinkers: An investigation of therapeutic alliance, Unpublished doctoral dissertation, University of New Mexico.
- Ferguson, R. T. (1998). Motivational interviewing with less motivated driving under the influence of alcohol second offenders with an exploration of the processes related to change. Dissertation Abstracts International: Section B: The Sciences and Engineering. US, ProQuest Information & Learning. 59.
- Fernandes, S., Ferigolo, M., Benchaya, M. C., de Campos Moreira, T., Pierozan, S., Mazoni, C. G., & Barros, H. M. T. (2010). Brief motivational intervention and telemedicine: A new perspective of treatment to marijuana users. *Addictive Behaviors*, 35(8), 750-755.
- Fernandez, W. G., P. M. Mitchell, et al. (2008). Brief motivational intervention to increase self-reported safety belt use among emergency department patients. *Academic Emergency Medicine* 15(5): 419-425.

- Ferrara, P., Amodeo, M. E., Sbordone, A., Ianniello, F., Verrotti, A., Petitti, T., & Ruggiero, A. (2018). The impact of motivational therapy in the management of enuretic children. *Turkish Journal of Urology*, 44(4), 346-350.
- Fiechtner, L., Perkins, M., Biggs, V., Langhans, N., Sharifi, M., O'Connor, G., . . . Taveras, E. M. (2018). Rationale and design of the Clinic and Community Approaches to Healthy Weight randomized trial. *Contemporary Clinical Trials*, 67, 16-22.
- Field, C., Walters, S., Marti, C. N., Jun, J., Foreman, M., & Brown, C. (2014). A multisite randomized controlled trial of brief intervention to reduce drinking in the trauma care setting: how brief is brief? *Annals of Surgery*, 259(5), 873-880.
- Field, C., Ramirez, S. O., Juarez, P., & Castro, Y. (2019). Process for developing a culturally informed brief motivational intervention *Addictive Behaviors*, 95, 129-137.
- Field, C. A., Caetano, R., Harris, T. R., Frankowski, R., & Roudsari, B. (2010). Ethnic differences in drinking outcomes following a brief alcohol intervention in the trauma care setting. *Addiction*, 105(1), 62-73.
- Fischer, H., T. Mackenzie, et al. (2008). Design of a nurse-run, telephone-based intervention to improve lipids in diabetics. *Contemporary Clinical Trials* 29(5): 809-816.
- Fischer, H. H., Fischer, I. P., Pereira, R. I., Furniss, A. L., Rozwadowski, J. M., Moore, S. L., . . . Havranek, E. P. (2016). Text message support for weight loss in patients with prediabetes: A randomized clinical trial. *Diabetes Care*, 39(8), 1364-1370. doi: 10.2337/dc15-2137
- Fishbane, S., Agoritsas, S., Bellucci, A., Halinski, C., Shah, H. H., Sakhiya, V., & Balsam, L. (2017). Augmented nurse care management in SKD stages 4 to 5: A randomized trial. *American Journal of Kidney Diseases*, 70(4), 498-505. doi: 10.1053/j.ajkd.2017.02.366
- Fiszdon, J. M., Kurtz, M. M., Choi, J., Bell, M. D., & Martino, S. (2016). Motivational interviewing to increase cognitive rehabilitation adherence in schizophrenia. *Schizophrenia Bulletin*, 42(2), 327-334.
- Fleig, L., Pomp, S., Schwarzer, R., & Lippke, S. (2013). Promoting exercise maintenance: How interventions with booster sessions improve long-term rehabilitation outcomes. *Rehabilitation Psychology*, 58(4), 323-333.
- Fletcher, S., Chondros, P., Palmer, V. J., Chatterton, M. L., Spittal, M. J., Mihalopoulos, C., . . . Gunn, J. (2019). Link-me: Protocol for a randomised controlled trial of a systematic approach to stepped mental health care in primary care. *Contemporary Clinical Trials*, 78, 63-75.
- Flink, M., Lindblad, M., Frykholm, O., Kneck, A., Nilsen, P., Årestedt, K., & Ekstedt, M. (2017). The Supporting Patient Activation in Transition to Home (sPATH) intervention: a study protocol of a randomised controlled trial using motivational interviewing to decrease re-hospitalisation for patients with COPD or heart failure *BMJ Open*, 7(7), e014178.
- Floyd, R. L., M. Sobell, et al. (2007). Preventing Alcohol-Exposed Pregnancies: A Randomized Controlled Trial. *American Journal of Preventive Medicine* 32(1): 1-10.
- Foa, E. B., McLean, C. P., Zandberg, L. J., Zang, Y., Asnaani, A., Benhamou, K., . . . for the STRONG STAR Consortium. (2017). The implementation of prolonged exposure: Design of a multisite study evaluating the usefulness of workshop with and without consultation. *Contemporary Clinical Trials*, 61, 48-54.
- Foote, J., A. DeLuca, et al. (1999). A group motivational treatment for chemical dependency. *Journal of Substance Abuse Treatment* 17(3): 181-192.
- Formanoy, M. A., Dusseldorp, E., Coffeng, J. K., Van Mechelen, I., Boot, C. R., Hendriksen, I. J., & Tak, E. C. (2016). Physical activity and relaxation in the work setting to reduce the need for recovery: what works for whom? *BMC Public Health*, 16(1), 866. doi: 10.1186/s12889-016-3457-3
- Forrester, D., Westlake, D., Killian, M., Antonopoulou, V., McCann, M., Thomas, R., . . . Hutchinson, D. (2018). A randomized controlled trial of training in motivational interviewing for child protection. *Children and Youth Services Review*, 88, 180-190.
- Forsberg, L., S. Ekman, et al. (2000). Brief interventions for risk consumption of alcohol at an emergency surgical ward. *Addictive Behaviors* 25(3): 471-475.
- Forsyth, A., Deane, F. P., & Williams, P. (2015). A lifestyle intervention for primary care patients with depression and anxiety: A randomised controlled trial. *Psychiatry Research*, 230(2), 537-544. doi: 10.1016/j.psychres.2015.10.001
- Foster, C., McDonald, S., Frize, G., Ayers, S., & Fidler, S. (2014). "Payment by results" - Financial incentives and motivational interviewing, adherence interventions in young adults with perinatally acquired HIV-1 infection: A pilot program. *AIDS Patient Care and STDs*, 28, 28-32.
- France, C. R., France, J. L., Carlson, B. W., Kessler, D. A., Rebosa, M., Shaz, B. H., . . . Slepian, P. M. (2016). A brief motivational interview with action and coping planning components enhances motivational autonomy among volunteer blood donors. *Transfusion*, 56(6 Pt 2), 1636-1644.

- France, C. R., & France, J. L. (2018). Online responses to motivational interview questions enhance blood donation intention. *Transfusion*, 58(12), 2874-2879.
- Franta, C., Philipp, J., Waldherr, K., Truttmann, S., Merl, E., Schöfbeck, G., . . . Wagner, G. (2018). Supporting Carers of Children and Adolescents with Eating Disorders in Austria (SUCCEAT): Study protocol for a randomised controlled trial. *European Eating Disorders Review*, 26(5), 447-461.
- Freira, S., Lemos, M. S., Williams, G., Ribeiro, M., Pena, F., & Machado, M. d. C. (2017). Effect of motivational interviewing on depression scale scores of adolescents with obesity and overweight. *Psychiatry Research*, 252, 340-345. See also Freira, S., Lemos, M. S., Fonseca, H., Williams, G., Ribeiro, M., Pena, F., & Machado, M. d. C. (2018). Anthropometric outcomes of a motivational interviewing school-based randomized trial involving adolescents with overweight. *European Journal of Pediatrics*, 177(7), 1121-1130. Freira, S., Fonseca, H., Williams, G., Ribeiro, M., Pena, F., Machado, M. d. C., & Lemos, M. S. (2019). Quality-of-life outcomes of a weight management program for adolescents based on motivational interviewing. *Patient Education and Counseling*, 102(4), 718-725.
- Freitas, P. D., Xavier, R. F., Passos, N. F. P., Carvalho-Pinto, R. M., Cukier, A., Martins, M. A., . . . Carvalho, C. R. F. (2019). Effects of a behaviour change intervention aimed at increasing physical activity on clinical control of adults with asthma: Study protocol for a randomised controlled trial. *BMC Sports Science, Medicine and Rehabilitation*, 11(16).
- Freudenthal, J. J., & Bowen, D. M. (2010). Motivational interviewing to decrease parental risk-related behaviors for early childhood caries. *Journal of dental hygiene : JDH*, 84(1), 29-34.
- Frey, J. (2008). Motivational interviewing and behavioral compliance in chronic pain patients: A treatment outcome study. US, ProQuest Information & Learning. 68.
- Freyer-Adam, J., Baumann, S., Haberecht, K., Tobschall, S., Bischof, G., John, U., & Gaertner, B. (2018). In-person alcohol counseling versus computer-generated feedback: Results from a randomized controlled trial. *Health Psychology*, 37(1), 70-80.
- Freyer-Adam, J., B. Coder, et al. (2008). Brief alcohol intervention for general hospital inpatients: A randomized controlled trial. *Drug and Alcohol Dependence* 93(3): 233-243.
- Fried, T. R., Redding, C. A., Martino, S., Paiva, A., Iannone, L., Zenoni, M., . . . O'Leary, J. (2018). Increasing engagement in advance care planning using a behaviour change model: study protocol for the STAMP randomised controlled trials. *BMJ Open Geriatric Medicine*, 8(8), e025340.
- Friederichs, S. A. H., Oenema, A., Bolman, C., & Lechner, L. (2016). Motivational interviewing and self-determination theory in a web-based computer tailored physical activity intervention: A randomized controlled trial. *Psychology & Health*, 31(8), 907-930.
- Frohlich, J. R., Rapinda, K. K., Schaub, M. P., Wenger, A., Baumgartner, C., Johnson, E. A., . . . Keough, M. T. (2018). Efficacy of an online self-help treatment for comorbid alcohol misuse and emotional problems in young adults: Protocol for a randomized controlled trial. *JMIR Research Protocols*, 7(11), e11298.
- Furler, J., O'Neal, D., Speight, J., Manski-Nankervis, J.-A., Gorelik, A., Holmes-Truscott, E., . . . Blackberry, I. (2017). Supporting insulin initiation in type 2 diabetes in primary care: results of the Stepping Up pragmatic cluster randomised controlled clinical trial. *BMJ*, 356(j783). doi: 10.1136/bmj.j783
- Gabacz, S. A., Stormshak, E. A., McIntype, L. L., & Kosty, D. (2019). Examining family-school engagement in a randomized controlled trial of the family check-up. *School Psychology*, 34(4), 433-443.
- Gabbay, R. A., Anel-Tiangco, R. M., Dellasega, C., Mauger, D. T., Adelman, A., & Van Horn, D. H. (2013). Diabetes nurse case management and motivational interviewing for change (DYNAMIC): Results of a 2-year randomized controlled pragmatic trial. *Journal of Diabetes*, 5(3), 349-357. doi: 10.1111/1753-0407.12030
- Gagneur, A., Battista, M.-C., Boucher, F. D., Tapiero, B., Quach, C., De Wals, P., . . . Dubé, E. (2019). Promoting vaccination in maternity wards — motivational interview technique reduces hesitancy and enhances intention to vaccinate, results from a multicentre non-controlled pre- and post-intervention RCT-nested study, Quebec, March 2014 to February 2015. *Eurosurveillance*, 24(36). See also Lemaitre, T., Carrier, N., Farrands, A., Gosselin, V., Petit, G., & Gagneur, A. (2019). Impact of a vaccination promotion intervention using motivational interview techniques on long-term vaccine coverage: The PromoVac strategy. *Human Vaccines & Immunotherapeutics*, 15(3), 732-739.
- Gale, S., Schwartz, H., & Daffner, K. (2019). The Brain Health Champion study: Promoting non-pharmacological interventions in cognitive disorders. *Neurology*, 92(15 Supplement), S9.003.
- Gallé, F., Di Onofrio, V., Miele, A., Belfiore, P., & Liguori, G. (2018). Effects of a community-based exercise and motivational intervention on physical fitness of subjects with type 2 diabetes. *European Journal of Public Health* (cky140).

- Gamarel, K. E., Darbes, L. A., Hightow-Weidman, L., Sullivan, P., & Stephenson, R. (2019). The development and testing of a relationship skills intervention to improve HIV prevention uptake among young gay, bisexual, and other men who have sex with men and their primary partners (We Prevent): Protocol for a randomized controlled trial. *JMIR Research Protocols*, 8(1), e10370.
- Garbacz, S. A., McIntyre, L. L., Stormshak, E. A., & Kosty, D. B. (2019, in press). The Efficacy of the Family Check-Up on Children's Emotional and Behavior Problems in Early Elementary School. *Journal of Emotional and Behavioral Disorders*.
- Garcia, F. I. S., Derefinko, K. J., Bursac, Z., Hand, S., & Klesges, R. C. (2018). Planning a Change Easily (PACE): A randomized controlled trial for smokers who are not ready to quit. *Contemporary Clinical Trials*, 68, 14-22.
- Gariti, P., A. Alterman, et al. (2002). Nicotine intervention during detoxification and treatment for other substance use. *American Journal of Drug and Alcohol Abuse* 28(4): 671.
- Gariti, P., Alterman, A. I., Lynch, K. G., Kampman, K., & Whittingham, T. (2004). Adding a nicotine blocking agent to cigarette tapering. *Journal of Substance Abuse Treatment*, 27(1), 17-25.
- Garner, S., Fenton, T., Martin, L., Creaser, C., Johns, C., & Barnabe, C. (2017). Personalized diet and exercise recommendations in early rheumatoid arthritis: A feasibility trial. *Musculoskeletal Care*, 16(1).
- Garner, B. R., Gotham, J. H., Tueller, S. J., Ball, E. L., Kaiser, D., Stilen, P., . . . Martino, S. (2017). Testing the effectiveness of a motivational interviewing-based brief intervention for substance use as an adjunct to usual care in community-based AIDS service organizations: study protocol for a multisite randomized controlled trial. *Addiction Science & Clinical Practice*, 12(31).
- Gates, P. J., Norberg, M. M., Copeland, J., & Digiusto, E. (2012). Randomized controlled trial of a novel cannabis use intervention delivered by telephone. *Addiction*, 107(12), 2149-2158.
- Gaughran, F., Stahl, D., Ismail, K., Greenwood, K., Atakan, Z., Gardner-Sood, P., . . . The IMPaCT Team. (2017). Randomised control trial of the effectiveness of an integrated psychosocial health promotion intervention aimed at improving health and reducing substance use in established psychosis (IMPaCT). *BMC Psychiatry*, 17(413).
- Gedney, C. R. (2016). *Sexual assault prevention: A randomized controlled trial of a military intervention*. Ph.D. Dissertation, University of Utah. Retrieved from http://gateway.proquest.com/openurl?url_ver=Z39.882004&res_dat=xri:pqdiss&rft_val_fmt=info:ofi/fmt:kev:mtx:dissertation&rft_dat=xri:pqdiss:10158652 (10158652)
- Gelberg, L., Andersen, R. M., Rico, M. W., Vahidi, M., Rey, G. N., Shoptam, S., . . . Baumeister, S. W. (2017). A pilot replication of QUIT, a randomized controlled trial of a brief intervention for reducing risky drug use, among Latino primary care patients. *Drug and Alcohol Dependence*, 179, 433-440.
- Gentilello, L. M., F. P. Rivara, et al. (1999). Alcohol interventions in a trauma center as a means of reducing the risk of injury recurrence. *Annals of Surgery* 230(4): 473-480; discussion 480-473.
- George, M., Pantalon, M. V., Sommers, M. L. S., Glanz, K., Chung, H. J. A., Norful, A. A., . . . Bruzzese, J.-M. (2019). Shared decision-making in the BREATHE asthma intervention trial: a research protocol. *Journal of Advanced Nursing*, 75(4), 876-887.
- George, T. P., D. M. Ziedonis, et al. (2000). Nicotine transdermal patch and atypical antipsychotic medications for smoking cessation in schizophrenia. *American Journal of Psychiatry* 157(11): 1835-1842.
- Ghaderi, A., Kadesjö, C., Björnsdotter, A., & Enebrink, P. (2018). Randomized effectiveness trial of the Family Check-Up versus internet-delivered parent training (iComet) for families of children with conduct problems. *Scientific Reports*, 8(11486).
- Gianos, E., Schoenthaler, A., Guo, Y., Zhong, J., Weintraub, H., Schwartzbard, A., . . . Berger, J. S. (2018). Investigation of motivational interviewing and prevention consults to achieve cardiovascular targets (IMPACT) trial. *American Heart Journal*, 199, 37-43.
- Gil, A. G., E. F. Wagner, et al. (2004). Culturally sensitive substance abuse intervention for Hispanic and African American adolescents: Empirical examples from the Alcohol Treatment Targeting Adolescents in Need (ATTAIN) Project. *Addiction*, 99(Suppl2): 140-150.
- Gilbert, A. L., Lee, J., Ehrlich-Jones, L., Semanik, P. A., Song, J., Pellegrini, C. A., . . . Chang, R. W. (2018). A randomized trial of a motivational interviewing intervention to increase lifestyle physical activity and improve self-reported function in adults with arthritis. *Seminars in Arthritis and Rheumatism*, 47(5), 732-740.
- Gilchrist, G., Swan, D., Shaw, A., Keding, A., Towers, S., Craine, S., . . . Watson, J. (2017). The acceptability and feasibility of a brief psychosocial intervention to reduce blood-borne virus risk behaviours among people who inject drugs: A randomised control feasibility trial of a psychosocial intervention (the PROTECT study) versus treatment as usual. *Harm Reduction Journal*, 14(14). doi: 10.1186/s12954-017-0142-5

- Gilder, D. A., Geisler, J. R., Luna, J. A., Calac, D., Monti, P. M., Spillane, N. S., . . . Ehlers, C. L. (2017). A pilot randomized trial of motivational interviewing compared to psycho-education for reducing and preventing underage drinking in American Indian adolescents. *Journal of Substance Abuse Treatment*, 82, 74-81.
- Giles, E. L., McGeechan, G. J., Coulton, S., Deluca, P., Drummond, C., Howel, D., . . . Newbury-Birch, D. (2019). Brief alcohol intervention for risky drinking in young people aged 14–15 years in secondary schools: The SIPS JR-HIGH RCT. *Public Health Research* 7(9). See also O'Neil, S., Coulton, S., Deluca, P., Deverill, M., Drummond, C., Gilvarry, E., . . . Newbury-Birch, D. (2012). Brief intervention to prevent hazardous drinking in young people aged 14–15 in a high school setting (SIPS JR-HIGH): study protocol for a randomized controlled trial. *Trials*, 13(166).
- Gillen, C. T. A. (2018). *Psychopathic traits, substance use, and motivation to change: The effectiveness of motivational interviewing with at-risk adolescents*. Ph.D. Dissertation, University of Southern Mississippi, Hattiesburg, MS. Retrieved from <http://aquila.usm.edu/dissertations/1412/>
- Ginsburg, J. I. D. (2001). Using motivational interviewing to enhance treatment readiness in offenders with symptoms of alcohol dependence. Dissertation Abstracts International: Section B: The Sciences and Engineering. US, ProQuest Information & Learning. 61.
- Gisladottir, M., & Svavarsdottir, E. K. (2016). The effectiveness of therapeutic conversation intervention for caregivers of adolescents with ADHD: a quasi-experimental design. *Journal of Psychiatric and Mental Health Nursing*. Retrieved from <http://onlinelibrary.wiley.com/doi/10.1111/jpm.12335/full> doi:10.1111/jpm.12335.
- Gladstone, T. G., Marko-Holguin, M., Rothberg, P., Nidetz, J., Diehl, A., DeFrino, D. T., . . . van Voorhees, B. W. (2015). An internet-based adolescent depression preventive intervention: study protocol for a randomized control trial *Trials*, 16(203).
- Glasgow, R. E., E. P. Whitlock, et al. (2000). A brief smoking cessation intervention for women in low-income planned parenthood clinics. *American Journal of Public Health* 90(5): 786-789.
- Gnagnarella, P., Dragà, D., Baggi, F., Simoncini, M. C., Sabbatini, A., Mazzocco, K., . . . Maisonneuve, P. (2016). Promoting weight loss through diet and exercise in overweight or obese breast cancer survivors (InForma): study protocol for a randomized controlled trial. [journal article]. *Trials*, 17(1), 1-11. doi: 10.1186/s13063-016-1487-x
- Goedel, W. C., Marshall, B. D. L., Samuels, E. A., Brinkman, M. G., Dettor, D., Langdon, K. J., . . . Beaudoin, F. L. (2019). Randomised clinical trial of an emergency department-based peer recovery support intervention to increase treatment uptake and reduce recurrent overdose among individuals at high risk for opioid overdose: Study protocol for the navigator trial. *BMJ Open*, 9(e032052).
- Gold, M. A., Tzilos, G. K., Stein, L. A., Anderson, B. J., Stein, M. D., Ryan, C. M., . . . DiClemente, C. (2016). A randomized controlled trial to compare computer-assisted motivational intervention with didactic educational counseling to reduce unprotected sex in female adolescents. *Journal of Pediatric and Adolescent Gynecology*, 29(1), 26-32. doi: 10.1016/j.jpag.2015.06.001
- Gollin, C. E., Earp, J., Tien, H.-C., Stewart, P., & al., E. (2006). A 2-arm randomized controlled trial of motivational interviewing-based intervention to improve adherence to antiretroviral therapy (ART) among patients failing or initiating ART. *Journal of Acquired Immune Deficiency Syndrome*, 42, 42-51. Gong, J., Baker, C. L., Zou, K. H., Bruno, M., Jumadilova, Z., Lawrence, D., . . . Ewel, C. (2016). A pragmatic randomized trial comparing telephone-based enhanced pharmacy care and usual care to support smoking cessation. *Journal of Managed Care and Specialty Pharmacy*, 22(12), 1417-1425. doi: 10.18553/jmcp.2016.22.12.1417
- González-Ortega, I., Echeburúa, E., García-Alocén, A., Vega, P., & González-Pinto, A. (2016). Cognitive behavioral therapy program for cannabis use cessation in first-episode psychosis patients: Study protocol for a randomized controlled trial. *Trials*, 17(372).
- Goodall, C. A., Ayoub, A. F., Crawford, A., Smith, I., Bowman, D., Koppel, D., & Gilchrist, G. (2008). Nurse-delivered brief interventions for hazardous drinkers with alcohol-related facial trauma: A prospective randomised controlled trial. *British Journal of Oral & Maxillofacial Surgery*, 46(2), 96-101. Gourlan, M., Sarrazin, P., & Trouilloud, D. (2013). Motivational interviewing as a way to promote physical activity in obese adolescents: a randomised-controlled trial using self-determination theory as an explanatory framework. *Psychology & Health*, 28(11), 1265-1286. doi: 10.1080/08870446.2013.800518
- Goyder, E., Hind, D., Breckon, J., Dimairo, M., Minton, J., Everson-Hock, E., . . . Cooper, C. (2014). A randomised controlled trial and cost-effectiveness evaluation of 'booster' interventions to sustain increases in physical activity in middle-aged adults in deprived urban neighbourhoods. *Health Technology Assessment*, 18(13), 1-210.
- Graeber, D. A., Moyers, T. B., Griffith, G., Guajardo, E., & Tonigan, S. (2003). A pilot study comparing motivational interviewing and an educational intervention in patients with schizophrenia and alcohol use disorders. *Community Mental Health Journal* 39(3): 189-202.

- Graf, C., Schlepper, S., Bauer, C., Ferrari, N., Frank, S., Gartner, L., . . . Sternal, K. (2016). Feasibility and acceptance of exercise recommendations (10,000 steps a day) within routine German health check (Check-Up 35/GOÄ29)—study protocol. *Pilot and Feasibility Studies*, 2(52). doi: 10.1186/s40814-016-0092-9
- Graham, A. L., Burke, M. V., Jacobs, M. A., Sha, S., Croghan, I. T., Schroeder, D. R., . . . Hays, J. T. (2017). An integrated digital/clinical approach to smoking cessation in lung cancer screening: study protocol for a randomized controlled trial. *BMC Trials*, 18(568).
- Graham, H. L., Birchwood, M., Griffith, E., Freemantle, N., McCrone, P., Stefanidou, C. A., . . . Copello, A. (2014). A pilot study to assess the feasibility and impact of a brief motivational intervention on problem drug and alcohol use in adult mental health inpatient units: Study protocol for a randomized controlled trial. *Trials*, 15, 308.
- Grant, J. E., C. B. Donahue, et al. (2009). Imaginal desensitisation plus motivational interviewing for pathological gambling: Randomised controlled trial. *British Journal of Psychiatry* 195(3): 266-267.
- Gray, E., J. McCambridge, et al. (2005). The effectiveness of motivational interviewing delivered by youth workers in reducing drinking, cigarette and cannabis smoking among young people: Quasi-experimental pilot study. *Alcohol and Alcoholism* 40(6): 535-539.
- Greaves, C. J., Middlebrooke, A., O'Loughlin, L., Piper, J., Hammerton, F., & Daly, M. (2008). Motivational interviewing for modifying diabetes risk: A randomized controlled trial. *British Journal of General Practice*, 58(553), 535-540.
- Griva, K., Rajeswari, M., Nandakumar, M., Khoo, E. Y. H., Lee, V. Y. W., Chua, C. G., . . . Newman, S. P. (2019). The combined diabetes and renal control trial (C-DIRECT) - a feasibility randomised controlled trial to evaluate outcomes in multi-morbid patients with diabetes and on dialysis using a mixed methods approach. *BMC Nephrology*, 20(2).
- Gross, D. P., Park, J., Rayani, F., Norris, C. M., & Esmail, S. (2017). Motivational interviewing improves sustainable return to work in injured workers after rehabilitation: A cluster randomized controlled trial. *Archives of Physical Medicine and Rehabilitation*, 98(12), 2355-2363.
- Grossman, E., Shelley, D., Braithwaite, R. S., Lobach, I., Goffin, A., Rogers, E., & Sherman, S. (2012). Effectiveness of smoking-cessation interventions for urban hospital patients: Study protocol for a randomized controlled trial. *Trials*, 13(126).
- Gunnes, M., Langhammer, B., Aamot, I.-L., Lydersen, S., Ihle-Hansen, H., Indredavik, B., . . . The LAST Collaboration group. (2018). Adherence to a long-term physical activity and exercise program after stroke applied in a randomized controlled trial. *Physical Therapy* (pzy126).
- Guo, J., Tang, Y., Wiley, J., Whittemore, R., & Chen, J.-L. (2018). Effectiveness of a diabetes prevention program for rural women with prior gestational diabetes mellitus: Study protocol of a multi-site randomized clinical trial. *BMC Public Health*, 18(809).
- Gwadz, M., N. Leonard, et al. (2008). Behavioral interventions for HIV infected and uninfected mothers with problem drinking. *Addiction Research and Theory* 16(1): 47-65.
- Habib, S., S. Morrissey, et al. (2005). Preparing for pain management: A pilot study to enhance engagement. *The Journal of Pain* 6(1): 48-54.
- Haddock, G., C. Barrowclough, et al. (2003). Cognitive-behavioural therapy and motivational intervention for schizophrenia and substance misuse: 18-month outcomes of a randomised controlled trial. *British Journal of Psychiatry* 183(5): 418-426.
- Haines, J., Douglas, S., Mirotta, J. A., O'Kane, C., Breau, R., Walton, K., . . . Ma, D. W. L. (2018). Guelph Family Health Study: Pilot study of a home-based obesity prevention intervention. *Canadian Journal of Public Health*, 109(4), 549-560.
- Hall, S. M., Humfleet, G., Gasper, J., Deluchi, K. L., Hersh, D., & Guydish, J. (2018). Cigarette smoking cessation intervention for buprenorphine treatment patients. *Nicotine & Tobacco Research*, 20(5), 628-635.
- Handmaker, N. S., Miller, W. R., & Manicke, M. (1999). Findings of a pilot study of motivational interviewing with pregnant drinkers. *Journal of Studies on Alcohol*, 60, 285-287.
- Hanewinkel, R., M. Weewel, et al. (2006). [Motivational interviewing of unemployed acceptance and effects of counselling to improve health-related behaviour]. *Gesundheitswesen* 68(4): 240-248.
- Hardcastle, S., A. Taylor, et al. (2008). A randomised controlled trial on the effectiveness of a primary health care based counselling intervention on physical activity, diet and CHD risk factors. *Patient Education and Counseling* 70(1): 31-39.
- Hardcastle, S. J., Taylor, A. H., Bailey, M. P., Harley, R. A., & Hagger, M. S. (2013). Effectiveness of a motivational interviewing intervention on weight loss, physical activity and cardiovascular disease risk factors: A randomised controlled trial with a 12-month post-intervention follow-up. *International Journal of Behavioral Nutrition and Physical Activity*, 10, 40. doi: 10.1186/1479-5868-10-40

- Hargraves, J. L., Bonollo, D., Ferguson, W., & Orvek, E. (2017). A randomized controlled trial of community health workers using patient stories to support hypertension management: Preliminary results. *University of Massachusetts Medical School eScholarship@umms*. Retrieved from http://escholarship.umassmed.edu/cts_retreat/2017/posters/32
- Harland, J., White, M., Drinkwater, C., Chinn, D., Farr, L., & Howel, D. (1999). The Newcastle Exercise Project: A randomised controlled trial of methods to promote physical activity in primary care. *British Medical Journal*, 319, 828-832.
- Harper, R. and S. Hardy (2000). An evaluation of motivational interviewing as a method of intervention with clients in a probation setting. *British Journal of Social Work* 30(3): 393-400.
- Harris, J. S., Stewart, D. G., & Stanton, B. C. (2016). Urge surfing as aftercare in adolescent alcohol use: A randomized control trial. *Mindfulness*, 8(1), 144-149. doi: 10.1007/s12671-016-0588-7
- Harris, K. J., D. Catley, et al. (2010). Motivational interviewing for smoking cessation in college students: A group randomized controlled trial. *Preventive Medicine* 51(5): 387-393.
- Harris, T., Kerry, S. M., Victor, C. R., Shah, S. M., Iliffe, S., Ussher, M., . . . Cook, D. G. (2013). PACE-UP (Pedometer and consultation evaluation - UP) – a pedometer-based walking intervention with and without practice nurse support in primary care patients aged 45–75 years: study protocol for a randomised controlled trial. *Trials*, 14(418).
- Harrison, R. (2007). Effect of motivational interviewing on rates of early childhood caries: A randomized trial. *Pediatric Dentistry* 29(1): 16-22.
- Harrison, R., Veronneau, J., & Leroux, B. (2010). Design and implementation of a dental caries prevention trial in remote Canadian Aboriginal communities. *Trials*, 11, 54. doi: 10.1186/1745-6215-11-54
- Härter, M., Dirmaier, J., Dwinger, S., Kriston, L., Herbarth, L., Siegmund-Schultze, E., . . . König, H.-H. (2016). Effectiveness of telephone-based health coaching for patient with chronic conditions: A randomized controlled trial. *PLoS ONE*, 11(9), e0161269. doi: 10.1371/journal.pone.0161269
- Hartzler, B., Lyon, A. R., Walker, D. D., Matthews, L., King, K. M., & McCollister, K. E. (2017). Implementing the teen marijuana check-up in schools: A study protocol. *Implementation Science*, 12(103).
- Harvey, J., Chastin, S., & Skelton, D. (2017). Improving physical function in older adults through a sedentary behaviour intervention: The SOS pilot study. *Physiotherapy*, 103(Supplement 1), e95-e96.
- Hasin, D. S., Aharonovich, E., O'Leary, A., Greenstein, E., Pavlicova, M., Arunajadai, S., . . . Johnston, B. (2013). Reducing heavy drinking in HIV primary care: a randomized trial of brief intervention, with and without technological enhancement. *Addiction*, 108(7), 1230-1240.
- Hatch, J. (2018). "Reducing no-shows and late cancellations in primary care. *DNP Scholarly Projects*, 11. https://scholars.unh.edu/scholarly_projects/11
- Haug, N. A., D. S. Svikis, et al. (2004). Motivational enhancement therapy for nicotine dependence in methadone-maintained pregnant women. *Psychology of Addictive Behaviors* 18(3): 289-292.
- Havenar, J. (2007). Adapted motivational interviewing for increasing physical activity: A 12 month clinical trial. US, ProQuest Information & Learning. 68.
- Hayes, B. B. (2007). Comparing the effectiveness of cognitive-behavioral group therapy with and without motivational interviewing at reducing the social anxiety, alcohol consumption, and negative consequences of socially anxious college students. US, ProQuest Information & Learning. 67.
- Hayes, M. J., Cheng, B., Musolino, R., & Rogers, A. A. (2017). Dietary analysis and nutritional counselling for caries prevention in dental practice: A pilot study. *Australian Dental Journal*, 62(4), 485-492.
- Hayward, P., N. Chan, et al. (1995). Medication self-management: A preliminary report on an intervention to improve medication compliance. *Journal of Mental Health* 4(5): 511-517.
- Heather, N., S. Rollnick, et al. (1996). Effects of brief counselling among male heavy drinkers identified on general hospital wards. *Drug and Alcohol Review* 15(1): 29-38.
- Heckman, C. J., Zhu, F., Manne, S. L., Kloss, J. D., Collins, B. N., Bass, S. B., & Lessin, S. R. (2013). Process and outcomes of a skin protection intervention for young adults. *Journal of Health Psychology*, 18(4), 561-573.
- Hedegaard, U., Kjeldsen, L. J., Pottegård, A., Bak, S., & Hallas, J. (2014). Multifaceted intervention including motivational interviewing to support medication adherence after stroke/transient ischemic attack: A randomized trial. *Cerebrovascular diseases extra*, 4(3), 221-234. doi: 10.1159/000369380
- Heffner, J. L., G. Q. Tran, et al. (2010). Combining motivational interviewing with compliance enhancement therapy (MI-CET): Development and preliminary evaluation of a new, manual-guided psychosocial adjunct to alcohol-dependence pharmacotherapy. *Journal of Studies on Alcohol and Drugs* 71(1): 61-70.

- Hegarty, K., O'Doherty, L., Taft, A., Chondros, P., Brown, S., Valpied, J., . . . Gunn, J. (2013). Screening and counselling in the primary care setting for women who have experienced intimate partner violence (WEAVE): A cluster randomised controlled trial. *Lancet*, 382(9888), 249-258.
- Hegelstad, W. T. V., Joa, I., Heitmann, L., Johannessen, J. O., & Langeveld, J. (2018). Job- and school prescription: A local adaptation to individual placement and support for first episode psychosis. *Early Intervention in Psychiatry*.
- Heinrich, E., Candel, M. J. J. M., Schaper, N. C., & de Vries, N. (2010). Effect evaluation of a motivational interviewing based counselling strategy in diabetes care. *Diabetes Research and Clinical Practice*, 90(3), 270-278. doi: 10.1016/j.diabres.2010.09.012
- Heisler, M., Hofer, T. P., Schmittiel, J. A., Selby, J. V., Klamerus, M. L., Bosworth, H. B., . . . Kerr, E. A. (2012). Improving blood pressure control through a clinical pharmacist outreach program in patients with diabetes mellitus in 2 high-performing health systems: The adherence and intensification of medications cluster randomized, controlled pragmatic trial. *Circulation*, 125, 2863-2872.
- Heisler, M., Mase, R., Brown, B., Wilson, S., & Reeves, P. J. (2017). Study protocol: The Technology-Enhanced Coaching (TEC) program to improve diabetes outcomes - A randomized controlled trial. *Contemporary Clinical Trials*, 55, 24-33. doi: 10.1016/j.cct.2017.01.006
- Helstrom, A., K. Hutchison, et al. (2007). Motivational enhancement therapy for high-risk adolescent smokers. *Addictive Behaviors* 32(10): 2404-2410.
- Hellstrand, M., Simonsson, B., Engström, S., Nillaon, K. W., & Molarius, A. (2017). A health dialogue intervention reduces cardiovascular risk factor levels: a population based randomised controlled trial in Swedish primary care setting with 1-year follow-up. *BMC Public Health*, 17(669).
- Hemingway, B. (2017). *Applying health psychology theory to practice: Cognitive behaviour therapy, motivational interviewing and mindfulness-based interventions for improving mental and physical health*. Ph.D. Dissertation, Psychology, City University of London, London UK. Retrieved from <http://openaccess.city.ac.uk/id/eprint/17865>.
- Henihan, A. M., McCombe, G., Klimas, J., Swan, D., Leahy, D., Anderson, R., . . . Cullen, W. (2016). Feasibility of alcohol screening among patients receiving opioid treatment in primary care. *BMC Family Practice*, 17(153). doi: 10.1186/s12875-016-0548-2
- Henshaw, M. M., Borrelli, B., Gregorich, S. E., Heaton, B., Tooley, E. M., Santo, W., . . . Garcia, R. I. (2018). *JDR Clinical and Translational Research*, 3(4), 353-365.
- Herbst, R. B., Khalsa, A. S., Schlottmann, H., Kerrey, M. K., Glass, K., & C., B. M. (2019). Effective implementation of culturally appropriate tools in addressing overweight and obesity in an urban underserved early childhood population in pediatric primary care. *Clinical Pediatrics*, 58(5), 511-520.
- Heredia, N. I., Lee, M., Hwang, K. O., Reininger, B. M., Fernandez, M. E., & McNeille, L. H. (2019 in press). Health coaching to encourage obese adults to enroll in commercially-available weight management programs: The path to health study. *Contemporary Clinical Trials*.
- Hernandez, L., Cancilliere, M. K., Graves, H., & Spirito, A. (2019 in press). A randomized pilot study comparing the efficacy of a therapist-delivered motivational interview to a brief computer-delivered intervention. *International Journal of Alcohol and Drug Research*.
- Hester, R. K., D. D. Squires, et al. (2005). The drinker's check-up: 12-month outcomes of a controlled clinical trial of a stand-alone software program for problem drinkers. *Journal of Substance Abuse Treatment* 28(2): 159-169.
- Hewett, P. C., Nalubamba, M., Bozzani, F., Dennis, M., Digitale, J., Vu, L., . . . Nambao, M. (2015). REACH: Randomized evaluation of HIV/FP service models. New York: Population Council. https://knowledgecommons.popcouncil.org/departments_sbsr-hiv/213
- Hickman, M. E. (1999). The effects of personal feedback on alcohol intake in dually diagnosed clients: An empirical study of William R. Miller's motivational enhancement therapy. Dissertation Abstracts International: Section B: The Sciences and Engineering. Unpublished doctoral dissertation.
- Hicks, T. E. (1998). Coping with interpersonal conflict among alcohol abusers in outpatient treatment, Indiana University School of Nursing: 136 p.
- Hides, L., Carroll, S., Scorr, R., Cotton, S., Baker, A., & Lubman, D. I. (2013). Quik Fix: A randomized controlled trial of an enhanced brief motivational interviewing intervention for alcohol/cannabis and psychological distress in young people. *Psychotherapy and Psychosomatics*, 82(2), 122-124.
- Hillsdon, M., M. Thorogood, et al. (2002). Advising people to take more exercise is ineffective: A randomized controlled trial of physical activity promotion in primary care. *International Journal of Epidemiology* 31(4): 808-815.
- Hjorthøj, C. R., & Nordentoft, M. (2017). The CapOpus trial for cannabis use disorders. In V. R. Preedy (Ed.), *Handbook of cannabis and related pathologies: Biology, pharmacology, diagnosis, and treatment* (pp. 1086-1092). London: Academic Press.
- Hodgins, D. C., S. R. Currie, et al. (2001). Motivational enhancement and self-help treatments for problem gambling. *Journal of Consulting and Clinical Psychology* 69(1): 50-57. See also: Hodgins, D. C., S. Currie, et al. (2004).

- Brief motivational treatment for problem gambling: A 24-month follow-up. *Psychology of Addictive Behaviors*, 18(3): 293-296.
- Hodgins, D. C., S. R. Currie, et al. (2009). Randomized trial of brief motivational treatments for pathological gamblers: More is not necessarily better. *Journal of Consulting and Clinical Psychology*, 77(5): 950-960.
- Hoek, W., Marko, M., Fogel, J., Schuurmans, J., Gladstone, T., Bradford, N., & Van Vorhees, B. W. (2011). Randomized controlled trial of primary care physician motivational interviewing versus brief advice to engage adolescents with an Internet-based depression prevention intervention: 6-month outcomes and predictors of improvement. *Translational Research*, 158(6), 315-325
- Hokanson, J. M., R. L. Anderson, et al. (2006). Integrated tobacco cessation counseling in a diabetes self-management training program: A randomized trial of diabetes and reduction of tobacco. *The Diabetes Educator*, 32(4): 562-570.
- Holland, A. E., Mahal, A., Hill, C. J., Lee, A. L., Burge, A. T., Cox, N. S., . . . McDonald, C. F. (2016). Low cost home-based pulmonary rehabilitation for chronic obstructive pulmonary disease: A randomized controlled equivalence trial. *American Journal of Respiratory and Critical Care Medicine*, 193, A2620 (Abstract).
- Holland, A. E., Mahal, A., Hill, C. J., Lee, A. L., Burge, A. T., Cox, N. S., . . . McDonald, C. F. (2017). Home-based rehabilitation for COPD using minimal resources: A randomised, controlled equivalence trial. *Thorax*, 72(1), 57-65. doi: 10.1136/thoraxjnl-2016-208514
- Holler, P., Jaunig, J., Amort, F.-M., Tuttner, S., Hofer-Fischanger, K., Wallner, D., . . . Moser, O. (2019). Holistic physical exercise training improves physical literacy among physically inactive adults: A pilot intervention study. *BMC Public Health*, 19(393).
- Hollis, J. F., M. R. Polen, et al. (2005). Teen reach: Outcomes from a randomized, controlled trial of a tobacco reduction program for teens seen in primary medical care. *Pediatrics*, 115(4): 981-989.
- Holstad, M. M., Dilorio, C., Kelley, M. E., Resnicow, K., & Sharma, S. (2011). Group motivational interviewing to promote adherence to antiretroviral medications and risk reduction behaviors in HIV infected women. *AIDS and Behavior*, 15(5), 885-896.
- Holstad, M. M., Essien, E. J., Ekong, G., Higgins, E. T., Teplinsky, I., & Adewuyi, M. F. (2012). Motivational groups support adherence to antiretroviral therapy and use of risk reduction behaviors in HIV positive Nigerian women: A pilot study. *African Journal of Reproductive Health*, 16(3), 14-26.
- Holt, C., Milgrom, J., & Gemmill, A. W. (2017). Improving help-seeking for postnatal depression and anxiety: a cluster randomised controlled trial of motivational interviewing. *Archives of Women's Mental Health*, 20(6), 791-801.
- Holtrop, J. S., Luo, Z., Piatt, G., Green, L. A., Chen, Q., & Piette, J. (2017). Diabetic and obese patient clinical outcomes improve during a care management implementation in primary care. *Journal of Primary Care & Community Health*, 8(4), 312-318.
- Horn, K., G. Dino, et al. (2008). Feasibility of a smoking cessation intervention for teens in the emergency department: Reach, implementation fidelity, and acceptability. *American Journal of Critical Care*, 17(3): 205-216.
- Horton, E. J., Mitchell, K. E., Johnson-Warrington, V., Apps, L. D., Sewell, L., Morgan, M., . . . Singh, S. J. (2018). Comparison of a structured home-based rehabilitation programme with conventional supervised pulmonary rehabilitation: a randomised non-inferiority trial. *Thorax*, 73(1), 29-36.
- Hosseini, N., Momeni, E., Vossoughi, M., & Barekatian, M. (2016). Effect of motivational interviewing on quality of life in patients with epilepsy. *Epilepsy and Behavior*, 55, 70-75.
- Hoy, M. K., B. L. Winters, et al. (2009). Implementing a low-fat eating plan in the women's intervention nutrition study. *Journal of the American Dietetic Association*, 109(4): 688-696.
- Hsieh, M.-Y., Ponsford, J., Wong, D., Schönberger, M., Taffe, J., & McKay, A. (2012). Motivational interviewing and cognitive behaviour therapy for anxiety following traumatic brain injury: A pilot randomised controlled trial. *Neuropsychological Rehabilitation*, 22(4), 585-608. doi: 10.1080/09602011.2012.678860
- Huber, J. M., Shapiro, J. S., Wieland, M. L., Croghan, I. T., Douglas, K. S. V., Schroeder, D. R., . . . Ebbert, J. O. (2015). Telecoaching plus a portion control plate for weight care management: a randomized trial. *Trials*, 16(323).
- Huffman, J. C., Feig, E. H., Millstein, R. A., Freedman, M., Healy, B. C., Chung, W.-J., . . . Celano, C. M. (2019). Usefulness of a positive psychology-motivational interviewing intervention to promote positive affect and physical activity after an acute coronary syndrome. *American Journal of Cardiology*, 123(12), 1906-1914.
- Hughes, B. L., Gans, K. M., Raker, C., Hipolito, E. R., & Rouse, D. J. (2017). A brief prenatal intervention of behavioral change to reduce the risk of maternal cytomegalovirus: A randomized controlled trial. *Obstetrics and Gynecology*, 130(4), 726-734.
- Hughes, S. C., Belletiere, J., Nguyen, B., Liles, S., Klepeis, N. E., Quintana, P. J. E., . . . Hovell, M. F. (2018). Randomized trial to reduce air particle levels in homes of smokers and children. *American Journal of Preventive Medicine*, 54(3), 359-367.

- Hughes, S. C., Corcos, I., Hovell, M., & Hofstetter, C. R. (2017). Feasibility pilot of a randomized faith-based intervention to reduce secondhand smoke exposure among Korean Americans. *Preventing Chronic Disease*, 14(160549). doi: 10.5888/pcd14.160549
- Huisman, S., V. de Gucht, et al. (2009). Self-regulation and weight reduction in patients with type 2 diabetes: A pilot intervention study. *Patient Education and Counseling* 75(1): 84-90.
- Hulse, G. K. and R. J. Tait (2002). Six-month outcomes associated with a brief alcohol intervention for adult in-patients with psychiatric disorders. *Drug and Alcohol Review* 21(2): 105-112.
- Humfress, H., V. Igel, et al. (2002). The effect of a brief motivational intervention on community psychiatric patients' attitudes to their care, motivation to change, compliance and outcome: A case control study. *Journal of Mental Health* 11(2): 155-166
- Huntink, E., Koetsenruijter, J., Wensing, M., & van Lieshout, J. (2019). Patient cardiovascular risk self-management: results from a randomized trial of motivational interviewing delivered by practice nurses. *Family Practice*, 36(4), 460-466. See also: Huntink, E., Heijmans, M., Wensing, M., & van Lieshout, J. (2013). Effectiveness of a tailored intervention to improve cardiovascular risk management in primary care: study protocol for a randomised controlled trial. *Trials*, 14(433).
- Hutchinson, S. G., van Breukelen, G., van Schayck, C. P., Essers, B., Hammond, S. K., Muris, J. W. M., . . . Dompeling, E. (2017). Motivational interviewing and urine cotinine feedback to stop passive smoke exposure in children predisposed to asthma: a randomised controlled trial. *Scientific Reports*, 7(15473).
- Hye-cheon, K., Yearly, K., Long, C. R., Bursac, Z., & McElfish, P. A. (2017). Design of a randomized, controlled, comparative-effectiveness trial testing a family model of Diabetes Self-Management Education (DSME) vs. standard DSME for United States Marshallese Islanders. *Contemporary Clinical Trials Communications*. Retrieved from doi:10.1016/j.conc.2017.03.007
- Hyrkas, K., & Wiggins, M. (2014). A comparison of usual care, a patient-centred education intervention and motivational interviewing to improve medication adherence and readmissions of adults in an acutecare setting. *Journal of Nursing Management*, 22(3), 350-361.
- Ibarra-Resendiz, M. I., Padilla-Raygoza, N., & Villanueva, G. O. (2016). Effect of an educational intervention on the motivation of the mother to feed her child with overweight or obesity: A quasi-experimental study. *Journal of Nursing Science*, 2(4), 25-32.
- Ibrahim, S. A., Hanusa, B. H., Hannon, M. J., Kresevic, D., Long, J., & Kwoh, K. C. (2013). Willingness and access to joint replacement among African American patients with knee osteoarthritis: A randomized, controlled intervention. *Arthritis and Rheumatology*, 65(5), 1253-1261.
- Igwesi-Chidobe, C. N., Godfrey, E. L., Kitchen, S., Onwasigwe, C. N., & Sorinola, I. O. (2019). Community-based self-management of chronic low back pain in a rural African primary care setting: A feasibility study. *Primary Health Care Research & Development*, 20(e45), 1-8.
- Ihekuna, D., Rosenburg, N., Menson, W. N. A., Gbadamosi, S. O., Olawepo, J. O., Chike-Okoli, A., . . . Ezeanolue, E. E. (2018). Male partner involvement on initiation and sustainment of exclusive breastfeeding among HIV-infected post-partum women: Study protocol for a randomized controlled trial. *Maternal and Child Nutrition*, 14(2), e12545.
- Imperio, C. C., & Barcelo, T. I. (2018). *Effectiveness of using short video and motivational interviewing on knowledge, treatment adherence, and blood pressure values of hypertensive patients*. Master of Arts, University of Santo Tomas, Manila.
- Ingersoll, K. S., Ceperich, S. D., Hettema, J. E., Farrell-Carnahan, L., & Penberthy, J. K. (2013). Preconceptual motivational interviewing interventions to reduce alcohol-exposed pregnancy risk. *Journal of Substance Abuse Treatment*, 44(4), 407-416. doi: 10.1016/j.jsat.2012.10.001
- Ingersoll, K., Floyd, L., Sobell, M., Velasquez, M. M., Baio, J., Carbonari, J., . . . Vonsternberg, K. (2003). Reducing the risk of alcohol-exposed pregnancies: A study of a motivational intervention in community settings. *Pediatrics*, 111, 1131-1135.
- Ingersoll, K. S., S. D. Ceperich, et al. (2005). Reducing alcohol-exposed pregnancy risk in college women: Initial outcomes of a clinical trial of a motivational intervention. *Journal of Substance Abuse Treatment* 29(3): 173-180.
- Inoue, G., Rose, E. F., Gomes, E. F., Guglielmetti, M. R., Corraini, P., Takano, R. K., . . . Pannuti, C. M. (2016). Predictors of smoking cessation in smokers with chronic periodontitis: A 24-month study. *Brazilian Oral Research*, 30(1). doi: /10.1590/1807-3107BOR-2016.vol30.0098
- Irvine, L., Crombie, I. K., Cunningham, K. B., Williams, B., Sniehotta, F. F., Norrie, J., . . . Allan, S. (2017). Modifying alcohol consumption to reduce obesity: A randomized controlled feasibility study of a complex community-based intervention for men. *Alcohol and Alcoholism*, 52(6), 677-684.

- Ismail, K., Winkley, K., De Zoysa, N., Patel, A., Heslin, M., Graves, H., . . . Amiel, S. A. (2018). Nurse-led psychological intervention for type 2 diabetes: A cluster randomised controlled trial (Diabetes-6 study) in primary care. *British Journal of General Practice*, 68(673), e531-e540. See also Ismail, K., E. Maissi, et al. (2010). A randomised controlled trial of cognitive behaviour therapy and motivational interviewing for people with type 1 diabetes mellitus with persistent sub-optimal glycaemic control: A diabetes and psychological therapies (ADaPT) study. *Health Technology Assessment* 14(22): 1-101, iii-iv.
- Ismail, K., S. M. Thomas, et al. (2008). Motivational enhancement therapy with and without cognitive behavior therapy to treat type 1 diabetes: A randomized trial. *Annals of Internal Medicine* 149(10): 708-719.
- Issner, J. H., Mucka, L. E., & Barnett, D. J. (2017). Increasing positive health behaviors in adolescents with nutritional goals and exercise. *Journal of Child and Family Studies*, 26(2), 548-558. doi: 10.1007/s10826-016-0585-4
- Iturralde, E., Sterling, S. A., Uratsu, C. S., Mishra, P., Ross, T. B., & Grant, R. W. (2019). Changing Results—Engage and Activate to Enhance Wellness: A randomized clinical trial to improve cardiovascular risk management. *Journal of the American Heart Association*, 8(23), e014021.
- Jacka, F. N., O'Neil, A., Opie, R., Itsipoulos, C., Cotton, S., Mohebbi, M., . . . Berk, M. (2017). A randomised controlled trial of dietary improvement for adults with major depression (the 'SMILES' trial). *BMC Medicine*, 15(23). doi: 10.1186/s12916-017-0791-y
- Jackson, R. A., Stotland, N. E., Caughey, A. J., & Gerbert, B. (2011). Improving diet and exercise in pregnancy with Video Doctor counseling: A randomized trial. *Patient Education and Counseling*, 83(2), 203-209.
- Jacques-Tiura, A. J., Ellis, D. A., Carcone, A. I., Naar, S., Brogan Hartlieb, K., Towner, E. K., . . . Jen, K.-L. C. (2019). African-American adolescents' weight loss skills utilization: Effects on weight change in a sequential multiple assignment randomized trial. *Journal of Adolescent Health*, 64(3), 355-361.
- Jaén-Moreno, M. J., Feu, N., Redondo-Écija, J., Montiel, F. J., Gómez, C., del Pozo, G. I., . . . Sarramea, F. (2019). Smoking cessation opportunities in severe mental illness (tobacco intensive motivational and estimate risk — TIMER—): Study protocol for a randomized controlled trial. *Trials*, 20(47).
- Jakobsen, A. S., Speyer, H., Nørgaard, H. C. B., Karlsen, M., Birk, M., Hjorthøj, C., . . . Nordentoft, M. (2017). Effect of lifestyle coaching versus care coordination versus treatment as usual in people with severe mental illness and overweight: Two-years follow-up of the randomized CHANGE trial. *PLoS ONE*, 12(10), e0185881.
- Jalali, F., Hashemi, S. F., Babaei, A., Abbaspour, H., Hasani, A., & Shakeri, H. (2017). The effectiveness of the smoking cessation programme for smoker prisoners living with hiv/aids. *Universal Journal of Public Health*, 5(3), 97-104.
- Jancey, J., Holt, A.-M., Lee, A., Kerr, D., Robinson, S., Tang, L., . . . Howat, P. (2017). Effects of a physical activity and nutrition program in retirement villages: a cluster randomised controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 14(92).
- Jansink, R., Braspenning, J., Keizer, E., van der Weijden, T., Elwyn, G., & Grol, R. (2013). No identifiable Hb1Ac or lifestyle change after a comprehensive diabetes programme including motivational interviewing: A cluster randomised trial. *Scandinavian Journal of Primary Health Care*, 31(2), 119-127. doi: 10.3109/02813432.2013.797178
- Janssen, V., De Gucht, V., van Exel, H., & Maes, S. (2014). A self-regulation lifestyle program for post-cardiac rehabilitation patients has long-term effects on exercise adherence. *Journal of Behavioral Medicine*, 37, 308-321.
- Jeong, J. H., & Jeong, I. S. (2017). Development and evaluation of a motivational interviewing program for exercise improvement in persons with physical disabilities. *Journal of Korean Academy of Nursing*, 47(3).
- Jerome, J., Topham, R., Dematatis, A., & Corteville, J. (2015). Treatment outcomes after combination interventional and cognitive motivational counseling on analgesic medication use in patients with chronic spine pain. *Pain physician*, 18(3), 287-297.
- Jhanjee, S., Lal, R., Mishra, A., & Yadav, D. (2017). A randomized pilot study of brief intervention versus simple advice for women tobacco users in an urban community in India. *Indian Journal of Psychological Medilcine*, 39(2), 131-136. doi: 10.4103/0253-7176.203121
- Jiang, S. (2017). *Motivational interviewing in improving oral health of preschool children : A randomized controlled trial*. Ph.D., University of Hong Kong, Pok Fu Lam, Hong Kong. Retrieved from <http://hdl.handle.net/10722/249869>
- Jimenez, E. Y., Sanders, S., Vallabhan, M. K., & Kong, A. S. (2018). One year outcomes from an adolescent obesity prevention and management intervention in school-based health centers. *Journal of Adolescent Health*, 62(2 Supplement), S120-S121.
- Jo, H. M., & Kim, S.-S. (2017). The effect of a dementia preventive intervention based on motivational interviewing among the elderly over 75 years of age in nursing homes. *Journal of the Korean Academy of Community Health Nursing*, 28(3), 260-270.

- Jo, S.-J., Lee, H. K., Kang, K., Joe, K. H., & Lee, S.-B. (2019). Efficacy of a web-based screening and brief intervention to prevent problematic alcohol use in Korea: Results of a randomized controlled trial. *Alcoholism: Clinical & Experimental Research*, 43(10), 2196-2202.
- John, U., Veltrup, C., Driessen, M., Wetterling, T., & Dilling, H. (2003). Motivational intervention: An individual counselling vs a group treatment approach for alcohol-dependent in-patients. *Alcohol and Alcoholism*, 38(3), 263-269.
- Johnson, A. C. (2019). *Effect of tutoring on academic achievement of minority adolescents in a low socioeconomic area*. Master's thesis, East Carolina University. Retrieved from the ScholarShip. (<http://hdl.handle.net/10342/7277>)
- Johnson, H. M., Sullivan-Vedder, L., Kim, K., McBride, P. E., Smith, M. A., LaMantia, J. N., . . . Lauver, D. R. (2019). Rationale and study design of the MyHEART study: A young adult hypertension self-management randomized controlled trial. *Contemporary Clinical Trials*, 78, 88-100.
- Johnston, B. D., F. P. Rivara, et al. (2002). Behavior change counseling in the emergency department to reduce injury risk: A randomized, controlled trial. *Pediatrics* 110(2): 267-274.
- Jørstad, H. T., Mineboo, M., Helmes, H. J. M., Fagel, N. D., Scholte op Reimer, W. J., Tijssen, J. P., & Peters, R. J. G. (2016). Effects of a nurse-coordinated prevention programme on health-related quality of life and depression in patients with an acute coronary syndrome: Results from the RESPONSE randomized controlled trial. *BMC Cardiovascular Disorders*, 16(144).
- Jones, S. H., Riste, L., Robinson, H., Holland, F., Peters, S., Hartwelle, R., . . . Barrowclough, C. (2019). Feasibility and acceptability of integrated psychological therapy versus treatment as usual for people with bipolar disorder and co-morbid alcohol use: A single blind randomised controlled trial. *Journal of Affective Disorders*, 256, 86-95. See also Jones, S., Robinson, H., Riste, L., Roberts, C., Peters, S., Bateman, L., . . . Barrowclough, C. (2018). Integrated psychological therapy for people with bipolar disorder and co-morbid alcohol use: A feasibility and acceptability randomised controlled trial. *Contemporary Clinical Trials Communications*, 10, 193-198.
- Joseph, C. L. M., Mahajan, P., Stokes-Buzzelli, S., Johnson, D. A., Duffy, E., Williams, R., . . . Lu, M. (2017). Pilot study of a randomized trial to evaluate a Web-based intervention targeting adolescents presenting to the emergency department with acute asthma. *BMC Pilot and Feasibility Studies*, 4(5).
- Josephson, H., Carlbring, P., Forsberg, L., & Rosendahl, I. (2016). People with gambling disorder and risky alcohol habits benefit more from motivational interviewing than from cognitive behavioral group therapy. *PeerJ*, 4, e1899. Retrieved from <https://doi.org/10.7717/peerj.1899> doi:10.7717/peerj.1899
- Juarez, P., Walters, S. T., Daugherty, M., & Radi, C. (2006). A randomized trial of motivational interviewing and feedback with heavy drinking college students. *Journal of Drug Education*, 36, 233-246.
- Kadden, R. M., M. D. Litt, et al. (2007). Abstinence rates following behavioral treatments for marijuana dependence. *Addictive Behaviors* 32(6): 1220-1236.
- Kahler, C. W., Lechner, W. J., MacGlashan, J., Wray, T. B., & Littman, M. L. (2017). Initial progress toward development of a voice-based computer-delivered motivational intervention for heavy drinking college students: An experimental study. *JMIR Mental Health*, 4(2), e25.
- Kahler, C. W., Pantalone, D. W., Mastroleo, N. R., Liu, T., Bove, G., Ramratnam, B., . . . Mayer, K. J. (2018). Motivational interviewing with personalized feedback to reduce alcohol use in HIV-infected men who have sex with men: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 86(8), 645-656.
- Kahler, C. W., J. P. Read, et al. (2004). Motivational enhancement for 12-step involvement among patients undergoing alcohol detoxification. *Journal of Consulting and Clinical Psychology* 72(4): 736-741.
- Kahler, C. W., Surace, A., Durst, A., Pantalone, D. W., Mastroleo, N. R., Miguez, M. J., . . . Mayer, K. H. (2019). Telehealth interventions to reduce alcohol use in men with HIV who have sex with men: Protocol for a factorial randomized controlled trial. *Contemporary Clinical Trials Communications*, 16(100475).
- Kalichman, S. C., C. Cherry, et al. (1999). Effectiveness of a video-based motivational skills-building HIV risk-reduction intervention for inner-city African American men. *Journal of Consulting and Clinical Psychology* 67(6): 959-966.
- Kandula, N. R., Dave, S., De Chavez, P. J., Bharucha, H., Patel, Y., Seguil, P., . . . Siddique, J. (2015). Translating a heart disease lifestyle intervention into the community: the South Asian Heart Lifestyle Intervention (SAHELI) study; a randomized control trial. *BMC public health*, 15, 1064. doi: 10.1186/s12889-015-2401-2
- Kaplan, K. A., Mashash, M., Williams, R., Batchelder, H., Starr-Glass, L., & Zeitzer, J. M. (2019). Effect of light flashes vs sham therapy during sleep with adjunct cognitive behavioral therapy on sleep quality among adolescents: A randomized clinical trial. *JAMA Network Open*, 2(9).
- Kavanagh, D. J., Young, R., White, A., Saunders, J. B., Wallis, J., Shockley, N., . . . Clair, A. (2004). A brief motivational intervention for substance misuse in recent-onset psychosis. *Drug and Alcohol Review*, 23, 151-155.

- Kay-Lambkin, F. J., Baker, A. L., Lewin, T. J., & Carr, V. J. (2009). Computer-based psychological treatment for comorbid depression and problematic alcohol and/or cannabis use: a randomized controlled trial of clinical efficacy. *Addiction*, 104(3), 378-388.
- Kay-Lambkin, F. J., Baker, A. L., Palazzi, K., Lewin, T. J., & Kelly, B. J. (2017). Therapeutic alliance, client need for approval, and perfectionism as differential moderators of response to eHealth and traditionally delivered treatments for comorbid depression and substance use problems. *International Journal of Behavioral Medicine*, 24(5), 728-739.
- Kealey, K. A., Ludman, E. J., Marek, P. M., Mann, S. L., Bricker, J. B., & Peterson, A. V. (2009). Design and implementation of an effective telephone counseling intervention for adolescent smoking cessation. *Journal of the National Cancer Institute*, 101(20), 1393-1405.
- Keeley, R. D., Burke, B. L., Brody, D., Dimidjian, S., Engel, M., Emsermann, C., . . . Kaplan, J. (2014). Training to use motivational interviewing techniques for depression: A cluster randomized trial. *Journal of the American Board of Family Medicine*, 27(5), 621-636.
- Keeley, R. D., Brody, D. S., Engel, M., Burke, B. L., Nordstrom, K., Moralez, E., . . . Emsermann, C. (2016). Motivational interviewing improves depression outcome in primary care: A cluster randomized trial. *Journal of Consulting and Clinical Psychology*, 84(11): 993-1007. doi: 10.1037/ccp0000124
- Kehle-Forbes, S. M., Chen, S., Polusny, M. A., Lynch, K. G., Ingram, E., Foa, E. B., . . . Oslin, D. W. (2019 in press). A randomized controlled trial evaluating integrated versus phased application of evidence-based psychotherapies for military veterans with comorbid PTSD and substance use disorders. *Drug and Alcohol Dependence*.
- Kelly, A. B., W. K. Halford, et al. (2000). Maritally distressed women with alcohol problems: The impact of a short-term alcohol-focused intervention on drinking behaviour and marital satisfaction. *Addiction* 95(10): 1537-1549.
- Kelly, A. B. and K. Lapworth (2006). The HYP program: Targeted motivational interviewing for adolescent violations of school tobacco policy. *Preventive Medicine* 43(6): 466-471.
- Kelsey, M., Walker, J. T., Layzer, J., Price, C., & Juras, R. (2016). Replicating the Safer Sex Intervention: 9-month impact findings of a randomized controlled trial. *American Journal of Public Health*, 106(S1), S53-S59. doi: 10.2105/AJPH.2016.303372
- Kemp, R., Kirov, G., Everitt, B., Hayward, P., & David, A. (1998). Randomised controlled trial of compliance therapy. 18-month follow-up. *British Journal of Psychiatry* 172: 413-419.
- Kennedy, D. P., Osilla, K. C., Hunter, S. B., Golinelli, D., Maksabedian, E., & Tucker, J. S. (2018). A pilot test of a motivational interviewing social network intervention to reduce substance use among housing first residents. *Journal of Substance Abuse Treatment*, 86, 36-44.
- Kennerley, R. J. (2000). The ability of a motivational pre-group session to enhance readiness for change in men who have engaged in domestic violence. (therapy, client attrition). Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation.
- Kerr, D., McCann, T., Mackey, E., & Wijeratne, T. (2018). Effects of early motivational interviewing on post-stroke depressive symptoms: A pilot randomized study of the Good Mood Intervention program. *International Journal of Nursing Practice*, 24(4), e12657.
- Kerr, D. A., Harray, A. J., Pollard, C. M., Dhaliwal, S. S., Delp, E. J., Howat, P. A., . . . Boushey, C. J. (2016). The connecting health and technology study: a 6-month randomized controlled trial to improve nutrition behaviours using a mobile food record and text messaging support in young adults. *International Journal of Behavioral Nutrition and Physical Activity*, 13(52).
- Kertes, A., H. A. Westra, et al. (2011). The impact of motivational interviewing on client experiences of cognitive behavioral therapy for generalized anxiety disorder. *Cognitive and Behavioral Practice* 18(1): 55-69.
- Keukenkamp, R., Merkx, M. J., Busch-Westbroek, T. E., & Bus, S. A. (2018). An explorative study on the efficacy and feasibility of the use of motivational interviewing to improve footwear adherence in persons with diabetes at high-risk of foot ulceration. *Journal of the American Podiatric Medical Association*, 108(2), 90-99.
- Khetan, A., Hejjaji, V., Hughes, J., Gupta, P., Barbhaya, D., Mohan, S. K. M., & Josephson, R. A. (2019). Rationale and design of a study to test the effectiveness of a combined community health worker and text messaging-based intervention for smoking cessation in India (Project MUKTI). *mHealth*, 5(15), 1-11.
- Kichler, J. C., Seid, M., Crandell, J., Maahs, D. M., Bishop, F. K., Driscoll, K. A., . . . Mayer-Davis, E. (2018). The Flexible Lifestyle Empowering Change (FLEX) intervention for self-management in adolescents with type 1 diabetes: Trial design and baseline characteristics. *Contemporary Clinical Trials*, 66, 64-73.
- Kidorf, M., Disney, E., King, V., Kolodner, K., Beilenson, P., & Brooner, R. K. (2005). Challenges in motivating treatment enrollment in community syringe exchange participants. *Journal of Urban Health : Bulletin of the New York Academy of Medicine*, 82(3), 456-467. doi: 10.1093/jurban/jti091

- Kiene, S. M. and W. D. Barta (2006). A brief individualized computer-delivered sexual risk reduction intervention increases HIV/AIDS preventive behavior. *Journal of Adolescent Health* 39(3): 404-410.
- Kikkert, M., Goudriaan, A. E., de Waal, M., Peen, J., & Dekker, J. (2018). Effectiveness of Integrated Dual Diagnosis Treatment (IDDT) in severe mental illness outpatients with a co-occurring substance use disorder. *Journal of Substance Abuse Treatment*, 95, 35-42.
- Kim, E. J., Bahk, Y., & Choi, K.-H. (2018). Motivational enhancement improves treatment outcomes of mobile-based cognitive remediation in individuals with schizophrenia. *44, Supplement 1*, S344.
- Kim, S., Slaven, J. E., & Ang, D. C. (2016, December). Sustained benefits of exercise-based motivational interviewing, but only among nonusers of opioids in patients with fibromyalgia. *Journal of Rheumatology*. doi: 10.3899/jrheum.161003
- Kim, T. W., Bernstein, J., Cheng, D. M., Lloyd-Travaglini, C., Samet, J. H., Palfai, T. P., & Saitz, R. (2017). Receipt of addiction treatment as a consequence of a brief intervention for drug use in primary care: A randomized trial. *Addiction*, 112(5), 818-827.. doi: 10.1111/add.13701
- King, S. C., Richner, K. A., Tuliao, A. P., Kennedy, J. L., & McChargue, D. W. (2019 in press). A comparison between telehealth and face-to-face delivery of a brief alcohol intervention for college students. *Substance Abuse*.
- Kisely, S. R., M. Wise, et al. (2003). A group intervention to reduce smoking in individuals with psychiatric disorder: Brief report of a pilot study. *Australian and New Zealand Journal of Public Health* 27(1): 61-63.
- Kistenmacher, B. R. and R. L. Weiss (2008). Motivational interviewing as a mechanism for change in men who batter: A randomized controlled trial. *Violence and Victims* 23(5): 558-570.
- Kiyoshi-Teo, H., Northrup-Snyder, K., Eckstrom, E., Cohen, D., Dieckmann, N., & Stoyles, S. (2019). Motivational interviewing to engage older inpatients in fall prevention: Pilot randomized controlled trial. *Innovation in Aging*, 3(PMC6840371) See also Kiyoshi-Teo, H., Northup-Snyder, K., Cohen, D. J., Dieckmann, N., Stoyles, S., Eckstrom, E., & Winters-Stone, K. (2019). Feasibility of motivational interviewing to engage older inpatients in fall prevention: A pilot randomized controlled trial. *Journal of Gerontological Nursing*, 45(9), 19-29.
- Klag, S., F. O'Callaghan, et al. (2009). Motivating young people towards success: Evaluation of a motivational interviewing-integrated treatment programme for COD clients in a residential therapeutic community. *Therapeutic Communities* 30(4): 366-386.
- Klemperer, E. M., Hughes, J. R., Solomon, L. J., Callas, P. W., & Fingar, J. R. (2017). Motivational, reduction and usual care interventions for smokers who are not ready to quit: A randomized controlled trial. *Addiction*, 112(1), 146-155.
- Knight, K. M., C. Bundy, et al. (2003). The effects of group motivational interviewing and externalizing conversations for adolescents with Type-1 diabetes. *Psychology, Health and Medicine* 8(2): 149-157.
- Koblin, B., M. Chesney, et al. (2004). Effects of a behavioural intervention to reduce acquisition of HIV infection among men who have sex with men: The EXPLORE randomised controlled study. *Lancet* 364(9428): 41-50.
- Kolbe-Alexander, T. L., Proper, K. I., Lambert, E. V., van Wier, M. F., Pillay, J. D., Nossel, C., . . . Van Mechelen, W. (2012). Working on wellness (WOW): a worksite health promotion intervention programme. *BMC public health*, 12, 372.
- Kolmodin MacDonell, K., Naar, S., Gibson-Scipio, W., Lam, P., & Secord, E. (2016). The Detroit Young Adult Asthma Project: Pilot of a technology-based medication adherence intervention for African-American emerging adults. *Journal of Adolescent Health*, 59(4), 465-471. doi: 10.1016/j.jadohealth.2016.05.016
- Kolt, G. S., M. Oliver, et al. (2006). An overview and process evaluation of TeleWalk: a telephone-based counseling intervention to encourage walking in older adults. *Health Promotion International* 21(3): 201-208.
- Komro, K. A., Livingston, M. D., Wagenaar, A. C., Kominsky, T. K., Pettigrew, D. W., Garrett, B. A., & The Cherokee Nation Prevention Trial Team. (2017). Multilevel prevention trial on alcohol use among American Indian and white high school students in the Cherokee nation. *American Journal of Public Health*, 107(3), 453-459. doi: 10.2105/AJPH.2016.303603
- Kong, A. S., Sussman, A. L., Yahne, C. E., Skipper, B. J., Burge, M. R., & Davis, S. M. (2013). School-based health center intervention improves body mass index in overweight and obese adolescents. *Journal of Obesity*, Article 575016.
- Kouimtsidis, C., Bosco, A., Scior, K., Baio, G., Hunter, R., Pezzoni, V., . . . Hassiotis, A. (2017). A feasibility randomised controlled trial of extended brief intervention for alcohol misuse in adults with mild to moderate intellectual disabilities living in the community; the ebi-ld study. *Trials*, 18, 216
- Kouwenhoven-Pasmooij, T. A., Robroek, S. J. W., Kraaijenhagen, R. A., Helmhout, P. H., Nieboer, D., Burdorf, A., & Hunink, M. G. M. (2018). Effectiveness of the blended-care lifestyle intervention ‘PerfectFit’: A cluster randomised trial in employees at risk for cardiovascular diseases. *BMC Public Health*, 18(766).

- Krampe, H., Salz, A.-L., Kerper, L. F., Krannich, A., Schnell, T., Wernecke, K.-D., & Spies, C. D. (2017). Readiness to change and therapy outcomes of an innovative psychotherapy program for surgical patients: results from a randomized controlled trial. *BMC Psychiatry*, 17(417).
- Kranzler, H. R., D. R. Wesson, et al. (2004). Naltrexone depot for treatment of alcohol dependence: A multicenter, randomized, placebo-controlled clinical trial. *Alcoholism: Clinical and Experimental Research* 28(7): 1051-1059.
- Krebs, S., Baaken, A., R., W., Goehner, W., & Fuchs, R. (2019). Effects of a worksite group intervention to promote physical activity and health: The role of psychological coaching. *Applied Psychology: Health and Well-Being*, 11(3), 584-605.
- Kreman, R., B. C. Yates, et al. (2006). The effects of motivational interviewing on physiological outcomes. *Applied Nursing Research* 19(3): 167-170.
- Krigel, S. W., Grobe, J. E., Goggin, K., Harris, K. J., Moreno, J. L., & Catley, D. (2017). Motivational interviewing and the decisional balance procedure for cessation induction in smokers not intending to quit. *Addictive Behaviors*, 64, 171-178. doi: 10.1016/j.addbeh.2016.08.036
- Krishnamurthi, R., Witt, E., Barker-Collo, S., McPherson, K., Davis-Martin, K., Bennett, D., . . . Feigin, V. L. (2014). Reducing recurrent stroke: Methodology of the motivational interviewing in stroke (MIST) randomized clinical trial. *International Journal of Stroke*, 9(1), 133-139. doi: 10.1111/ijjs.12107
- Krukowski, R. A., West, D., DiCarlo, M., Shankar, K., Cleves, M. A., Tedford, E., & Andres, A. (2016). A behavioral intervention to reduce excessive gestational weight gain. *Maternal and Child Health Journal*, 1-7. doi: 10.1007/s10995-016-2127-5
- Krystia, O., Ambrose, T., Darlington, G., Ma, D. W. L., Buchholz, A. C., Haines, J., & the Guelph Family Health Study. (2019). A randomized home-based childhood obesity prevention pilot intervention has favourable effects on parental body composition: Preliminary evidence from the Guelph Family Health Study. *BMC Obesity*, 6(10).
- Kuchipudi, V., K. Hobein, et al. (1990). Failure of a 2-hour motivational intervention to alter recurrent drinking behavior in alcoholics with gastrointestinal disease. *Journal of Studies on Alcohol* 51(4): 356-360.
- Kumar, A., Ward, K. D., Mellon, L., Gunning, M., Stynes, S., Hickey, A., . . . Doyle, F. (2017). Medical student INtervention to promote effective nicotine dependence and tobacco HEalthcare (MIND-THE-GAP): single-centre feasibility randomised trial results. *BMC Medical Education*, 17(249).
- Kurth, A. E., Chhun, N., MCleland, C. M., Crespo-Fierro, M., Pares-Avila, J. A., Lizcano, J. A., . . . Sharp, V. L. (2016). Linguistic and cultural adaptation of a computer-based counseling program (CARE+ Spanish) to support HIV treatment adherence and risk reduction for people living with HIV/AIDS: A randomized controlled trial. *Journal of Medical Internet Research*, 18(7).
- Kuyper, L., J. de Wit, et al. (2009). Influencing risk behavior of sexually transmitted infection clinic visitors: Efficacy of a new methodology of motivational preventive counseling. *AIDS Patient Care and STDS* 23(6): 423-431.
- LaBrie, J. W., K. Huchting, et al. (2008). A randomized motivational enhancement prevention group reduces drinking and alcohol consequences in first-year college women. *Psychology of Addictive Behaviors* 22(1): 149-155.
- LaBrie, J. W., K. K. Huchting, et al. (2009). Preventing risky drinking in first-year college women: Further validation of a female-specific motivational-enhancement group intervention. *Journal of Studies on Alcohol and Drugs Supplement*(16): 77-85.
- LaBrie, J. W., T. F. Lamb, et al. (2006). A group motivational interviewing intervention reduces drinking and alcohol-related consequences in adjudicated college students. *Journal of College Student Development* 47(3): 267-280.
- LaBrie, J. W., A. D. Thompson, et al. (2007). A group motivational interviewing intervention reduces drinking and alcohol-related negative consequences in adjudicated college women. *Addictive Behaviors* 32(11): 2549-2562.
- LaChance, H., S. W. Feldstein Ewing, et al. (2009). What makes group MET work? A randomized controlled trial of college student drinkers in mandated alcohol diversion. *Psychology of Addictive Behaviors* 23(4): 598-612.
- Lakerveld, J., Bot, S. D., Cnihapaw, M. J., van Tulder, M. W., Kostense, P. J., Dekker, J. M., & Nijpels, G. (2013). Motivational interviewing and problem solving treatment to reduce type 2 diabetes and cardiovascular disease risk in real life: A randomized controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 10(47). doi: 10.1186/1479-5868-10-47
- Lakshmana, G. (2016). Efficacy of combination of motivational interviewing and cognitive behavior intervention with substance abuse street adolescents in India: A randomized control study. *Journal of Social Work Practice in the Addictions*, 16(4), 337-357. doi: 10.1080/1533256X.2016.1235414
- Lamoureux, E. T. (2018). *Using motivational interviewing to increase walking and functional ability in older adults: A quasi-experimental study*. Ph.D. dissertation, College of Nursing, University of Massachusetts, Amherst, MA.
- Lampert, A., Bruckner, T., Haefeli, W. E., & Seidling, H. M. (21 February, 2019). Improving eye-drop administration skills of patients – A multicenter parallel-group cluster-randomized controlled trial. *Plos One*.

- Landon, C., & Turner, R. (2017). Fostering adherence to help exacerbation reduction (FATHER) – tool for health coaching in cystic fibrosis. *Cystic Fibrosis*, 16(Supplement 1), S58-S59.
- Landry, A., Madson, M., Thomson, J., Zoellner, J., Connell, C., & Yadrick, K. (2015). A randomized trial using motivational interviewing for maintenance of blood pressure improvements in a community-engaged lifestyle intervention: HUB city steps. *Health Education Research*, 30(6), 910-922. doi: 10.1093/her/cyv058
- Lapietra, E. H. (2006). The impact of motivational interviewing on initial treatment attendance for participants with dual disorders. Dissertation Abstracts International Section A: Humanities and Social Sciences. US, ProQuest Information & Learning. 67.
- Laporte, C., Vaillant-Roussel, H., Pereira, B., Blanc, O., Eschalier, B., Kinouani, S., . . . Vorilhon, P. (2017). Cannabis and young users - A brief intervention to reduce their consumption (CANABIC): A cluster randomized controlled trial in primary care. *Annals of Family Medicine*, 15(2), 131-139. doi: 10.1370/afm.2003
- Larimer, M. E., A. P. Turner, et al. (2001). Evaluating a brief alcohol intervention with fraternities. *Journal of Studies on Alcohol* 62(3): 370-380.
- Larsen, M. H. (2015). A telephone-based motivational interviewing intervention has positive effects on psoriasis severity and self-management - A randomized controlled trial (Paper 2). In M. H. Larsen, *Educational and self-management interventions for patients with psoriasis in the context of climate/heliotherapy*. Oslo: Department of Health Sciences, Institute of Health and Society, Faculty of Medicine, University of Oslo (Doctoral Thesis).
- Lascar, N., Kennedy, A., Jackson, N., Daley, A., Dowswell, G., Thompson, D., . . . Narendran, P. (2013). Exercise to Lasser, K. E., Quintiliani, L. M., Truong, V., Xuan, Z., Murillo, J., Jean, C., & Pbert, L. (2017). Effect of patient navigation and financial incentives on smoking cessation among primary care patients at an Urban safety-net hospital: A randomized clinical trial. *JAMA Internal Medicine*, 177(12), 1798-1807.
- Lauffenburger, J. C., Lewey, J., Jan, S., Makanji, S., Ferro, C. A., Krumme, A. A., . . . Choudhry, N. K. (2019). Effectiveness of targeted insulin-adherence interventions for glycemic control using predictive analytics among patients with type 2 diabetes: A randomized clinical trial. *JAMA Network Open*, 2(3), e190657.
- Lavoie, K. L., Moullec, G., Lemiere, C., Blais, L., Labrecque, M., Beauchesne, M. F., . . . Bacon, S. L. (2014). Efficacy of brief motivational interviewing to improve adherence to inhaled corticosteroids among adult asthmatics: Results from a randomized controlled pilot feasibility trial. *Patient Preference and Adherence*, 8, 1555-1569. doi: 10.2147/PPA.S66966
- Lee, C. S., Colby, S. M., Rohsenow, D. J., Martin, R., Rosales, R., McCallum, T. T., . . . Cortés, D. E. (2019). A randomized controlled trial of motivational interviewing tailored for heavy drinking latinxs. *Journal of Consulting and Clinical Psychology*, 87(9), 815-830. See also: Lee, C. S., Colby, S. M., Magill, M., Almeida, J., Tavares, T., & Rohsenow, D. J. (2016). A randomized controlled trial of culturally adapted motivational interviewing for Hispanic heavy drinkers: Theory of adaptation and study protocol. *Contemporary Clinical Trials*, 50: 193-200. doi: 10.1016/j.cct.2016.08.013
- Lee, D., & Kim, S. (2017). The effects of group motivational interviewing compliance therapy on drug attitude, medicine application self-efficacy and medicine application in psychiatric patients. *Journal of the Korean Academy of Psychiatric and Mental Health Nursing*, 26(4), 391-401.
- Lee, E. J. (2019). Auricular acupressure and positive group psychotherapy with motivational interviewing for smoking cessation. *Holistic Nursing Practice*, 33(4), 214-221.
- Lee, K. A., Jong, S., & Gay, C. L. (2019, in press). Fatigue management for adults living with HIV: A randomized controlled pilot study. *Research in Nursing and Health*.
- Lelutiu-Weinberger, C., Manu, M., Ionescu, F., Dogaru, B., Kovacs, T., Dorobăntescu, C., . . . Pachankis, J. E. (2017). *An mHealth intervention to improve young gay and bisexual men's sexual, behavioral, and mental health in a structurally stigmatizing national context*. Rutgers Biomedical and Health Sciences--School of Nursing, Newark, NJ.
- Lerch, J., Walters, S. T., Tang, L., & Taxman, F. S. (2017). Effectiveness of a computerized motivational intervention on treatment initiation and substance use: Results from a randomized trial. *Journal of Substance Abuse Treatment*, 80, 59-66.
- Leukefeld, C., Roberto, H., Hiller, M., Webster, M., Logan, T. K., & Staton-Tindall, M. (2003). HIV prevention among high-risk and hard-to-reach rural residents. *Journal of Psychoactive Drugs*, 35(4), 427-434.
- Lewis, L. S., Shaw, B., Benerjee, S., Dieguez, P., Hernon, J., Belshaw, N., & Saxton, J. (2019 in press). The role of self determination in changing physical activity behaviour in people diagnoses with bowel polyps: A pilot randomized controlled trial. *Journal of Aging and Physical Activity*.

- Lewry, J., Wei, W., Lauffenburger, L. C., Makanji, S., Chant, A., DiGeronimo, J., . . . Choudhry, N. K. (2017). Targeted Adherence Intervention to Reach Glycemic Control with Insulin Therapy for patients with Diabetes (TARGIT-Diabetes): rationale and design of a pragmatic randomised clinical trial. *BMJ Diabetes and Endocrinology*, 7(10).
- Li, L., Wu, Z., Liang, L. J., Lin, C., Zhang, L., Guo, S., . . . Li, J. (2013). An intervention targeting service providers and clients for methadone maintenance treatment in China: a cluster-randomized trial. *Addiction*, 108(2), 356-366.
- Li, L. C., Feehan, L. M., Shaw, C., Xie, H., Sayre, E. C., Aviña-Zubeita, A., . . . Beckman, C. L. (2017). A technology-enabled Counselling program versus a delayed treatment control to support physical activity participation in people with inflammatory arthritis: Study protocol for the OPAM-IA randomized controlled trial. *BMC Rheumatology*, 1(6).
- Li, M., Li, T., Shi, B.-Y., & Gao, C.-X. (2014). Impact of motivational interviewing on the quality of life and its related factors in type 2 diabetes mellitus patients with poor long-term glycemic control. *International Journal of Nursing Sciences*, 1(3), 250-254.
- Li, M., & Ren, Y. (2019). Intervention effects of motivation interviewing Chinese modified on the mental health of college students with exercise dependence. *Psychiatric Quarterly*, 90(2), 447-459.
- Li, W. H. C., Ho, K. Y., Lam, K. K. W., Wang, M. P., Cheung, D. Y. T., Ho, L. L. K. H., . . . Lam, T. H. (2019). A study protocol for a randomised controlled trial evaluating the use of information communication technology (WhatsApp/WeChat) to deliver brief motivational interviewing (i-BMI) in promoting smoking cessation among smokers with chronic diseases. *BMC Public Health*, 19(1083).
- Lifson, A. R., Workneh, S., Hailemichael, A., MacLehose, R. F., Horvath, K. J., Hilk, R., . . . Shenie, T. (2018). A multi-site community randomized trial of community health workers to provide counseling and support for patients newly entering HIV care in rural Ethiopia: study design and baseline implementation. *HIV Clinical Trials*, 19(3), 112-119.
- Lila, M., Gracia, E., & Catalá-Miñana, A. (2018). Individualized motivational plans in batterer intervention programs: A randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 86(4), 309-320.
- Lilienthal, K. R., Pignol, A. E., Holm, J. E., & Vogeltanz-Holm, N. (2014). Telephone-based motivational interviewing to promote physical activity and stage of change progression in older adults. *Journal of Aging and Physical Activity*, 22(4), 527-535.
- Lim, A. C., Moallem, N. R., Courtney, K. E., Allen, V. C., Leventhal, A. M., & Ray, L. A. (2018). A brief smoking cessation intervention for heavy drinking smokers: Treatment feasibility and acceptability. *Frontiers in Psychiatry*, 9(362).
- Limm, H., Heinmuller, M., Gundel, H., Liel, K., Seeger, K., Salman, R., & Angerer, P. (2015). Effects of a health promotion program based on a train-the-trainer approach on quality of life and mental health of long-term unemployed persons. *BioMed Research International*, 2015, 719327. doi: 10.1155/2015/719327
- Lin, C.-H., Chiang, S.-L., Heitkemper, M. M., Hung, Y.-J., Lee, M.-S., Tzeng, W.-C., & Chiang, L.-C. (2016). Effects of telephone-based motivational interviewing in lifestyle modification program on reducing metabolic risks in middle-aged and older women with metabolic syndrome: A randomized controlled trial. *International Journal of Nursing Studies*, 60: 12-23. doi: 10.1016/j.ijnurstu.2016.03.003
- Lin, C. Y., Yaseri, M., Pakpour, A. H., Malm, D., Brostrom, A., Fridlund, B., . . . Webb, T. L. (2017). Can a multifaceted intervention including motivational interviewing improve medication adherence, quality of life, and mortality rates in older patients undergoing coronary artery bypass surgery? A multicenter, randomized controlled trial with 18-month follow-up. *Drugs & aging*, 34(2), 143-156.
- Lincourt, P., Kuettel, T. J., & Bombardier, C. H. (2002). Motivational interviewing in a group setting with mandated clients: A pilot study. *Addictive Behaviors*, 27(3), 381-391.
- Linden, A., S. W. Butterworth, et al. (2010). Motivational interviewing-based health coaching as a chronic care intervention. *Journal of Evaluation in Clinical Practice* 16(1): 166-174.
- Litt, M. D., R. M. Kadden, et al. (2005). Coping and self-efficacy in marijuana treatment: Results from the marijuana treatment project. *Journal of Consulting and Clinical Psychology* 73(6): 1015-1025.
- Littman, A. J., Haselkorn, J. K., E., A. D., & Boyko, E. J. (2019). Pilot randomized trial of a telephone-delivered physical activity and weight management intervention for individuals with lower extremity amputation. *Disability and Health Journal*, 12(1), 43-50.
- Liu, S., Tanaka, R., Barr, S., & Nolan, R. P. (2019 in press). Effects of self-guided e-counseling on health behaviors and blood pressure: Results of a randomized trial. *Patient Education and Counseling*.
- Livitz, I. E., Fox, K. R., Himawan, L. K., & France, C. R. (2017). A brief motivational interview promotes internal motivation to donate blood among young adults with and without a prior donation history. *Transfusion*, 57(6), 1527-1535.

- Livitz, I. E., France, C. R., France, J. L., Fox, K. R., Ankawi, B., Slepian, P. M., . . . Shaz, B. H. (2019). An automated motivational interview promotes donation intention and self-efficacy among experienced whole blood donors. *Transfusion*, 59(9), 2876-2884.
- Llewellyn, C. D., Abraham, C., Pollard, A., Jones, C. I., Bremner, S., Miners, A., & Smith, H. (2019). A randomised controlled trial of a telephone administered brief HIV risk reduction intervention amongst men who have sex with men prescribed post-exposure prophylaxis for HIV after sexual exposure in the UK: Project PEPSE. *Plos One*, 14(5), e021685.
- Logan, D. E., Kilmer, J. R., King, K. M., & Larimer, M. E. (2015). Alcohol interventions for mandated students: Behavioral outcomes from a randomized controlled pilot study. *Journal of Studies on Alcohol and Drugs*, 76(1), 31-37.
- Longabaugh, R., P. W. Wirtz, et al. (2009). Extended naltrexone and broad spectrum treatment or motivational enhancement therapy. *Psychopharmacology* 206(3): 367-376.
- Longabaugh, R., R. F. Woolard, et al. (2001). Evaluating the effects of a brief motivational intervention for injured drinkers in the emergency department. *Journal of Studies on Alcohol* 62(6): 806-816.
- Longshore, D. and C. Grills (2000). Motivating illegal drug use recovery: Evidence for a culturally congruent intervention. *Journal of Black Psychology* 26(3): 288-301.
- Looijmans, A., Jörg, F., Bruggeman, R., Schoevers, R. A., & Corpeleijn, E. (2019). Multimodal lifestyle intervention using a web-based tool to improve cardiometabolic health in patients with serious mental illness: results of a cluster randomized controlled trial (LION). *BMC Psychiatry*, 19(339). See also: Looijmans, A., Jörg, F., Bruggeman, R., Schoevers, R., & Corpeleijn, E. (2017). Outpatients in the Netherlands (LION) trial: A cluster randomised controlled study of a multidimensional web tool intervention to improve cardiometabolic health in patients with severe mental illness. *BMC Psychiatry*, 17(107). doi: 10.1186/s12888-017-1265-7
- Louwagie, G. M., Okuyemi, K. S., & Ayo-Yusuf, O. A. (2014). Efficacy of brief motivational interviewing on smoking cessation at tuberculosis clinics in Tshwane, South Africa: A randomized controlled trial. *Addiction*, 109(11), 1942-1952. doi: 10.1111/add.12671
- Lovejoy, T. I., Heckman, T. G., Suhr, J. A., Anderson, T., Heckman, B. D., & France, C. R. (2011). Telephone-administered motivational interviewing reduces risky sexual behavior in HIV-positive late middle-age and older adults: A pilot randomized controlled trial. *AIDS and Behavior*, 15(1623). See also; Lovejoy, T. I. (2012). Telephone-delivered motivational interviewing targeting sexual risk behavior reduces depression, anxiety, and stress in HIV-positive older adults. *Annals of Behavioral Medicine*, 44(3), 416-421. doi: 10.1007/s12160-012-9401-6
- Low, K. G., Giasson, H., Connors, S., Freeman, D., & Weiss, R. (2013). Testing the effectiveness of motivational interviewing as a weight reduction strategy for obese cardiac patients: A pilot study. *International Journal of Behavioral Medicine*, 20(1), 77-81.
- Lubman, D. I., Grigg, J., Manning, V., Hall, K., Volpe, I., Dias, S., . . . Best , D. (2019). A structured telephone-delivered intervention to reduce problem alcohol use (Ready2Change): Study protocol for a parallel group randomised controlled trial. *Trials*, 20(515).
- Luciano, M. T., McDevitt-Murphy, M. E., Acuff, S. F., Bellet, B. W., Murphy, J. C., & Murphy, J. G. (2019). Posttraumatic stress disorder symptoms improve after an integrated brief alcohol intervention for OEF/OIF/OND veterans. *Psychological Trauma: Theory, Research, Practice, Policy*, 11(4), 459-465.
- Ludman, E. J., G. E. Simon, et al. (2007). A randomized trial of telephone psychotherapy and pharmacotherapy for depression: Continuation and durability of effects. *Journal of Consulting and Clinical Psychology* 75(2): 257-266.
- Luna, L. (2005). The effectiveness of motivational enhancement therapy on smoking cessation in college students. Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation.
- Luque, V., Feliu, A., Escribano, J., Ferré, N., Flores, G., Monné, R., . . . Closa-Monasterolo, R. (2019). The Obemat2.0 study: A clinical trial of a motivational intervention for childhood obesity treatment. *Nutrients*, 11(419).
- MacDonald, D. E., McFarlane, T. L., Dionne, M. M., & Olmstead, D. L. (2017). Rapid response to intensive treatment for bulimia nervosa and purging disorder: A randomized controlled trial of a CBT intervention to facilitate early behavior change. *Journal of Consulting and Clinical Psychology*, 85(9), 896-908.
- MacDonell, K., Brogan, K., Naar-King, S., Ellis, D., & Marshall, S. (2012). A pilot study of motivational interviewing targeting weight-related behaviors in overweight or obese African American adolescents. *Journal of Adolescent Health*, 50(2), 201-203. doi: 10.1016/j.jadohealth.2011.04.018
- MacDonnell, K., Gibson-Scipio, W., Bruzzese, J.-M., & Brody, A. (2018). The Detroit Young Adult Asthma Project: Proposal for a multicomponent technology intervention for African American emerging adults with asthma. *JMIR Research Protocols*, 7(5), e98.

- Macdougall, H., O'Halloran, P., Sherry, E., & N., S. (2019 in press). A pilot randomized controlled trial to enhance well-being and performance of athletes in para sports. *European Journal of Adapted Physical Activity*.
- Madigan, K., Brennan, D., Lawlor, E., Turner, N., Kinsella, A., O'Connor, J. J., . . . O'Callaghan, E. (2013). A multi-center, randomized controlled trial of a group psychological intervention for psychosis with comorbid cannabis dependence over the early course of illness. *Schizophrenia research*, 143(1), 138-142.
- Madras, B. K., Compton, W. M., Avula, D., Stegbauer, T., Stein, J. B., & Clark, H. W. (2009). Screening, brief interventions, referral to treatment (SBIRT) for illicit drug and alcohol use at multiple healthcare sites: Comparison at intake and 6 months later. *Drug and Alcohol Dependence*, 99(1), 280-295.
- Magill, M., Colby, S. M., Orchowski, L., Murphy, J. G., Hoadley, A., Brazil, L. A., & Barnett, N. P. (2017). How does brief motivational intervention change heavy drinking and harm among underage young adult drinkers? *Journal of Consulting and Clinical Psychology*, 85(5), 447-458
- Magnussen, L., Strand, L. I., Skouen, J. S., & Eriksen, H. R. (2007). Motivating disability pensioners with back pain to return to work: A randomized controlled trial. *Journal of Rehabilitation Medicine*, 39(1), 81-87.
- Mahajan, R., Solanki, J., Kurdekar, R. S., Gupta, S., Modh, A., & Yadav, O. (2017). Educating the handicraft factory workers about tobacco cessation and to assess its effectiveness by motivational interviewing: An intervention study. *Journal of Experimental Therapeutics and Oncology*, 12(1), 43-49
- Mahmoodabad, S. S. M., Tonekaboni, N. R., Farmanbar, R., Fallahzadeh, H., & Kamalikhah, T. (2017). The effect of motivational interviewing-based intervention using self-determination theory on promotion of physical activity among women in reproductive age: A randomized clinical tria. *Electronic Physician*, 9(5), 4461-4472.
- Maisto, S. A., J. Conigliaro, et al. (2001). Effects of two types of brief intervention and readiness to change on alcohol use in hazardous drinkers. *Journal of Studies on Alcohol* 62(5): 605-614.
- Manca, D. P., Fernandes, C., Grunfeld, E., Aubrey-Bassler, K., Shea-Budgell, M., Lofters, A., . . . Krueger, P. (2018). The BETTER WISE protocol: building on existing tools to improve cancer and chronic disease prevention and screening in primary care for wellness of cancer survivors and patients – A cluster randomized controlled trial embedded in a mixed methods design. *BMC Cancer*, 18(927).
- Maneesakorn, S., D. Robson, et al. (2007). An RCT of adherence therapy for people with schizophrenia in Chiang Mai, Thailand. *Journal of Clinical Nursing* 16(7): 1302-1312.
- Manuel, J. K., Lum, P. J., Hengl, N. S., & Sorensen, J. L. (2013). Smoking cessation interventions with female smokers living with HIV/AIDS: A randomized pilot study of motivational interviewing. *AIDS Care*, 25(7), 820-827. doi: 10.1080/09540121.2012.733331
- Margulies, I. G., Zwillenberg, J., Chadda, A., Gissel, H., Lettera, M., Bender, S., . . . Srinivasan, A. (2019). Monitoring and developing a volunteer patient navigation intervention to improve mammography compliance in a safety net hospital. *Journal of Oncology Practice*, 15(4), e390-e398.
- Marijuana Treatment Project Research Group (2004). Brief treatments for cannabis dependence: Findings from a randomized multisite trial. *Journal of Consulting and Clinical Psychology* 72(3): 455-466.
- Marin-Navarrete, R., Horigian, V. E., Medina-Mora, M. E., Verdeja, R. E., Alonso, E., Feaster, D. J., . . . De la Fuente-Martin, A. (2017). Motivational enhancement treatment in outpatient addiction centers: A multisite randomized trial. *International Journal of Clinical and Health Psychology*, 17(1), 9-19.
- Marlatt, G. A., J. S. Baer, et al. (1998). Screening and brief intervention for high-risk college student drinkers: Results from a 2-year follow-up assessment. *Journal of Consulting and Clinical Psychology* 66(4): 604-615.
- Marques, M. M., De Gucht, V., Leal, I., & Maes, S. (2017). Efficacy of a randomized controlled brief physical activity self-regulation intervention for chronic fatigue: Mediation effects of physical activity progress and self-regulation skills. *Journal of Psychosomatic Research*, 94, 24-31. doi: 10.1016/j.jpsychores.2016.12.012
- Marques, P. R., R. B. Voas, et al. (1999). Behavioral monitoring of DUI offenders with the alcohol ignition interlock recorder. *Addiction* 94(12): 1861-1870.
- Marsden, J., G. Stillwell, et al. (2006). An evaluation of a brief motivational intervention among young ecstasy and cocaine users: No effect on substance and alcohol use outcomes. *Addiction* 101(7): 1014-1026.
- Marshall, A. A., Zaccardellia, A., Yu, Z., Pradoa, M. G., Liu, X., Kroouzea, R. M., . . . Sparks, J. A. (2019). Effect of communicating personalized rheumatoid arthritis risk on concern for developing RA: A randomized controlled trial. *Patient Education and Counseling*, 102(5), 976-983.
- Martin, G. and J. Copeland (2008). The adolescent cannabis check-up: Randomized trial of a brief intervention for young cannabis users. *Journal of Substance Abuse Treatment* 34(4): 407-414.
- Martino, S., K. M. Carroll, et al. (2000). Motivational interviewing with psychiatrically ill substance abusing patients. *American Journal on Addictions* 9(1): 88-91.
- Martino, S., Carroll, K. M., Nich, C., & Rounsaville, B. J. (2006). A randomized controlled pilot study of motivational interviewing for patients with psychotic and drug use disorders. *Addiction*, 101, 1479-1492.

- Martino, S., Ondersma, S. J., Forray, A., Olmstead, T. A., Gilstad-Hayden, K., Howell, H. B., . . . Yonkers, K. A. (2018). A randomized controlled trial of screening and brief interventions for substance misuse in reproductive health. *American Journal of Obstetrics and Gynecology*, 218(3), 322.e321–322.e312.
- Martino, S., Paris Jr, M., Anez, L., Nich, C., Canning-Ball, M., Hunkele, K., . . . Carroll, K. M. (2016). The effectiveness and cost of clinical supervision for motivational interviewing: A randomized controlled trial. *Journal of Substance Abuse Treatment*, 68: 11-23.
- Martino, S., Zimbrean, P., Forray, A., Kaufman, J. S., Desan, P. H., & Olmstead, T. A. (2019). Implementing motivational interviewing for substance misuse on medical inpatient units: A randomized controlled trial. *Journal of General Internal Medicine*, 34(11), 2520-2529.
- Martins, R. K. (2009). Implications of motivational interviewing and oral hygiene instruction for the reduction of oral health disparities among pregnant women. US, ProQuest Information & Learning. 69.
- Mash, R. J., Rhode, H., Zwarenstein, M., Rollnick, S., Lombard, C., Steyn, K., & Levitt, N. (2014). Effectiveness of a group diabetes education programme in under-served communities in South Africa: A pragmatic cluster randomized controlled trial. *Diabetes Medicine*, 31(8), 987-993. doi: 10.1111/dme.12475
- Mason, M., Mennis, J., Way, T., Zaharakis, N., Campbell, L. F., Benotsch, E. G., . . . King, L. (2016). Text message delivered peer network counseling for adolescent smokers: A randomized controlled trial. *Journal of Primary Prevention*, 37(5): 403-420.
- Mason, M. and M. Posner (2009). Brief substance abuse treatment with urban adolescents: A translational research study. *Journal of Child and Adolescent Substance Abuse* 18(2): 193-206.
- Mason, M., Pate, P., Drapkin, M., & Sozinho, K. (2011). Motivational interviewing integrated with social network counseling for female adolescents: A randomized pilot study in urban primary care. *Journal of Substance Abuse Treatment*, 41(2), 148-155.
- Mason, M. J., Sabo, R., & Zaharakis, N. M. (2017). Peer network counseling as brief treatment for urban adolescent heavy cannabis users. *Journal of Studies on Alcohol and Drugs*, 78(1), 152-157.
- Masterson, C. R., Patey, M., Lee, C. S., Kuan, A., Jurgens, C., & Riegel, B. (2016). Motivational interviewing to improve self-care for patients with chronic heart failure: MITI-HF randomized controlled trial. *Patient Education and Counseling*, 99(2), 256-264.
- Mausbach, B. T., Semple, S. J., Strathdee, S. A., Zians, J., & Patterson, T. L. (2007). Efficacy of a behavioral intervention for increasing safer sex behaviors in HIV-negative, heterosexual methamphetamine users: Results from the Fast-Lane Study. *Annals of Behavioral Medicine*, 34(3), 263-274.
- Mayer, K. H., Safren, S. A., Elsesser, S. A., Psaros, C., Tinsley, J. P., Marzinke, M., . . . Mimiaga, M. J. (2016). Optimizing pre-exposure antiretroviral prophylaxis adherence in men who have sex with men: Results of a pilot randomized controlled trial of "Life-Steps for PrEP". *AIDS and Behavior*. doi: 10.1007/s10461-016-1606-4
- Mayer-Davis, E. J., Maahs, D. M., Seid, M., Crandell, J., Bishop, F. K., Driscoll, K. A., . . . The FLEX Study Group. (2018). Efficacy of the Flexible Lifestyles Empowering Change intervention on metabolic and psychosocial outcomes in adolescents with type 1 diabetes (FLEX): A randomised controlled trial. *The Lancet Child & Adolescent Health*, 2(9), 635-646.
- McCabe, R. E., Rowa, K., Farrell, N. R., Young, L., Swinson, R. P., & Antony, M. M. (2019). Improving treatment outcome in obsessive-compulsive disorder: Does motivational interviewing boost efficacy? *Journal of Obsessive-Compulsive and Related Disorders*, 22(July), 100446.
- McCambridge, J., R. L. Slym, et al. (2008). Randomized controlled trial of motivational interviewing compared with drug information and advice for early intervention among young cannabis users. *Addiction* 103(11): 1809-1818.
- McCambridge, J. and J. Strang (2004). The efficacy of single-session motivational interviewing in reducing drug consumption and perceptions of drug-related risk and harm among young people: Results from a multi-site cluster randomized trial. *Addiction* 99(1): 39-52.
- McCarty, C. A., Zatzick, D., Hoopes, T., Payne, K., Parrish, R., & Rivara, F. P. (2019). Collaborative care model for treatment of persistent symptoms after concussion among youth (CARE4PCS-II): Study protocol for a randomized, controlled trial. *Trials*, 20(567).
- McHugh, F., G. M. Lindsay, et al. (2001). Nurse led shared care for patients on the waiting list for coronary artery bypass surgery: A randomised controlled trial. *Heart* 86(3): 317-323.
- McKay, J. R., Drapkin, M. L., Van Horn, D. H. A., Lynch, K. G., Oslin, D. W., DePhilippis, D., . . . Cacciola, J. S. (2015). Effect of patient choice in an adaptive sequential randomization trial of treatment for alcohol and cocaine dependence. *Journal of Consulting and Clinical Psychology*, 83(6), 1021-1032.
- McKee, S. A., K. M. Carroll, et al. (2007). Enhancing brief cognitive-behavioral therapy with motivational enhancement techniques in cocaine users. *Drug and Alcohol Dependence* 91(1): 97-101.

- McKillop, A., Grace, S. L., de Melo Ghisi, G. L., Allison, K. R., Banks, L., Kovacs, A. H., . . . McCrindle, B. W. (2018). Adapted motivational interviewing to promote exercise in adolescents with congenital heart disease: A pilot trial. *Pediatric Physical Therapy*, 30(4), 326-334.
- McNally, A. M., T. P. Palfai, et al. (2005). Motivational interventions for heavy drinking college students: Examining the role of discrepancy-related psychological processes. *Psychology of Addictive Behaviors* 19(1): 79-87.
- McRae-Clark, A. L., R. E. Carter, et al. (2009). A placebo-controlled trial of buspirone for the treatment of marijuana dependence. *Drug and Alcohol Dependence* 105(1-2): 132-138.
- Mello, M. J., Baird, J., Lee, C., Strezsak, V., French, M. T., & Longabaugh, R. (2016). A randomized controlled trial of a telephone intervention for alcohol misuse with injured emergency department patients. *Annals of Emergency Medicine*, 67(2), 263-275.
- Mello, M. J., Becker, S. J., Bromberg, J., Baird, J., Zonfrillo, M. R., & Spirito, A. (2018). Implementing alcohol misuse SBIRT in a national cohort of pediatric trauma centers—A type III hybrid effectiveness-implementation trial. *Implementation Science*, 13(35).
- Merlo, L. J., E. A. Storch, et al. (2010). Cognitive behavioral therapy plus motivational interviewing improves outcome for pediatric obsessive-compulsive disorder: A preliminary study. *Cognitive Behaviour Therapy* 39(1): 24-27.
- Mertens, V. C., Goossens, M. E., Verbunt, J. A., Koke, A. J., & Smeets, R. J. (2013). Effects of nurse-led motivational interviewing of patients with chronic musculoskeletal pain in preparation of rehabilitation treatment (PREPARE) on societal participation, attendance level, and cost-effectiveness: Study protocol for a randomized controlled trial. *Trials*, 14, 90. doi: 10.1186/1745-6215-14-90
- Metsch, L. R., Feaster, D. J., Gooden, L., Matheson, T., Stitzer, M., Das, M., . . . del Rio, C. (2016). Effect of patient navigation with or without financial incentives on viral suppression among hospitalized patients with HIV infection and substance use: a randomized clinical trial. *Journal of the American Medical Association*, 316, 156-170.
- Metse, A. P., Bowman, J. A., Wye, P., Stockings, E., Adams, M., Clancy, R., . . . Wiggins, J. (2014). Evaluating the efficacy of an integrated smoking cessation intervention for mental health patients: Study protocol for a randomised controlled trial. *Trials*, 15(266).
- Meuleman, Y., Hoekstra, T., Dekker, F. W., Navis, G., Vogt, L., van der Boog, P. J. M., . . . ESMO Study Group. Sodium restriction in patients with CKD: A randomized controlled trial of self-management support. *American Journal of Kidney Diseases*, 69(5), 576-586. See also Meuleman, Y., Hoekstra, T., Dekker, F. W., Navis, G., Vogt, L., van der Boog, P. J. M., . . . van Dijk, S. (2016). Self-management support for sodium restriction in patients with chronic kidney disease: Randomised controlled ESMO trial. *Bulletin of the European Health Psychology Society*, 18 (Supplement), 480 (Abstract).
- Meyer, E., F. Souza, et al. (2010). A randomized clinical trial to examine enhancing cognitive-behavioral group therapy for obsessive-compulsive disorder with motivational interviewing and thought mapping. *Behavioural and Cognitive Psychotherapy* 38(3): 319-336.
- Mhurchu, C. N., B. M. Margetts, et al. (1998). Randomized clinical trial comparing the effectiveness of two dietary interventions for patients with hyperlipidaemia. *Clinical Science* 95(4): 479-487.
- Mi, R., Hollander, M. M., Jones, C. M. C., DuGoff, E. H., Caprio, T. V., Cushman, J. T., . . . Shah, M. N. (2018). A randomized controlled trial testing the effectiveness of a paramedic-delivered care transitions intervention to reduce emergency department revisits. *BMC Geriatrics*, 18(104).
- Michael, K. D., L. Curtin, et al. (2006). Group-based motivational interviewing for alcohol use among college students: An exploratory study. *Professional Psychology: Research and Practice* 37(6): 629-634.
- Michalopoulos, C., Fauchetta, K., Hill, C. J., Portilla, X. A., Burrell, L., Lee, H., . . . Knox, V. (2019). Impacts on family outcomes of evidence-based early childhood home visiting: Results of the Mother and Infant Home Visiting program evaluation. Washington, DC: Office of Planning, Research and Evaluation, U.S. Department of Health and Human Services.
- Miller, W. C., Rutstein, S. E., Phiri, S., Kamanga, G., Nsona, D., Pasquale, D. K., . . . Pettifor, A. E. (2018). Randomized, controlled pilot study of antiretrovirals and a behavioral intervention for persons with acute HIV infection: Opportunity for interrupting transmission. *Open Forum Infectious Diseases*, ofy341.
- Miller, W. R., Benefield, R. G., & Tonigan, J. S. (1993). Enhancing motivation for change in problem drinking: A controlled comparison of two therapist styles. *Journal of Consulting and Clinical Psychology*, 61, 455-461.
- Miller, W. R., Forcehimes, A., O'Leary, M., & Lanoue, M. (2008). Spiritual direction in addiction treatment: Two clinical trials. *Journal of Substance Abuse Treatment*, 35, 434-442.
- Miller, W. R., Sovereign, R. G., & Krege, B. (1988). Motivational interviewing with problem drinkers: II. The Drinker's Check-up as a preventive intervention. *Behavioural Psychotherapy*, 16, 251-268.

- Miller, W. R., Toscova, R. T., Miller, J. H., & Sanchez, V. (2000). A theory-based motivational approach for reducing alcohol/drug problems in college. *Health Education & Behavior*, 27, 744-759.
- Miller, W. R., Yahne, C. E., Moyers, T. B., Martinez, J., & Pirritano, M. (2004). A randomized trial of methods to help clinicians learn motivational interviewing. *Journal of Consulting and Clinical Psychology*, 72(6), 1050-1062.
- Miller, W. R., Yahne, C. E., & Tonigan, J. S. (2003). Motivational interviewing in drug abuse services: A randomized trial. *Journal of Consulting and Clinical Psychology*, 71, 754-763.
- Mimiaga, M. J., Bogart, L. M., Thurston, I. D., Santostefano, C. M., Clossen, E. F., Skeer, M. R., . . . Safran, S. A. (2019). Positive strategies to enhance problem-solving skills (STEPS): A pilot randomized, controlled trial of a multicomponent, technology-enhanced customizable antiretroviral adherence intervention for HIV-infected adolescents and young adults. *AIDS Patient Care and STDs*, 33(1).
- Minen, M., Sahyoun, G., Gopal, A., Adib, A., Pemmireddy, P., Levitan, V., & Halpern, A. (2019). A randomized controlled trial to assess the effect of telephone based motivational interviewing on the initiation and adherence to behavioral therapy for migraine. *Neurology*, 92(15 Supplement), P4.10-011.
- Minneboo, M., Lachman, S., Snaterse, M., & Jørstad, H. T. (2017). Community-based lifestyle intervention in patients with coronary artery disease : The RESPONSE-2 trial. *Journal of the American College of Cardiology*, 70(3), 318-327.
- Miranda, R., Treloar, H., Blanchard, A., Justus, A., Monti, P. M., Chun, T., . . . Gwaltney, C. J. (2017). Topiramate and motivational enhancement therapy for cannabis use among youth: a randomized placebo-controlled pilot study. *Addiction Biology*, 22(3), 779-790.
- Mirkarimi, K., Mostafavi, F., Ozouni-Davaji, R. B., Eshghinia, S., & Vakili, M. A. (2017). The effect of weight loss program on overweight and obese females based on protection motivation theory: A randomized control trial. *Iranian Red Crescent Medical Journal*, 19(1), e29504.
- Mirkarimi, K., Kabir, M. J., Honarvar, M. R., Ozouni-Davaji, R. B., & Eri, M. (2017). Effect of motivational interviewing on weight efficacy lifestyle among women with overweight and obesity: A randomized controlled trial. *Iranian Journal of Medical Sciences*, 42(2), 187-193.
- Mitcheson, L., J. McCambridge, et al. (2007). Pilot cluster-randomised trial of adjunctive motivational interviewing to reduce crack cocaine use in clients on methadone maintenance. *European Addiction Research* 13(1): 6-10.
- Modi, R., Amico, K. R., Knudson, A., Westfall, A. O., Keruly, J., Crane, H. M., . . . Mugavero, M. J. (2018). Assessing effects of behavioral intervention on treatment outcomes among patients initiating HIV care: Rationale and design of iENGAGE intervention trial. *Contemporary Clinical Trials*, 69, 48-54.
- Mojahed, K., & Navidian, A. (2018). The effect of motivational interviewing on craving and dependence on hookah in suburban pregnant women in south east of Iran. *Issues in Mental Health Nursing*, 39(8), 693-699. See also Mojahed, K., & Navidian, A. (2018). The effect of motivational interviewing on self-efficacy to quit hookah smoking in pregnant women. *Journal of Hayat*, 24(1), 84-96.
- Mohammadpour, N., Yaghoubinia, F., & Tabas, E. E. (2017). Effect of self-management program on treatment adherence in patients with multiple sclerosis. *Medical-Surgical Nursing Journal*, 6(1), 1-7.
- Monti, P. M., Barnett, N. P., Colby, S. M., Gwaltney, C. J., Spirito, A., Rohsenow, D. J., & Woolard, R. (2007). Motivational interviewing versus feedback only in emergency care for young adult problem drinking. *Addiction*, 102(8), 1234-1243.
- Monti, P. M., Colby, S. M., Barnett, N. P., Spirito, A., Rohsenow, D. J., Myers, M., . . . Lewander, W. (1999). Brief intervention for harm reduction with alcohol-positive older adolescents in a hospital emergency department. *Journal of Consulting and Clinical Psychology*, 67(6), 989-994.
- Monti, P. M., Colby, S. M., Mastroleo, N. R., Barnett, N. P., Gwaltney, C. J., Apodaca, T. R., . . . Cioffi, W. G. (2014). Individual versus significant-other-enhanced brief motivational intervention for alcohol in emergency care. *Journal of Consulting and Clinical Psychology*, 82(6), 936-948. See also Shepard, D. S., Lwin, A. K., Barnett, N. P., Mastroleo, N., Colby, S. M., Gwaltney, C., & Monti, P. M. (2016). Cost-effectiveness of motivational intervention with significant others for patients with alcohol abuse. *Addiction*, 111, 832-839.
- Monti, P. M., Mastroleo, N. R., Barnett, N. P., Colby, S. M., Kahler, C. W., & Operario, D. (2016). Brief motivational intervention to reduce alcohol and HIV/sexual risk behavior in emergency department patients: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 84(7), 580-591.

- Moore, R. S., Gilder, D. A., Grube, J. W., Lee, J. P., Geisler, J. A., Friese, B., & Calac, D. J. (2018). Prevention of underage drinking on California Indian reservations using individual- and community-level approaches. *American Academy of Pediatrics*, 108(8), 1035-1041.
- Moral, R. R., Perula de Torres, L. A., Ortega, L. P., Larumbe, M. C., Villalobos, A. R., Garcia, J. A. F., & Rejano, J. M. P. (2015). Effectiveness of motivational interviewing to improve therapeutic alliance in patients over 65 years old with chronic diseases: A cluster randomized clinical trial in primary care. *Patient Education and Counseling*, 98(8), 977-983.
- Morgenstern, J., D. A. Bux, Jr., et al. (2009). Randomized trial to reduce club drug use and HIV risk behaviors among men who have sex with men. *Journal of Consulting and Clinical Psychology* 77(4): 645-656.
- Morgenstern, J., Irwin, T. W., Wainberg, M. L., Parsons, J. T., Muench, F., Bus Jr., D. A., . . . Schulz-Heik, J. (2007). A randomized controlled trial of goal choice interventions for alcohol use disorders among men who have sex with men. *Journal of Consulting and Clinical Psychology*, 75(1), 72-84.
- Morgenstern, J., Kuerbis, A., Amrhein, P., Hail, L., Lynch, K., & McKay, J. R. (2012). Motivational interviewing: A pilot test of active ingredients and mechanisms of change. *Psychology of Addictive Behaviors*, 26(4), 859-869. doi: 10.1037/a0029674
- Morgenstern, J., Kuerbis, A., Houser, J., Levak, S., Amrhein, P., Shao, S., & McKay, J. R. (2017). Dismantling motivational interviewing: Effects on initiation of behavior change among problem drinkers seeking treatment. *Psychology of Addictive Behaviors*, 31(7), 751-762.
- Moriarty, A. S., Louwagie, G. M., Mdege, N. D., Morojele, N., Tumbo, J., Omole, O. B., . . . Ayo-Yusuf, O. A. (2019). ImPROving TB outcomes by modifying LIFE-style behaviours through a brief motivational intervention followed by short text messages (ProLife): study protocol for a randomised controlled trial. *Trials*, 20(1), 457.
- Morillo-Verdugo, R., de las Aguas Robustillo-Cortés, M., Martín-Conde, M. T., Callejón-Callejón, G., Cid-Silva, P., Moriel-Sánchez, C., . . . Almeida-González, C. V. (2018). Effect of a structured pharmaceutical care intervention versus usual care on cardiovascular risk in HIV patients on antiretroviral therapy: INFAMERICA study. *Annals of Pharmacotherapy*, 52(11), 1098-1108.
- Morris, M., Halford, W. K., & Petch, J. (2018). A randomized controlled trial comparing family mediation with and without motivational interviewing. *Journal of Family Psychology*, 32(2), 269-275.
- Morrison-Beedy, D. (2016). Gender-specific HIV prevention intervention for adolescent girls: Unanticipated evidence for broad sexual risk reduction. Paper presented at the Sigma Theta Tau 17th International Nursing Research Congress, Cape Town, South Africa.
- Moss, E. L., Tobin, L. N., Campbell, T. S., & von Ranson, K. M. (2017). Behavioral weight-loss treatment plus motivational interviewing versus attention control: lessons learned from a randomized controlled trial. *BMC Trials*, 18(351).
- Moudi, Z., Chermahini, E. D., Moghaddam, E. M., & Navidian, A. (2016). Motivational interviewing and compliance with carriers screening for beta-thalassemia trait in Zahedan Premarital Counseling Center, Iran. *Shiraz E Medical Journal*, 17(10). Retrieved from doi: 10.17795/semj41381
- Mourão, C. M. L., Fernandes, A. F. C., Moreira, D. P., & Martins, M. C. (2017). Motivational interviewing in the social support of caregivers of patients with breast cancer in chemotherapy. *Revista da Escola de Enfermagem da USP*, 51, e03268.
- Muazu, M. Y., Abdullahi, A., & Usman, J. S. (2018). Can addition of motivational interviewing to conventional therapy and task oriented training improve outcome after stroke? A randomized controlled trial. *Archives of Physiotherapy and Global Researches*, 22(1), 49-56.
- Muir, H. (2019). *Integrating motivational interviewing with CBT for generalized anxiety disorder: Direct and indirect effects on interpersonal outcomes*. Master of Science Masters, University of Massachusetts Amherst, Amherst, Massachusetts. (789)
- Mujcic, A., Blankers, M., Boon, B., Engels, R., & van Laar, M. (2018). Internet-based self-help smoking cessation and alcohol moderation interventions for cancer survivors: a study protocol of two RCTs. *BMC Cancer*, 18(364).
- Mujika, A., Forbes, A., Canga, N., de Irala, J., Serrano, I., Gasco, P., & Edwards, M. (2014). Motivational interviewing as a smoking cessation strategy with nurses: An exploratory randomised controlled trial. *International Journal of Nursing Studies*, 51(8), 1074-1082.

- Mullins, S. A., Suarez, M., Ondersma, S. J., & Page, M. C. (2004). The impact of motivational interviewing on substance abuse treatment retention: A randomized control trial of women involved with child welfare. *Journal of Substance Abuse Treatment*, 27(1), 521-558.
- Murphy, C. M., Eckhardt, C. I., Clifford, J. M., Lamotte, A. D., & Meis, L. A. (2017). Individual versus group cognitive-behavioral therapy for partner-violent men: A preliminary randomized trial. *Journal of Interpersonal Violence*(April 1), 886260517705666.
- Murphy, C. M., Ting, L. A., Jordan, L. C., Musser, P. H., Winters, J. T., Poole, G. M., & Pitts, S. C. (2018). A randomized clinical trial of motivational enhancement therapy for alcohol problems in partner violent men. *Journal of Substance Abuse Treatment*, 89, 11-19.
- Murphy, D. A., Chen, X., Naar-King, S., & Parsons, J. T. (2012). Alcohol and marijuana use outcomes in the Healthy Choices motivational interviewing intervention for HIV-positive youth. *AIDS Patient Care and STDs*, 26(2), 95-100. doi: 10.1089/apc.2011.0157
- Murphy, J. G., T. A. Benson, et al. (2004). A comparison of personalized feedback for college student drinkers delivered with and without a motivational interview. *Journal of Studies on Alcohol* 65(2): 200-203.
- Murphy, J. G., J. J. Duchnick, et al. (2001). Relative efficacy of a brief motivational intervention for college student drinkers. *Psychology of Addictive Behaviors* 15(4): 373-379.
- Murphy, J. G., Dennhardt, A. A., Skidmore, J. R., Borsari, B., Barnett, N. P., Colby, S. M., & Martens, M. P. (2012). A randomized controlled trial of a behavioral economic supplement to brief motivational interventions for college drinking. *Journal of Consulting and Clinical Psychology*, 80(5), 876-886.
- Musser, P. H., J. N. Semiatin, et al. (2008). Motivational interviewing as a pregroup intervention for partner-violent men. *Violence and Victims* 23(5): 539-557.
- Myers, B., Lund, C., Lombard, C., Joska, H., Levitt, N., Butler, C., . . . Sorsdahl, K. (2018). Comparing dedicated and designated models of integrating mental health into chronic disease care: study protocol for a cluster randomized controlled trial. *Trials*, 19(185).
- Myers, E. F., Trostler, N., Varsha, V., & Voet, H. (2017). Insights from the Diabetes in India Nutrition Guidelines Study: Adopting innovations using a knowledge transfer model. *Topics in Clinical Nutrition*, 32(1), 69-86. doi: 10.1097/TIN.0000000000000089
- Naar, S., Ellis, D., Carcone, A. I., Jacques-Tiura, A. J., & Cunningham, P. (2019). Outcomes from a sequential multiple assignment randomized trial of weight loss strategies for African American adolescents with obesity. *Annals of Behavioral Medicine*, 53(10), 928-938.
- Naar, S., MacDonell, K., Chapman, J. E., Todd, L., Gurung, S., Cain, D., . . . Parsons, J. T. (2019). Testing a motivational interviewing implementation intervention in adolescent HIV clinics: Protocol for a type 3, hybrid implementation-effectiveness trial. *JMIR Research Protocols*, 8(6), e11200.
- Naar-King, S., P. Lam, et al. (2008). Brief report: Maintenance of effects of motivational enhancement therapy to improve risk behaviors and HIV-related health in a randomized controlled trial of youth living with HIV. *Journal of Pediatric Psychology* 33(4): 441-445.
- Naar-King, S., A. Outlaw, et al. (2009). Motivational interviewing by peer outreach workers: A pilot randomized clinical trial to retain adolescents and young adults in HIV care. *AIDS Care* 21(7): 868-873.
- Naar-King, S., J. T. Parsons, et al. (2010). A multisite randomized trial of a motivational intervention targeting multiple risks in youth living with HIV: Initial effects on motivation, self-efficacy, and depression. *Journal of Adolescent Health* 46(5): 422-428.
- Naar-King, S., K. Wright, et al. (2006). Healthy choices: Motivational enhancement therapy for health risk behaviors in HIV-positive youth. *AIDS Education and Prevention* 18(1): 1-11.
- Naderloo, H., Vafadar, Z., Eslaminejad, A., & Ebadi, A. (2017). The effect of motivational interviewing on the life expectancy of patients with chronic obstructive pulmonary disease. *Critical Care Nursing*, 10(1), e10600.
- Nadkarni, A., Weobong, B., Weiss, H. A., McCambridge, J., Bhat, B., Katti, B., . . . Patel, V. (2017). Counselling for Alcohol Problems (CAP), a lay counsellor-delivered brief psychological treatment for harmful drinking in men, in primary care in India: A randomised controlled trial. *Lancet*, 389(10065), 186-195. doi: 10.1016/S0140-6736(16)31590-2
- Nasstasia, Y., Baker, A. L., Lewin, T. J., Halpin, S. A., Hides, L., Kelly, B. J., & Callister, R. (2019). Engaging youth with major depression in an exercise intervention with motivational interviewing. *Mental Health and Physical Activity*, 17(100295).. See also: Nasstasia, Y., Baker, A. L., Lewin, T. J., Halpin, S. A., Hides, L., Kelly, B. J.,

- & Callister, R. (2019). Differential treatment effects of an integrated motivational interviewing and exercise intervention on depressive symptom profiles and associated factors: A randomised controlled cross-over trial among youth with major depression. *Journal of Affective Disorders*, 259, 413-423. Nasstasia, Y., Baker, A. L., Halpin, S. A., Hides, L., Lewin, T. J., Kelly, B. J., & Callister, R. (2018). Evaluating the efficacy of an integrated motivational interviewing and multi-modal exercise intervention for youth with major depression: Healthy body, healthy mind randomised controlled trial protocol. *Contemporary Clinical Trials*, 9, 13-22.
- Navidian, A., Kermansaravi, F., Tabas, E. E., & Saeedinezhad, F. (2016). Efficacy of group motivational interviewing in the degree of drug craving in the addicts under the methadone maintenance treatment (MMT) in South East of Iran. *Archives of Psychiatric Nursing*, 30(2), 144-149. doi: 10.1016/j.apnu.2015.08.002
- Navidian, A., Mobaraki, H., & Shakiba, M. (2017). The effect of education through motivational interviewing compared with conventional education on self-care behaviors in heart failure patients with depression. *Patient Education and Counseling*, 100(8), 2017-2006-2021T2021:2018:2007Z.
- Nedjat-Haiem, F. R., Cadet, T. J., & Amatya, A. (2019). Efficacy of motivational interviewing to enhance advance directive completion in Latinos with chronic illness: A randomized controlled trial. *American Journal of Hospice & Palliative Medicine*, 36(11), 980-992. See also Nedjat-Haiem, F. R., Carrion, I. V., Gonzalez, K., Quintana, A., Ell, K., O'Connell, M., . . . Mishra, S. I. (2017). Implementing an advance care planning intervention in community settings with older Latinos: A feasibility study. *Journal of Palliative Medicine*, 20(9), 984-993.
- Neff, J. A., Kelley, M. L., Walters, S. T., Cunningham, T. D., Paulson, J. F., Braitman, A. L., . . . Bolen, H. (2015). Effectiveness of a Screening and Brief Intervention protocol for heavy drinkers in dental practice: A cluster-randomized trial. *Journal of Health Psychology*, 20(12), 1534-1548.
- Neighbors, C. J., N. P. Barnett, et al. (2010). Cost-effectiveness of a motivational intervention for alcohol-involved youth in a hospital emergency department. *Journal of Studies on Alcohol and Drugs* 71(3): 384-394.
- Neumeier, W. H., Guerra, N., Thirumalai, M., Geer, B., Ervin, D., & Rimmer, J. H. (2017). POWERS forID: Personalized Online Weight and Exercise Response System for Individuals with Intellectual Disability: study protocol for a randomized controlled trial. *BMC Trials*, 18(487).
- Ngo, Q. M., Eisman, A. B., Walton, M. A., Kusunoki, Y., Chermack, S. T., Singh, V., & Cunningham, R. (2018). Emergency department alcohol intervention: Effects on dating violence and depression. *Pediatrics*, 142(1), e20173525.
- Nguyen, H. Q., Moy, M. L., Liu, I. A., Fan, V. S., Gould, M. K., Desai, S. A., . . . Xiang, A. H. (2019). Effect of physical activity coaching on acute care and survival among patients with chronic obstructive pulmonary disease: A pragmatic randomized clinical trial. *JAMA Network Open*, 2(8), :e199657.
- Nguyen-Huynh, M. N., Young, J. D., Alexeeff, S., Hatfield, M. K., & Sidney, S. (2019). Shake rattle & roll – Design and rationale for a pragmatic trial to improve blood pressure control among blacks with persistent hypertension. *Contemporary Clinical Trials*, 76, 85-92.
- Nock, M. K. and A. E. Kazdin (2005). Randomized controlled trial of a brief intervention for increasing participation in parent management training. *Journal of Consulting and Clinical Psychology* 73(5): 872-879.
- Nohlert, E., Ohvrik, J., & Heigason, A. R. (2014). Effectiveness of proactive and reactive services at the Swedish National Tobacco Quitline in a randomized trial. *Tobacco Induced Diseases*, 12(1), 9.
- Noonan, W. C. (2001). Group motivational interviewing as an enhancement to outpatient alcohol treatment. Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation, University of New Mexico.
- Norris, S. A., Ho, J. C. C., Rashed, A. A., Vinding, V., Skau, J. K. H., Biesma, R., . . . Matzen, P. (2016). Pre-pregnancy community-based intervention for couples in Malaysia: Application of intervention mapping. *BMC Public Health*, 16. Retrieved from <https://bmcpublichealth.biomedcentral.com/articles/10.1186/s12889-016-3827-x> doi:10.1186/s12889-016-3827-x
- Nyamathi, A., S. Shoptaw, et al. (2010). Effect of motivational interviewing on reduction of alcohol use. *Drug and Alcohol Dependence* 107(1): 23-30.
- Nymberg, P., Hansson, E. E., Stenman, E., Calling, S., Sundquist, K., Sundquist, J., & Zöller, B. (2018). Pilot study on increased adherence to physical activity on prescription (PAP) through mindfulness: Study protocol. *Trials*, 19(563).

- Obling, K. H., Overgaard, K., Juul, L., & Maindal, H. T. (2019). Effects of a motivational, individual and locally anchored exercise intervention (MILE) on cardiorespiratory fitness: A community-based randomised controlled trial. *BMC Public Health*, 192(239).
- O'Brien, K. H. M., Sellers, C. M., Battalen, A. W., Ryan, C. A., Maneta, E. K., Aguinaldo, L. D., . . . Spirito, A. (2018). Feasibility, acceptability, and preliminary effects of a brief alcohol intervention for suicidal adolescents in inpatient psychiatric treatment. *Journal of Substance Abuse Treatment*, 94, 105-112.
- O'Conner, K. O., Cadet, T., Brown, M. J., & Barnett, J. T. (2018). The impact of peer support on the risk of future hospital readmissions among older adults with a medical illness and co-occurring depression. *Social Sciences*, 7(156).
- O'Connor, E. M., Koufaki, P., Mercer, T. H., Lindup, H., Nugent, E., Goldsmith, D., . . . Greenwood, S. A. (2017). Long-term pulse wave velocity outcomes with aerobic and resistance training in kidney transplant recipients – A pilot randomised controlled trial. *PLOS One*, 12(2), e0171063. doi: 10.1371/journal.pone.0171063
- Oddone, E. Z., Gierisch, J. M., Sanders, L. L., Fagerlin, A., Sparks, J., McCant, F. M., . . . Damschroder, L. J. (2018). A coaching by telephone intervention on engaging patients to address modifiable cardiovascular risk factors: A randomized controlled trial. *Journal of General Internal Medicine*, 33(9), 1487-1494.
- O'Donnell, C., Donohoe, G., Sharkey, L., Owens, N., Migone, M., Harries, R., . . . O'Callaghan, E. (2003). Compliance therapy: A randomised controlled trial in schizophrenia. *British Medical Journal*, 327(7419), 834.
- O'Dwyer, T., Monaghan, A., Moran, J., O'Shea, F., & Wilson, F. (2016). Behaviour change intervention increases physical activity, spinal mobility and quality of life in adults with ankylosing spondylitis: A randomised trial. *Journal of Physiotherapy*, 63(1), 30-39. doi: 10.1016/j.jphys.2016.11.009
- Oei, T. P. S., Raylu, N., Casey, L. M. (2010). Effectiveness of group and individual formats of a combined motivational interviewing and cognitive behavioral treatment program for problem gambling: A randomized controlled trial, *Behavioural and Cognitive Psychotherapy*, 38(2), 233-238.
- Offidani, E., Benasi, G., Charlson, M. E., Ravenell, J., & Boutin-Foster, C. (2018). Impact of depression and demoralization on blood pressure control in African Americans with hypertension: Findings from the TRIUMPH trial. *Journal of Racial and Ethnic Health Disparities*, 5(5), 913-918.
- Ogedegbe, G., W. Chaplin, et al. (2008). A practice-based trial of motivational interviewing and adherence in hypertensive African Americans. *American Journal of Hypertension* 21(10): 1137-1143.
- O'Halloran, P. D., Shields, N., Blackstock, F., Wintle, E., & Taylor, N. F. (2016). Motivational interviewing increases physical activity and self-efficacy in people living in the community after hip fracture: a randomized controlled trial. *Clinical Rehabilitation*, 30(11), 1108-1119. doi: 10.1177/0269215515617814
- Okasha, T. A., Abd El Fatah, S. R., Al Ashry, N. M., Elhabiby, M. M., El Wahed Ahmed, S. A., Abd El Fatah Abd Elhady, W. O., . . . Elnemais Fawzy, M. (2017). Motivational interviewing for smoking cessation in patients with cardiac diseases. *Middle East Current Psychiatry*, 24(1), 1-7. doi: 10.1097/01.XME.00000508430.40664.fc
- Oksman, E., Linna, M., Hörhammer, I., Lammintakanen, J., & Talja, M. (2017). Cost-effectiveness analysis for a tele-based health coaching program for chronic disease in primary care. *BMC Health Services Research*, 17(138).
- Okuyemi, K. S., Goldade, K., Whembolua, G.-L., Thomas, J. L., Eischen, S., Sewali, B., . . . Des Jarlais, D. (2013). Motivational interviewing to enhance nicotine patch treatment for smoking cessation among homeless smokers: A randomized controlled trial. *Addiction*, 108(6), 1136-1144.
- Okuyemi, K. S., J. L. Thomas, et al. (2006). Smoking cessation in homeless populations: A pilot clinical trial. *Nicotine and Tobacco Research* 8(5): 689-699.
- Okuyemi, K. S., James, A. S., Mayo, M. S., Nollen, N., Catley, D., Choi, W. S., & Ahluwalia, J. S. (2007). Pathways to health: A cluster randomized trial of nicotine gum and motivational interviewing for smoking cessation in low-income housing. *Health Education and Behavior*, 34(1): 43-54.
- O'Leary, C. C. (2001). The early childhood family check-up: A brief intervention for at-risk families with preschool-aged children. Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation.
- O'Leary, A., Ambrose, T. K., Raffaelli, M., Maibach, E., Jemmott, L. S., Jemmott, J. B., 3rd, . . . Celentano, D. (1998). Effects of an HIV risk reduction project on sexual risk behavior of low-income STD patients. *AIDS Education and Prevention*, 10(6), 483-492.
- Olsen, S., Smith, S. S., Oei, T. P. S., & Dougllas, J. (2012). Motivational interviewing (MINT) improves continuous positive airway pressure (CPAP) acceptance and adherence: A randomized controlled trial. *Journal of Consulting and Clinical Psychology*, 80(1), 151-163.

- Olson, R., Wipfli, B., Thompson, S. V., Elliot, D. L., Anger, W. K., Bodner, T., . . . Perrin, N. A. (2016). Weight Control Intervention for Truck Drivers: The SHIFT Randomized Controlled Trial, United States. *American Journal of Public Health*, e1-e9. doi: 10.2105/ajph.2016.303262
- Ondersma, S. J., S. K. Chase, et al. (2005). Computer-based brief motivational intervention for perinatal drug use. *Journal of Substance Abuse Treatment* 28(4): 305-312.
- Ondersma, S. J., D. S. Svikis, et al. (2007). Computer-based brief intervention a randomized trial with postpartum women. *American Journal of Preventive Medicine* 32(3): 231-238.
- Opie, R. S., Neff, M., & Tierney, A. C. (2016). A behavioural nutrition intervention for obese pregnant women - Effects on diet quality, weight gain and the incidence of gestational diabetes. *The Australian & New Zealand Journal of Obstetrics & Gynaecology*. doi: 10.1111/ajo.12474
- Osborn, C. Y., Amico, K. R., Cruz, N., O'Connell, A. A., Perez-Escamilla, R., Kalichman, S. C., . . . Fisher, J. D. (2010). A brief culturally tailored intervention for Puerto Ricans with type 2 diabetes. *Health Education & Behavior*, 37(6), 849-862
- Östbring, M. J., Eriksson, T., Petersson, G., & Hellström, L. (2018). Motivational Interviewing and Medication Review in Coronary Heart Disease (MIMeRiC): Intervention development and protocol for the process evaluation. *JMIR Research Protocols*, 7(1), e21.
- Östbring, M. J., Eriksson, T., Petersson, G., & Hellström, L. (2018). Motivational Interviewing and Medication Review in Coronary Heart Disease (MIMeRiC): Protocol for a randomized controlled trial investigating effects on clinical outcomes, adherence, and quality of life. *JMIR Research Protocols*, 7(2), e57.
- Osterman, R. L., & Dyehouse, J. (2012). Effects of a motivational interviewing intervention to decrease prenatal alcohol use. *Western journal of nursing research*, 34(4), 434-454. doi: 10.1177/0193945911402523
- Osterman, R., Lewis, D., & Winhusen, T. (2017). Efficacy of motivational enhancement therapy to decrease alcohol and illicit-drug use in pregnant substance users reporting baseline alcohol use. *Journal of Substance Abuse Treatment*, 77, 150-155. doi: 10.1016/j.jsat.2017.02.003
- Otto, C., Crackau, B., Lohrmann, I., Zahradník, A., Bischof, G., John, U., & Rumpf, H. J. (2009). Brief intervention in general hospital for problematic prescription drug use: 12-Month outcome. *Drug and Alcohol Dependence*, 105(3), 221-226. doi: 10.1016/j.drugalcdep.2009.07.010
- Ouimet, M. C., Dongier, M., Di Leo, I., Legault, L., Tremblay, J., Chanut, F., & Brown, T. G. (2013). A randomized controlled trial of brief motivational interviewing in impaired driving recidivists: A 5-year follow-up of traffic offenses and crashes. *Alcoholism: Clinical and Experimental Research*, 37(11), 1979-1985. doi: 10.1111/acer.12180
- Outlaw, A. Y., Naar-King, S., Parsons, J. T., Green-Jones, M., Janisse, H., & Second, E. (2010). Using motivational interviewing in HIV field outreach with young African American men who have sex with men: A randomized clinical trial. *American Journal of Public Health*, 100, S146-S151.
- Owens, J. S., Coles, E. K., Evans, S. W., Himawan, L. K., Girio-Herrera, E., Holdaway, A. S., . . . Schulte, A. C. (2017). Using multi-component consultation to increase the integrity with which teachers implement behavioral classroom interventions: A pilot study. *School Mental Health*, 9(3), 218-234.
- Owens, M. O., & McCrady, B. S. (2016). A pilot study of a brief motivational intervention for incarcerated drinkers. *Journal of Substance Abuse Treatment*, 68, 1-10.
- Ozpulat, F., & Emiroglu, O. N. (2017). The effect of the motivational interview method on the lifestyle of hypertensive individuals. *New Trends and Issues Proceedings on Advances in Pure and Applied Sciences*, 8, 76-82. Available from www.propaas.eu.
- Pakpour, A. H., Gellert, P., Dombrowski, S. U., & Fridlund, B. (2015). Motivational interviewing with parents for obesity: An RCT. *Pediatrics*, 135(3), e644-652.
- Pakpour, A. H., Lin, C.-Y., Malm, D., Broström, A., Fridlund, B., & Webb, T. L. (2017). Can a multifaceted intervention including motivational interviewing improve medication adherence, quality of life and mortality rates in older patients undergoing coronary artery bypass surgery? *European Journal of Cardiovascular Nursing*, 16(Supplement 1), S1-S2.
- Pakpour, A. H., Modabbernia, A., Lin, C. Y., Saffari, M., Ahmadzad Asl, M., & Webb, T. L. (2017). Promoting medication adherence among patients with bipolar disorder: A multicenter randomized controlled trial of a multifaceted intervention. *Psychological Medicine*, 1-12

- Palm, A., Olofsson, N., Danielsson, I., Skalkidou, A., Wennberg, P., & Hogberg, U. (2016). Motivational interviewing does not affect risk drinking among young women: A randomised, controlled intervention study in Swedish youth centre. *Scandinavian Journal of Public Health*, 44(6), 611-618. doi: 10.1177/1403494816654047
- Palma, C., Farriols, N., Frias, A., Cañete, J., Gomis, O., Fernández, M., . . . Signo, S. (2019). Randomized controlled trial of cognitive-motivational therapy program (PIPE) for the initial phase of schizophrenia: Maintenance of efficacy at 5-year follow up. *Psychiatry Research*, 273, 586-594.
- Paltzer, J., Brown, R. L., Burns, M., Moberg, D. P., Mullahy, J., Sethi, A. K., & Weirner, D. (2017). Substance use screening, brief intervention, and referral to treatment among Medicaid patients in Wisconsin: Impacts on healthcare utilization and costs. *Journal of Behavioral Health Services & Research*, 44(1), 102-112. doi: 10.1007/s11414-016-9510-2
- Panattoni, L., Hurlimann, L., Wilson, C., Durbin, M., & Tai-Seale, M. (2017). Workflow standardization of a novel team care model to improve chronic care: a quasi-experimental study. *BMC Health Services Research*, 17(286). doi: 10.1186/s12913-017-2240-1
- Panca, M., Christie, D., Cole, T. J., Costa, S., Gregson, J., Holt, R., . . . Morris, S. (2018). Cost-effectiveness of a community delivered multicomponent intervention compared with enhanced standard care of obese adolescents: Cost-utility analysis alongside a randomised controlled trial (the HELP trial). *BMJ Open Diabetes Research & Care*, 8, e018640.
- Park, J., Esmail, S., Rayani, F., Norris, C. M., & Gross, D. P. (2018). Motivational interviewing for workers with disabling musculoskeletal disorders: Results of a cluster randomized control trial. *Journal of Occupational Rehabilitation*, 28(2), 252-264.
- Parsons, J. T., S. A. Golub, et al. (2007). Motivational interviewing and cognitive-behavioral intervention to improve HIV medication adherence among hazardous drinkers: A randomized controlled trial. *Journal of Acquired Immune Deficiency Syndromes* 46(4): 443-450.
- Parsons, J. T., Lelutiu-Weinberger, C., Botsko, M., & Golub, S. A. (2014). A randomized controlled trial utilizing motivational interviewing to reduce HIV risk and drug use in young gay and bisexual men. *Journal of Consulting and Clinical Psychology*, 82(1), 9-18. doi: 10.1037/a0035311
- Parsons, J. T., John, S. A., Millar, B. M., & Starks, T. J. (2018). Testing the efficacy of combined motivational interviewing and cognitive behavioral skills training to reduce methamphetamine use and improve HIV medication adherence among HIV-positive gay and bisexual men. *AIDS and Behavior*, 22(8), 2674-2686.
- Parsons, J. T., Starks, T., Gurung, S., Cain, D., Marmo, J., & Naar, S. (2019). Clinic-based delivery of the young men's health project (YMHP) targeting HIV risk reduction and substance use among young men who have sex with men: Protocol for a type 2, hybrid implementation-effectiveness trial. *JMIR Research Protocols*, 8(5), e11184.
- Patel, K., Watkins, C. L., Sutton, C. J., Holland, E.-J., Benedetto, V., Auton, M. F., . . . Lightbody, C. E. (2018). Motivational interviewing for low mood and adjustment early after stroke: A feasibility randomised trial. *Pilot and Feasibility Studies*, 4(152).
- Patten, C. A., Koller, K. R., Flanagan, C. A., Hiratsuka, V. Y., Hughes, C. A., Wolfe, A. W., . . . Thomas, T. K. (2019). Biomarker feedback intervention for smoking cessation among Alaska Native pregnant women: Randomized pilot study. *Patient Education and Counseling*, 102(3), 528-535.
- Pbert, L., S. K. Osganian, et al. (2006). A school nurse-delivered adolescent smoking cessation intervention: A randomized controlled trial. *Preventive Medicine* 43(4): 312-320.
- Pedersen, C., Halvari, H., Sørebø, Ø., & Williams, G. (2016). Effects of a worksite intervention on autonomous motivation, exercise and health: A randomised controlled trial. *Bulletin of the European Health Psychology Society*, 18 (Supplement), 560 (Abstract).
- Pedersen, C., Halvari, H., & Williams, G. C. (2018). Worksite intervention effects on motivation, physical activity and health: A cluster randomized controlled trial. *Psychology of Sport and Exercise*, 35, 171-180.
- Peek-Asa, C., Reyes, M. L., Hamann, C. J., Butcher, B. D., & Cavanaugh, J. E. (2019). A randomized trial to test the impact of parent communication on improving in-vehicle feedback systems. *Accident Analysis and Prevention*, 131, 63-69.
- Peltier, M. R., Roys, M. R., Waters, A. F., Vinci, C., Waldo, K. M., Stewart, S. A., . . . Copeland, A. L. (2018). Motivation and readiness for tobacco cessation among nicotine dependent postmenopausal females: A pilot study. *Experimental and Clinical Psychopharmacology*, 26(2), 125-131.

- Penn, L., M. White, et al. (2009). Prevention of type 2 diabetes in adults with impaired glucose tolerance: The European diabetes prevention RCT in Newcastle upon Tyne, UK. *BMC Public Health* 9: 342.
- Percac-Lima, S., Ashburner, J. M., Rigotti, N. A., Park, E. R., Chang, Y., Kuchukhidze, S., & Atlas, S. J. (2018). Patient navigation for lung cancer screening among current smokers in community health centers: A randomized controlled trial. *Cancer Medicine*, 7(3), 894-902.
- Perry, C. K., A. G. Rosenfeld, et al. (2007). Promoting walking in rural women through motivational interviewing and group support. *Journal of Cardiovascular Nursing* 22(4): 304-312.
- Persson, L.-G. and A. Hjalmarson (2006). Smoking cessation in patients with diabetes mellitus: Results from a controlled study of an intervention programme in primary healthcare in Sweden. *Scandinavian Journal of Primary Health Care* 24(2): 75-80.
- Peters, L., Romano, M., Byrow, Y., Gregory, B., McLellan, L. F., Brockveld, K., . . . Rapee, R. M. (2019). Motivational interviewing prior to cognitive behavioural treatment for social anxiety disorder: A randomised controlled trial. *Journal of Affective Disorders*, 256, 70-78.
- Petersen, R., J. Albright, et al. (2007). Pregnancy and STD prevention counseling using an adaptation of motivational interviewing: A randomized controlled trial. *Perspectives on Sexual and Reproductive Health* 39(1): 21-28.
- Peterson, P. L., J. S. Baer, et al. (2006). Short-term effects of a brief motivational intervention to reduce alcohol and drug risk among homeless adolescents. *Psychology of Addictive Behaviors* 20(3): 254-264.
- Peterson, A. V., Jr., Kealey, K. A., Mann, S. L., Marek, P. M., Ludman, E. J., Liu, J., & Bricker, J. B. (2009). Group-randomized trial of a proactive, personalized telephone counseling intervention for adolescent smoking cessation. *Journal of the National Cancer Institute*, 101(20), 1378-1392.
- Petry, N. M., J. Weinstock, et al. (2008). A randomized trial of brief interventions for problem and pathological gamblers. *Journal of Consulting and Clinical Psychology* 76(2): 318-328.
- Petry, N. M., J. Weinstock, et al. (2009). Brief motivational interventions for college student problem gamblers. *Addiction* 104(9): 1569-1578.
- Petts, R. A., Duenas, J. A., & Gaynor, S. T. (2017). Acceptance and commitment therapy for adolescent depression: Application with a diverse and predominantly socioeconomically disadvantaged sample. *Journal of Contextual Behavioral Science*, 6(2), 134-144. doi: 10.1016/j.jcbs.2017.02.006
- Pfeiffer, K. A., Robbins, L. B., Ling, J., Sharma, D. B., Dalimonte-Merckling, D. M., Voskuil, V. R., . . . Resnicow, K. (2019). Effects of the Girls on the Move randomized trial on adiposity and aerobic performance (secondary outcomes) in low-income adolescent girls. *Pediatric Obesity*, 14(11), e12559.. See also Robbins, L. B., Ling, J., Toruner, E. K., Bourne, K. A., & Pfeiffer, K. A. (2016). Examining the reach, dose, and fidelity of Girls on the Move after-school physical activity club: A process evaluation. *BMC Public Health*, 16(671).
- Pfeiffer, P. N., King, C., Ilgen, M., Ganoczy, D., Clive, R., Garlick, J., . . . Valenstein, M. (2019). Development and pilot study of a suicide prevention intervention delivered by peer support specialists. *Psychological Services*, 16(3), 360-371.
- Pfund, R. A., Whelan, J. P., Peter, S. C., & Meyers, A. W. (2018, in press). Can a motivational letter increase attendance to psychological treatment for gambling disorder? *Psychological Services*.
- Picciano, J. F., R. A. Roffman, et al. (2001). A telephone based brief intervention using motivational enhancement to facilitate HIV risk reduction among MSM: A pilot study. *AIDS and Behavior* 5(3): 251-262.
- Picciano, J. F., R. A. Roffman, et al. (2007). Lowering obstacles to HIV prevention services: Effects of a brief, telephone-based intervention using motivational enhancement therapy. *Annals of Behavioral Medicine* 34(2): 177-187.
- Pietrabissa, G., Manzoni, G. M., Ross, A., & Castelnuovo, G. (2017). The MOTIV-HEART study: A prospective, randomized, single-blind pilot study of brief strategic therapy and motivational interviewing among cardiac rehabilitation patients. *Frontiers in Psychology*. Retrieved from doi:10.3389/fpsyg.2017.00083
- Pignol, A. M. (2009). Effects of motivational interviewing on levels of physical activity in older adults. US, ProQuest Information & Learning. 70.
- Pine, C., Adair, P., Burnside, G., Robinson, L., Edewards, R. T., Albadri, S., . . . Whitehead, H. (2015). A new primary dental care service compared with standard care for child and family to reduce the re-occurrence of childhood dental caries (Dental RECUR): study protocol for a randomised controlled trial. *Trials*, 16(505).
- Pladenvall, M., Divine, G., Wells, K. E., Resnicow, K., & Williams, L. K. (2015). A randomized controlled trial to provide adherence information and motivational interviewing to improve diabetes and lipid control. *The Diabetes Educator*, 41(1), 136-146. doi: 10.1177/0145721714561031

- Polcin, D. L., Korchak, R., Witbrodt, J., Mericle, A. A., & Mahoney, E. (2018). Motivational interviewing case management (MICM) for persons on probation or parole entering sober living houses. *Criminal Justice and Behavior*, 45(11), 1634-1659. See also Witbrodt, J., Polcin, D., Korchak, R., & Li, L. (2019). Beneficial effects of motivational interviewing case management: A latent class analysis of recovery capital among sober living residents with criminal justice involvement. *Drug and Alcohol Dependence*, 200, 124-132.
- Pollak, K. I., S. C. Alexander, et al. (2010). Physician communication techniques and weight loss in adults: Project CHAT. *American Journal of Preventive Medicine* 39(4): 321-328.
- Pollak, K. I., Nagy, P., Bigger, J., Bilheimer, A., Lyra, P., Gao, X., . . . Armstrong, S. (2016). Effect of teaching motivational interviewing via communication coaching on clinician and patient satisfaction in primary care and pediatric obesity-focused offices. *Patient Education and Counseling*, 99(2), 300-303.
- Polshkova, S., Voloshyna, D., Cunningham, R. M., Zucker, R. A., & Walton, M. A. (2016). Prevention of alcohol and other drug use using motivational interviewing among young adults in the Ukraine. *Psychosomatics: Science and Practice*, 1(1), e010111.
- Ponsford, J., Lee, N. K., Wong, D., McKay, A., Haines, K., Alway, Y., . . . O'Donnell, M. L. (2016). Efficacy of motivational interviewing and cognitive behavioral therapy for anxiety and depression symptoms following traumatic brain injury. *Psychological Medicine*, 46(5), 1079-1090.
- Ponsford, J., Tweedy, L., Lee, N., & Taffe, J. (2012). Who responds better? Factors influencing a positive response to brief alcohol interventions for individuals with traumatic brain injury. [Randomized Controlled Trial]. *The Journal of Head Trauma Rehabilitation*, 27(5), 342-348.
- Potocky, M., & Guskovict, K. L. (2019). Project MIRACLE: Increasing empathy among psychosocial support staff working with refugees through brief training in motivational interviewing. *Intervention: Journal of Mental Health and Psychosocial Support in Conflict Affected Areas*, 17(1), 59-68.
- Pourisharif, H., Babapour, J., Zamani, R., Besharat, M. A., Mehryar, A. H., & Rajab, A. (2010). The effectiveness of motivational interviewing in improving health outcomes in adults with type 2 diabetes. *Procedia- Social and Behavioral Sciences*, 5, 1580-1584
- Prendergast, M. L., McCollister, K., & Warda, U. (2017). A randomized study of the use of screening, brief intervention, and referral to treatment (SPIRT) for drug and alcohol use with jail inmates. *Journal of Substance Abuse Treatment*, 74, 54-64. doi: 10.1016/j.jsat.2016.12.011
- Prescott, E., Meindersma, E. P., van der Velde, A. E., Gonzzales-Juanatey, J. R., Iliou, M. C., Ardissino, D., . . . de Kluiver, E. P. (2016). A European study on effectiveness and sustainability of current cardiac rehabilitation programmes in the elderly: Design of the EU_CaRE randomized controlled trial. *Preventive Cardiology*, 23(25), 27-40. doi: 10.1177/2047487316670063
- Prochaska, J. O., S. Butterworth, et al. (2008). Initial efficacy of MI, TTM tailoring and HRI's with multiple behaviors for employee health promotion. *Preventive Medicine* 46(3): 226-231.
- Project MATCH Research Group (1997). Matching alcoholism treatments to client heterogeneity: Project MATCH posttreatment drinking outcomes. *Journal of Studies on Alcohol*, 58, 7-29.
- Prokhorov, A. V., T. Yost, et al. (2008). Look at your health: Outcomes associated with a computer-assisted smoking cessation counseling intervention for community college students. *Addictive Behaviors* 33(6): 757-771.
- Puljević, C., Kinner, S. A., & de Andrade, D. (2017). Extending smoking abstinence after release from smoke-free prisons: Protocol for a randomised controlled trial. *Health and Justice*, 5(1). doi: 10.1186/s40352-016-0046-6
- Pung, M. A., H. M. Niemeier, et al. (2004). Motivational interviewing in the reduction of risk factors for eating disorders: A pilot study. *International Journal of Eating Disorders* 35(4): 396-397.
- Quick, R. (2003). Changing community behaviour: Experience from three African countries. *International Journal of Environmental Health Research* 13(Suppl. 1): S115-S121.
- Racic, M., Katic, B., Joksimovic, B. N., & Joksimovic, V. R. (2015). Impact of motivational interviewing on treatment outcomes in patients with diabetes type 2: A randomized controlled trial. *Journal of Family Medicine*, 2(1), 1020.
- Raje, M. G., Khairkar, P., Raje, A., & Mishra, K. K. (2018). How to treat hazardous alcohol consumption? Which method is better, combination of pharmacotherapy and brief psychological intervention or pharmacotherapy alone? *Journal of Pharmaceutical and Biomedical Sciences*, 8(6), 98-108.
- Ramirez, A. G., Parma, D. L., Muñoz, E., Mendoza, K. D., Harb, C., Holden, A. E. C., & Wargovich, M. J. (2017). An anti-inflammatory dietary intervention to reduce breast cancer recurrence risk: Study design and baseline data. *Contemporary Clinical Trials*, 57, 1-7. doi: 10.1016/j.cct.2017.03.009

- Ramsey, S. E., Ames, E. G., Brinkley-Rubenstein, L., Teitelman, A. M., Clarke, J., & Kaplan, C. (2019). Linking women experiencing incarceration to community-based HIV pre-exposure prophylaxis care: Protocol of a pilot trial. *Addiction Science & Clinical Practice*, 14(8).
- Ranney, M. L., Pittman, S. K., Dunsiger, S., Guthrie, K. M., Spirito, A., Boyer, E. W., & Cunningham, R. M. (2018). Emergency department text messaging for adolescent violence and depression prevention: A pilot randomized controlled trial. *Psychological Services*, 15(4), 419-428.
- Rao, S. A. (1999). The short-term impact of the family check-up: A brief motivational intervention for at-risk families. Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation.
- Rapp, R. C., Otto, A. L., Lane, D. T., Redko, C., McGatha, S., & Carlson, R. G. (2008). Improving linkage with substance abuse treatment using brief case management and motivational interviewing. *Drug and Alcohol Dependence*, 94(1-3), 172-182.
- Rasekh, B., Saw, Y. M., Azimi, S., T., K., Yamamoto, E., & Hamajima, N. (2018). Associations of treatment completion against drug addiction with motivational interviewing and related factors in Afghanistan. *Nagoya Journal of Medical Science*, 80, 329-340.
- Rasmussen, L. A., M. J. Hughes, et al. (2008). Applying motivational interviewing in a domestic violence shelter: A pilot study evaluating the training of shelter staff. *Journal of Aggression, Maltreatment and Trauma* 17(3): 296-317.
- Rasouli, M., AtashSokhan, G., Keramat, A., Khosravi, A., Fooladi, E., & Mousavi, S. A. (2017). The impact of motivational interviewing on participation in childbirth preparation classes and having a natural delivery: A randomized trial. *British Journal of Obstetrics and Gynaecology*, 124(4), 631-639. doi: 10.1111/1471-0528.14397
- Rasouli, M., Mousavi, S. A., Khosravi, A., Keramat, A., Fooladi, E., & Atashsokhan, G. (2018). The impact of motivational interviewing on behavior stages of nulliparous pregnant women preparing for childbirth: A randomized clinical trial. *Journal of Psychosomatic Obstetrics & Gynecology* 39(3), 237-245.
- Ratanavivian, W., & Ricard, R. J. (2018). Effects of a motivational interviewing-based counseling program on classroom behavior of children in a disciplinary alternative education program. *Journal of Counseling & Development*, 96(4), 410-423.
- Ratschen, E., Thorley, R., Jones, L., Breton, M. O., Cook, J., McNeill, A., . . . Lewis, S. (2017). A randomised controlled trial of a complex intervention to reduce children's exposure to secondhand smoke in the home. *Tobacco Control*. doi: 10.1136/tobaccocontrol-2016-053279
- Rau, J., I. Ehlebracht-Konig, et al. (2008). [Impact of a motivational intervention on coping with chronic pain: Results of a controlled efficacy study]. *Schmerz* 22(5): 575-578, 580-575.
- Rau, J., J. Teichmann, et al. (2009). [Motivation for exercise of cancer patients--Results of randomized-efficacy study]. *PsychotherPsychosom Med Psychol* 59(8): 300-306.
- Ravesloot, C. (2009). Changing stage of readiness for physical activity in Medicaid beneficiaries with physical impairments. *Health Promotion Practice* 10(1): 49-57.
- Ream, E., Gargaro, G., Barsevick, A., & Richardson, A. (2015). Management of cancer-related fatigue during chemotherapy through telephone motivational interviewing: modeling and randomized exploratory trial. *Patient Education and Counseling*, 98(2), 199-206. doi: 10.1016/j.pec.2014.10.012
- Reedman, S. E., Boyd, R. N., Elliott, C., & Sakzewski, L. (2017). ParticiPAtE CP: A protocol of a randomised waitlist controlled trial of a motivational and behaviour change therapy intervention to increase physical activity through meaningful participation in children with cerebral palsy. *BMJ Open*, 7(e015918).
- Rehman, H., Karpman, C., Vickers Douglas, K., & Benzo, R. P. (2017). Effect of a motivational interviewing-based health coaching on quality of life in subjects with COPD. *Respiratory Care*, 62(8), 1043-1048.
- Reid, C., Fenech, M., Jones, L., & Saleh, A. (2019). Nurse practitioner alcohol intervention for people with viral hepatitis: Randomised controlled trial. *Australian Journal of Nursing Practice, Scholarship & Research*, 26(5), 541-549.
- Reid, S. C., M. Teesson, et al. (2005). The efficacy of compliance therapy in pharmacotherapy for alcohol dependence: A randomized controlled trial. *Journal of Studies on Alcohol* 66(6): 833-841.
- Reina, A. C., Reyes, N., Hidalgo, Z. P., Alfageme, I., & De La Cruz, I. (2019). Effect of a single group motivational intervention on smoking cessation among hospital workers. *European Respiratory Journal*, 54(PA2860).
- Reinauer, C., Viermann, R., Förtsch, K., Linderskamp, H., Warschburger, P., Holl, R. W., . . . COACH consortium. (2018). Motivational Interviewing as a tool to enhance access to mental health treatment in adolescents with chronic medical conditions and need for psychological support (COACH-MI): Study protocol for a clusterrandomised controlled trial. *BMC Trials*, 19(629).

- Reinhardt, J. A., van der Ploeg, H. P., Grzegrzulka, R., & Timperley, J. G. (2012). Implementing lifestyle change through phone-based motivational interviewing in rural-based women with previous gestational diabetes mellitus. *Health Promotion Journal of Australia*, 23(1), 5-9.
- Rekieta, S. K. (2002). Exercise relapse prevention: The efficacy of a motivational interview intervention. US, ProQuest Information & Learning, 63.
- Rendall-Mkosi, K., Morojele, N., London, L., Moodley, S., Singh, C., & Girder-Brown, B. (2013). A randomized controlled trial of motivational interviewing to prevent risk for an alcohol-exposed pregnancy in the Western Cape, South Africa. *Addiction*, 108(4), 725-732. doi: 10.1111/add.12081
- Resnicow, K., R. E. Davis, et al. (2008). Tailoring a fruit and vegetable intervention on novel motivational constructs: Results of a randomized study. *Annals of Behavioral Medicine* 35(2): 159-169.
- Resnicow, K., Harris, D., Wasserman, R., Schwartz, R. P., Perez-Rosas, V., Mihalcea, R., & Snetselaar, L. (2016). Advances in Motivational Interviewing for Pediatric Obesity: Results of the Brief Motivational Interviewing to Reduce Body Mass Index Trial and Future Directions. [Review]. *Pediatric clinics of North America*, 63(3), 539-562. doi: 10.1016/j.pcl.2016.02.008
- Resnicow, K., Jackson, A., Braithwaite, R., Diorio, C., Blisset, D., Rahotep, S., & Periasamy, S. (2002). Healthy Body/Healthy Spirit: A church-based nutrition and physical activity intervention. *Health Education Research*, 17(5), 562-573.
- Resnicow, K., Jackson, A., Wang, T., De, A. K., McCarty, F., Dudley, W. N., & Baranowski, T. (2001). A motivational interviewing intervention to increase fruit and vegetable intake through Black churches: Results of the Eat for Life trial. *American Journal of Public Health*, 91, 1686-1693.
- Resnicow, K., M. Kramish Campbell, et al. (2004). Body and soul: a dietary intervention conducted through African-American churches. *American Journal of Preventive Medicine* 27(2): 97-105.
- Resnicow, K., McMaster, F., Bocian, A., Harris, D., Zhou, Y., Snetselaar, L., . . . Wasserman, R. C. (2015). Motivational interviewing and dietary counseling for obesity in primary care: An RCT. *Pediatrics*, 135(4), 649-657.
- Resnicow, K., Taylor, R., Baskin, M., & McCarty, F. (2005). Results of Go Girls: A weight control program for overweight African-American adolescent females. *Obesity Research*, 13, 1739-1748.
- Reyes-Rodríguez, M. F., Pinto-Gómez, J. C., Cardozo-Macías, F., Pérez-Gómez, A., Mejía-Trujillo, J., & Toro-Bermúdez, J. (In press 2019). Evaluation of the prevention program "Brief intervention based on motivational interviewing" in Colombian adolescents. *International Journal of Mental Health and Addiction*. See also: Reyes-Rodriguez, M. F., Mejia-Trujillo, J., Pérez-Gómez, A., Cardozo, F., & Pinto, C. (2018). Effectiveness of a brief intervention based on motivational interviewing in Colombian adolescents. *Psicología: Teoria e Pesquisa*, 33(10.1590/0102.3772e33421).
- Rhodes, K. V., Rodgers, M., Sommers, M., Hanlon, A., Chittams, J., Doyle, A., . . . Crits-Christoph, P. (2015). Brief motivational intervention for intimate partner violence and heavy drinking in the emergency department: A randomized clinical trial. *Journal of the American Medical Association*, 314(5), 466-477.
- Ribeiro, F. A., Boff, R. M., Feoli, A. M. P., Gustavo, A. S., Donadio, M. V. F., & Oliveira, M. S. (2016). Randomized clinical trial of a motivational interdisciplinary intervention based on the transtheoretical model of change for lifestyle modification in overweight/obese adolescents: MERC study protocol. *International Journal of Clinical Trials*, 3(4), 225-232. doi: 10.18203/2349-3259.ijct20163961
- Richards, A., K. K. Kattelmann, et al. (2006). Motivating 18- to 24-year-olds to increase their fruit and vegetable consumption. *Journal of the American Dietetic Association* 106(9): 1405-1411.
- Richmond, H., Lait, C., Srikesavan, C., Williamson, E., Moser, J., Newman, M., . . . the PROSPER Study Group. (2018). Development of an exercise intervention for the prevention of musculoskeletal shoulder problems after breast cancer treatment: The prevention of shoulder problems trial (UK PROSPER). *BMC Health Services Research*, 18(463).
- Richmond, R., N. Heather, et al. (1995). Controlled evaluation of a general practice-based brief intervention for excessive drinking. *Addiction* 90(1): 119-132.
- Riegel, B., Creber, R. M., Hill, J., Chittams, J., & Hoke, L. (2016). Effectiveness of motivational interviewing in decreasing hospital readmission in adults with heart failure and multimorbidity. *Clinical Nursing Research*, 25(4), 362-377.

- Riegel, B., Hanlon, A., Coe, N. B., Hirschman, K. B., Thomas, G., Stawnychy, M., . . . Bowles, K. H. (2019). Health coaching to improve self-care of informal caregivers of adults with chronic heart failure – iCare4Me: Study protocol for a randomized controlled trial. *Contemporary Clinical Trials*, 85(105845).
- Rieger, E., Treasure, J., Murray, K., & Caterson, I. (2017). The use of support people to improve the weight-related and psychological outcomes of adults with obesity: A randomised controlled trial. *Behaviour Research and Therapy*, 94, 48-59. doi: 10.1016/j.brat.2017.04.012
- Rigau-Gay, M.-M., Claver-Garrido, E., Benet, M., Lusilla-Palacios, P., & Ustell-Torrent, J.-M. (2018 in press). Effectiveness of motivational interviewing to improve oral hygiene in orthodontic patients: A randomized controlled trial. *Journal of Health Psychology*.
- Rigotti, N. A., E. R. Park, et al. (2006). Efficacy of telephone counseling for pregnant smokers: A randomized controlled trial. *Obstetrics and Gynecology* 108(1): 83-92
- Rimmer, J. H., & Vanderbom, K. A. (2016). A call to action: Building a translational inclusion team science in physical activity, nutrition, and obesity management for children with disabilities. *Frontiers in Public Health*(10 August 2016). doi: 10.3389/fpubh.2016.00164
- Roberts, K., Graham, J., Edgington, T., Coates, D., Stuart, C., & Haines, J. (2019). Responsive Integrated Treatment Matching (RITM) approach in patients with type 2 diabetes. *Journal of Integrative Behavioral Science*, 1(1).
- Robinson, C. D., Rogers, C. R., & Okeyemi, K. S. (2016). Depression symptoms among homeless smokers: Effect of motivational interviewing. *Substance Use and Misuse*, 51(10), 1393-1397. doi: 10.3109/10826084.2016.1170143
- Robles, R. R., J. C. Reyes, et al. (2004). Effects of combined counseling and case management to reduce HIV risk behaviors among Hispanic drug injectors in Puerto Rico: A randomized controlled study. *Journal of Substance Abuse Treatment* 27(2): 145-152.
- Robling, M., McNamara, R., Bennert, K., Butller, C. C., Channon, S., Cohen, D., . . . Gregory, J. W. (2012). The effect of the Talking Diabetes consulting skills intervention on glycaemic control and quality of life in children with type 1 diabetes: Cluster randomised controlled trial (DEPICTED study). *British Medical Journal*, 344 e2359.
- Rodriguez, M. E. M., Cortina, L. S., Carro, L. M., Ruiz-de-Valbuena, M., & Cosmes, L. J. (2017). A pulmonary rehabilitation program to increase adherence to airway clearance techniques for children and adults with cystic fibrosis. *Journal of Cystic Fibrosis*, 16(Supplement 1), S58.
- Roelsgaard, I. K., Thomsen, T., Østergaard, M., Christensen, R., Hetland, M. L., Jacobsen, S., . . . Esbensen, B. A. (2017). The effect of an intensive smoking cessation intervention on disease activity in patients with rheumatoid arthritis: study protocol for a randomised controlled trial. *BMC Trials*, 18(570).
- Rogers, E. S., Fu, S. S., Krebs, P., Noorbaloochi, S., Nugent, S. M., Gravely, A., & Sherman, S. E. (2018). Proactive tobacco treatment for smokers using Veterans Administration mental health clinics. *American Journal of Preventive Medicine*, 54(5), 620-629.
- Rogers, J. L., Bernard, J. M., Veach, L. J., Moro, R. R., Ivers, N. N., Reboussin, B. A., . . . O'Brien, M. C. (2018). Brief counseling for alcohol misuse among trauma patients: Two interventions and influence of baseline use. *Journal of Addictions & Offender Counseling*, 39(2), 89-105.
- Rohsenow, D. J., P. M. Monti, et al. (2004). Motivational enhancement and coping skills training for cocaine abusers: Effects on substance use outcomes. *Addiction* 99(7): 862-874.
- Rohsenow, D. J., Martin, R. A., Monti, P. M., Colby, S. M., Day, A. M., Abrams, D. B., . . . Swift, R. M. (2014). Motivational interviewing versus brief advice for cigarette smokers in residential alcohol treatment. *Journal of Substance Abuse Treatment*, 46(3), 346-355. doi: 10.1016/j.jsat.2013.10.002
- Rohsenow, D. J., Tidey, J. W., Martin, R. A., Colby, S. M., Sirota, A. D., Swift, R. M., & Monti, P. M. (2015). Contingent vouchers and motivational interviewing for cigarette smokers in residential substance abuse treatment. *Journal of Substance Abuse Treatment*, 55, 29-38.
- Roked, Z., Moore, S., & Shepherd, J. (2015). Feasibility of alcohol misuse screening and treatment in the dental setting. *The Lancet*, 385(Special Issue), S84.
- Romero-Martinez, A., Lila, M., Gracia, E., & Moya-Albiol, L. (2018). Improving empathy with motivational strategies in batterer intervention programmes: Results of a randomized controlled trial. *British Journal of Clinical Psychology*.
- Rongkavilit, C., Wang, B., Naar-King, S., Bunupuradah, T., Parsons, J. T., Panthong, A., . . . Phanuphak, P. (2015). Motivational interviewing targeting risky sex in HIV-positive young Thai men who have sex with men. *Archives of Sexual Behavior*, 44(2), 329-340. doi: 10.1007/s10508-014-0274-6

- Rose, L., Istanboulian, L., Carriere, L., Price, A., Lee, L., Rezaie, S., . . . Fraser, I. (2017). Program of integrated care for patients with chronic obstructive pulmonary disease and multiple comorbidities (pic copd+): A randomized controlled trial. *American Journal of Respiratory and Critical Care Medicine*, 195, A6739
- Rosen, M. I., Becker, W. C., Black, A. C., Martino, S., Edens, E. L., & Kerns, R. D. (2019). Brief counseling for veterans with musculoskeletal disorder, risky substance use, and service connection claims. *Pain Medicine*, 20(3), 528-542.
- Rosenbek Minet, L. K., Wagner, L., Lonvig, E. M., Hjelmborg, J., & Henriksen, J. E. (2011). The effect of motivational interviewing on glycaemic control and perceived competence of diabetes self-management in patients with type 1 and type 2 diabetes mellitus after attending a group education programme: A randomised controlled trial. *Diabetologia*, 54(7), 1620-1629.
- Rosenberg, I., Burkhardt, G., Renatac, F., Battegay, E., & Ballmer, P. E. (2018). Motivational interviewing increases autopsy rates. *Swiss Medical Weekly*, 148(w14678).
- Rosson, J., Yngve, A., Hagströmer, M., Brismar, K., Ainsworth, B. E., Iskull, C., . . . Johansson, U.-B. (2015). Physical activity promotion in the primary care setting in pre- and type 2 diabetes - the Sophia step study, an RCT. *BMC Public Health*, 15(647).
- Rothberg, A., Lanham, M., Randolph, J., Fowler, C., Miller, N., & Smith, Y. (2016). Feasibility of a brief, intensive weight loss intervention to improve reproductive outcomes in obese, subfertile women: A pilot study. *Fertility and Sterility*, 106(5): 1212-1220.
- Rothman, E. F., Stuart, G. L., Heeren, T., Paruk, J., & Bair-Merritt, M. (2019 in press). The effects of a health care-based brief intervention on dating abuse perpetration: Results of a randomized controlled trial. *Prevention Science*. See also: Rothman, E. F., & Wang, N. (2016). A feasibility test of a brief motivational interview intervention to reduce dating abuse perpetration in a hospital setting. *Psychology of Violence*, 6(3), 433-441. Rothman, E. F., Bair-Merritt, M., Corso, P., Paruk, J., & Heeren, T. (2017). A brief intervention to prevent adolescent dating aggression perpetration. (NCJ 251205). Retrieved from <https://www.ncjrs.gov/App/Publications/abstract.aspx?ID=273385>
- Rouleau, C. R., King-Shier, K. M., Tomfohr-Madsen, L. M., Bacon, S. L., Aggarwal, S., Arena, R., & Campbell, T. S. (2018). The evaluation of a brief motivational intervention to promote intention to participate in cardiac rehabilitation: A randomized controlled trial. *Patient Education and Counseling*, 101(11), 1914-1923.
- Rubak, S., Sandbaek, A., Lauritzen, T., Borch-Johnsen, K., & Christensen, B. (2009). General practitioners trained in motivational interviewing can positively affect the attitude to behaviour change in people with type 2 diabetes. One year follow-up of an RCT, ADDICTION Denmark. *Scandinavian Journal of Primary Health Care*, 27(3), 172-179. See also Rubak, S., Sandbaek, A., Lauritzen, T., Borch-Johnsen, K., & Christensen, B. (2011). Effect of "motivational interviewing" on quality of care measures in screen detected type 2 diabetes patients: A one-year follow-up of an RCT, ADDITION Denmark. *Scandinavian Journal of Primary Health Care*, 29(2), 92-98. doi: 10.3109/02813432.2011.554271
- Ruger, J. P., M. C. Weinstein, et al. (2008). Cost-effectiveness of motivational interviewing for smoking cessation and relapse prevention among low-income pregnant women: A randomized controlled trial. *Value in Health* 11(2): 191-198.
- Rush, B. R., M. L. Dennis, et al. (2008). The interaction of co-occurring mental disorders and recovery management checkups on substance abuse treatment participation and recovery. *Evaluation Review* 32(1): 7-38.
- Rutger W. M. Brouwers, R. W. B., Kraal, J. J., Traa, S. C. J., Spee, R. F., Oostveen, L. M. L. C., & Kemps, H. M. C. (2017). Effects of cardiac telerehabilitation in patients with coronary artery disease using a personalised patient-centred web application: Protocol for the SmartCareCAD randomised controlled trial. *BMC Cardiovascular Disorders*, 17(46). doi: 10.1186/s12872-017-0477-6
- Saengtipbovorn, S. (2017). Efficacy of motivational interviewing in conjunction with caries risk assessment (MICRA) programmes in improving the dental health status of preschool children: A randomised controlled trial. *Oral Health and Preventive Dentistry*, 15(2), 123-129. doi: 10.3290/j.ohpd.a37924
- Säfsten, E., Forsell, Y., Ramstedt, M., Thakker, K. D., & Galanti, M. R. (2019). A pragmatic randomised trial of two counselling models at the Swedish national alcohol helpline. *BMC Psychiatry*, 19(213). See also Säfsten, E., Forsell, Y., Ramstedt, M., & Galanti, M. R. (2017). Comparing counselling models for the hazardous use of alcohol at the Swedish National Alcohol Helpline: study protocol for a randomised controlled trial. *BMC Trials*, 18(257).

- Saftlas, A. S., Harland, K. K., Wallis, A. B., Cavanaugh, J., Dickey, P., & Peek-Asa, C. (2014). Motivational interviewing and intimate partner violence: A randomized trial. *Annals of Epidemiology*, 24(2), 144-150.
- Saitz, R., T. P. Palfai, et al. (2007). Brief intervention for medical inpatients with unhealthy alcohol use. *Annals of Internal Medicine* 24(3): 167-176.
- Salehi, F., Mousavi, S. A., Keramat, A., Goli, S., Hoseini, Z., & Motaghi, Z. (2018). The effect of motivational interviewing on the success of exclusive breastfeeding in Primiparous women: A randomized clinical trial. *Journal of Torbat Heydariyeh University of Medical Sciences*, 6(4), 13-21. See also Salehi, F., Motaghi, Z., Keramat, A., Goli, S., Rasouli, M., Hoseini, Z., & Mousavi, S. A. (2019). Comparing the effect of talks and motivational interviews on self-efficacy of exclusive maternal breastfeeding in primiparous women. *Journal of Mazandaran University of Medical Sciences*, 29(171), 45-57.
- Salimzadeh, H., Khabiri, R., Khazaee-pool, M., Salimzadeh, S., & Delavari, A. (2018). Motivational interviewing and screening colonoscopy in high-risk individuals. A randomized controlled trial. *Patient Education and Counseling*, 101(6), 1082-1087.
- Salisbury, C., O'Cathain, A., Edwards, L., Thomas, C., Gaunt, D., Hollinghurst, S., . . . Montgomery, A. A. (2016). Effectiveness of an integrated telehealth service for patients with depression: a pragmatic randomised controlled trial of a complex intervention. *The Lancet. Psychiatry*, 3(6), 515-525. doi: 10.1016/S2215-0366(16)00083-3
- Samet, J. H., N. J. Horton, et al. (2005). A randomized controlled trial to enhance antiretroviral therapy adherence in patients with a history of alcohol problems. *Antiviral Therapy* 10(1): 83-93.
- Sanchez, F. P. (2001). A values-based intervention for alcohol abuse. Dissertation Abstracts International: Section B: The Sciences and Engineering, Unpublished doctoral dissertation, University of New Mexico.
- Sanci, L., Chondros, P., Sawyer, S., Pirkis, J., Ozer, E., Hegarty, K., . . . Patton, G. (2015). Responding to young people's risks in primary care: A cluster randomised trial of training clinicians in screening and motivational interviewing. *PLoS One*, 10(9), e0137581. doi: 10.1371/journal.pone.0137581
- Sander, A. M., Bogner, J., Nick, T. G., Clark, A. N., Corrigan, J. D., & Rozzell, M. (2012). A randomized controlled trial of brief intervention for problem alcohol use in persons with traumatic brain injury. *Journal of Head Trauma Rehabilitation*, 27(5), 319-330.
- Sandhu, H. K., Abraham, C., Alleyne, S., Balasubramanian, S., Betteley, L., Booth, K., . . . Eldabe, S. (2019). Testing a support programme for opioid reduction for people with chronic non-malignant pain: the I-WOTCH randomised controlled trial protocol. *BMJ Open Patient-Centred Medicine*, 9(8), e028937.
- Santa Ana, E. J., E. Wulfert, et al. (2007). Efficacy of group motivational interviewing (GMI) for psychiatric inpatients with chemical dependence. *Journal of Consulting and Clinical Psychology* 75(5): 816-822.
- Saran, R., Padilla, R. L., Gillespie, B. W., Heung, M., Hummel, S. L., Derebail, V. K., . . . Klemmer, P. (2017). A randomized crossover trial of dietary sodium restriction in stage 3-4 CKD. *Clinical Journal of the American Society of Nephrology*, 12(3), 399-407. doi: 10.2215/CJN.01120216
- Sarfo, F. S., Treiber, F., Jenkins, C., Patel, S. N., Gebregziabher, M., Singh, A., . . . Ovbiagele, B. (2016). Phone-based intervention under nurse guidance after stroke (PINGS): Study protocol for a randomized controlled trial. *BMC Trials*, 17(436).
- Satre, D. D., Delucchi, K., Lichtmacher, J., Sterling, S. A., & Weisner, C. (2013). Motivational interviewing to reduce hazardous drinking and drug use among depression patients. *Journal of Substance Abuse Treatment*, 44(3), 323-329. doi: 10.1016/j.jsat.2012.08.008
- Satre, D. D., Leibowitz, A., Sterling, S. A., Lu, Y., Travis, A., & Weisner, C. (2016). A randomized clinical trial of motivational interviewing to reduce alcohol and drug use among patients with depression. *Journal of Consulting and Clinical Psychology*, 84(7), 571-579.
- Satre, D. D., Leibowitz, A. S., Leyden, W., Catz, S. L., Hare, C. B., Jang, H., . . . J., S. M. (2019 in press). Interventions to reduce unhealthy alcohol use among primary care patients with HIV: The Health and Motivation Randomized Clinical Trial. *Journal of General Medicine*.
- Saulsberry, A., Marko-Holguin, M., Blomeke, K., Hinkle, C., Fogel, J., Gladstone, T., . . . Van Vorhees, B. W. (2013). Randomized clinical trial of a primary care internet-based intervention to prevent adolescent depression: One-year outcomes. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 22(2), 106-117
- Sauder, K. A., Dabelea, D., Bailey-Callahan, R., Lambert, S. K., Powell, J., James, R., . . . Mayer-Davis, E. (2018). Targeting risk factors for type 2 diabetes in American Indian youth: The Tribal Turning Point pilot study. *Pediatric Obesity*, 13(5), 321-329.

- Saunders, B., C. Wilkinson, et al. (1995). The impact of a brief motivational intervention with opiate users attending a methadone programme. *Addiction* 90(3): 415-424.
- Sawyers, P. S. (1999). The effects of motivational interviewing and discussion on father/adolescent religious value congruence. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. US, ProQuest Information & Learning. 59.
- Sayegh, C. S., Huey, S. J., Jr., Barnett, E., & Spruijt-Metz, D. (2017). Motivational interviewing to prevent dropout from an education and employment program for young adults: A randomized controlled trial. *Journal of adolescence*, 58, 1-11
- Scales, R. (1998). Motivational interviewing and skills-based counseling in cardiac rehabilitation: The cardiovascular health initiative and lifestyle education (CHILE) study, Unpublished doctoral dissertation, University of New Mexico: 197 p.
- Schaus, J. F., M. L. Sole, et al. (2009). Alcohol screening and brief intervention in a college student health center: A randomized controlled trial. *Journal of Studies on Alcohol and Drugs Supplement*(16): 131-141.
- Scheffers-Barnhoorn, M. N., van Haastregt, J. C. M., Schols, J. M. G. A., Kempen, G. I. J. M., van Balen, R., Visschedijk, J. H. M., . . . van Eijk, M. (2017). A multi-component cognitive behavioural intervention for the treatment of fear of falling after hip fracture (FIT-HIP): Protocol of a randomised controlled trial. *BMC Geriatrics*, 17(71). doi: 10.1186/s12877-017-0465-9
- Scheffers-van Schayck, T., Otten, R., Engels, R., & Kleinjan, M. (2018). Evaluation and implementation of a proactive telephone smoking cessation counseling for parents: A study protocol for an effectiveness implementation hybrid design. *International Journal of Environmental Research and Public Health*, 15(1), 97. (12 pages)
- Schermer, C. R., Moyers, T. B., Miller, W. R., & Bloomfield, L. A. (2006). Trauma center brief interventions for alcohol disorders decrease subsequent driving under the influence arrests. *Journal of Trauma*, 60, 29-34.
- Schertz, A., Belnap, B. H., Chavanon, M.-L., Edelmann, F., Wachter, R., & Herrmann-Lingen, C. (2019, in press). Motivational interviewing can support physical activity in elderly patients with diastolic heart failure: Results from a pilot study. *ESC Heart Failure*. DOI: 10.1002/ehf2.12436
- Schilling, R. F., El-Bassel, N., Finch, J. B., Roman, R. J., & Hanson, M. (2002). Motivational interviewing to encourage self-help participation following alcohol detoxification. *Research on Social Work Practice*, 12(6), 711-730.
- Schmalong, K. B., Blume, A. W., & Afari, N. (2001). A randomized controlled pilot study of motivational interviewing to change attitudes about adherence to medications for asthma. *Journal of Clinical Psychology in Medical Settings*, 8, 167-172.
- Schmidt, U., Renwick, B., Lose, A., Kenyon, M., DeJong, H., Broadbent, H., . . . Landau, S. (2013). The MOSAIC study - comparison of the Maudsley Model of Treatment for Adults with Anorexia Nervosa (MANTRA) with Specialist Supportive Clinical Management (SSCM) in outpatients with anorexia nervosa or eating disorder not otherwise specified, anorexia nervosa type: study protocol for a randomized controlled trial. *Trials*, 14(160).
- Schmiege, S. J., M. R. Broaddus, et al. (2009). Randomized trial of group interventions to reduce HIV/STD risk and change theoretical mediators among detained adolescents. *Journal of Consulting and Clinical Psychology* 77(1): 38-50.
- Schmittiel, J. A., Adams, S. R., Goler, N., Sanna, R. S., Boccio, M., Bellamy, D. J., . . . Ferrara, A. (2017). The impact of telephonic wellness coaching on weight loss: A Natural Experiments for Translation in Diabetes (NEXT-D) study. *Obesity: A Research Journal*, 25(2), 352-356. doi: 10.1002/oby.21723
- Schneider, R. J., J. Casey, et al. (2000). Motivational versus confrontational interviewing: A comparison of substance abuse assessment practices at employee assistance programs. *Journal of Behavioral Health Services and Research* 27(1): 60-74.
- Schoenthaler, A. M., Lancaster, K. J., Chaplin, W., Butler, M., Forsyth, J., & Ogedegbe, G. (2018). Cluster randomized clinical trial of FAITH (Faith-Based Approaches in the Treatment of Hypertension) in Blacks: Main trial results. *Circulation: Cardiovascular Quality and Outcomes*, 11(e004691).
- Schwartz, R. P., R. Hamre, et al. (2007). Office-based motivational interviewing to prevent childhood obesity: A feasibility study. *Archives of Pediatrics and Adolescent Medicine* 161(5): 495-501.
- Schwarz, A.-S., Nielsen, B., Søgaard, J., & Søgaard Nielsen, A. (2019). Making a bridge between general hospital and specialised community-based treatment for alcohol use disorder—A pragmatic randomised controlled trial. *Drug and Alcohol Dependence*, 196, 51-56.

- Scott, C. K. and M. L. Dennis (2009). Results from two randomized clinical trials evaluating the impact of quarterly recovery management checkups with adult chronic substance users. *Addiction* 104(6): 959-971.
- Scott, C. K., Grella, C. E., Nicholson, L., & Dennis, M. (2018). Opioid recovery initiation: Pilot test of a peer outreach and modified Recovery Management Checkup intervention for out-of-treatment opioid users. *Journal of Substance Abuse Treatment*, 86, 30-35. See also Scott, C. K., Grella, C. E., Dennis, M. L., & Nicholson, L. (2018). Linking individuals with substance use disorders (SUDs) in primary care to SUD treatment: The Recovery Management Checkups—Primary Care (RMC-PC) pilot study. *Journal of Behavioral Health Services & Research*, 45(2), 160-173.
- Scott, C. K., Dennis, M. L., Grella, C. E., Nicholson, L., Sumpter, J., Kurz, R., & Funk, R. (2019 in press). Findings from the recovery initiation and management after overdose (RIMO) pilot study experiment. *Journal of Substance Abuse Treatment*.
- Scott, S., Breckon, J., & Copeland, R. (2018, in press). An integrated motivational interviewing and cognitive-behavioural intervention promoting physical activity maintenance for adults with chronic health conditions: A feasibility study. *Chronic Illness*.
- Seal, K. H., Abadjian, L., McCamish, N., Shi, Y., Tarasovsky, G., & Weingardt, K. (2012). A randomized controlled trial of telephone motivational interviewing to enhance mental health treatment engagement in Iraq and Afghanistan veterans. *General Hospital Psychiatry*, 34(5): 450-459.
- Seal, K. H., Borsari, B., Tighe, J., Cohen, B. E., Delucchi, K., Morasco, B. J., . . . Midboe, A. (2019 in press). Optimizing pain treatment interventions (OPTI): A pilot randomized controlled trial of collaborative care to improve chronic pain management and opioid safety—Rationale, methods, and lessons learned. *Contemporary Clinical Trials*.
- Secades-Villa, R., Fernande-Hermida, J. R., & Arnaez-Montaraz, C. (2004). Motivational interviewing and treatment retention among drug user patients: A pilot study. *Substance Use & Misuse*, 39(9), 1369-1378.
- Seen, H., LaMotte, A., & Hanusma, D. (2016). A randomized controlled trial finds more rapid reduction in alcohol use and partner violence after a brief alcohol intervention among hazardous drinkers attending an intimate partner violence (IPV) intervention program. *Violence Research Digest*, 1(1).
- Şekerçi, Y. G. (2017). The impact of home visitation program on exercise behaviour of women with type 2 diabetes. *International Journal of Medical Research & Health Sciences*, 6(3), 95-100.
- Sellman, J. D., P. F. Sullivan, et al. (2001). A randomized controlled trial of motivational enhancement therapy (MET) for mild to moderate alcohol dependence. *Journal of Studies on Alcohol* 62(3): 389-396.
- Senft, R. A., M. R. Polen, et al. (1997). Brief intervention in a primary care setting for hazardous drinkers. *American Journal of Preventive Medicine* 13(6): 464-470.
- Severson, H. H., A. L. Peterson, et al. (2009). Smokeless tobacco cessation in military personnel: A randomized controlled trial. *Nicotine and Tobacco Research* 11(6): 730-738.
- Sewali, B., Thomas, J. L., Guo, H., & Peterson, K. (2016). Enrolling smokers from health systems into quitline services: Results of two enrollment strategies. *Journal of Smoking Cessation*, 11(3), 179-187. doi: 10.1017/jsc.2014.23
- Sharafi, S., Djazayery, A., Saffari, M., & Movahedi, A. (2018). Effect of motivational interviewing on anthropometric indices and hypertension in overweight and obese adults. *Iranian Journal of Nutrition Sciences & Food Technology*, 13(4), 11-20.
- Sharifi, M., Mami, S., Mohammadzadeh, J., Ahmadi, V., & Kakabaraei, K. (2018). Comparative study on the effectiveness of a unified protocol for the transdiagnostic treatment and emotion regulation intervention in anxious arousal. *Annals of Military & Health Sciences Research*, 16(4), e84155.
- Sharp, J., Angert, C. D., McConnell, T., Wortley, P., Pennisi, E., Roland, L., . . . Colasanti, J. A. (2019). Health Information Exchange: A novel re-linkage intervention in an urban health system. *Open Forum Infectious Diseases*, 6(10), ofz402.
- Shaul, L., Koeter, M. W. J., & Schippers, G. M. (2016). Brief motivation enhancing intervention to prevent criminal recidivism in substance abusing offenders under supervision: A randomized trial. *Psychology, Crime & Law*, 22(9), 903-914. doi: 10.1080/1068316X.2016.1202248
- Shaw, D. S., Dishion, T. J., Supplee, L. H., Gardner, F., & Arnds, K. (2006). Randomized trial of a family-centered approach to the prevention of early conduct problems: 2-year effects of the Family Check-Up in early childhood. *Journal of Consulting and Clinical Psychology*, 74, 1-9.

- Sheeber, L. B., Feil, E. G., Seeley, J. R., Leve, C., Gau, J. M., Davis, B., . . . Allan, S. (2017). Mom-net: Evaluation of an internet-facilitated cognitive behavioral intervention for low-income depressed mothers. *Journal of Consulting and Clinical Psychology*, 85(4), 355-366. doi: 10.1037/ccp0000175
- Sheikh, W. A., Paul, R., Banda, H., Agath, K., & Luty, J. (2017). Impact of brief relapse prevention intervention in patients with alcohol dependence in Zambia. *Journal of Substance Use*, 22(1), 113-117. doi: 10.3109/14659891.2016.1143047
- Sherbot, N. A. A. (2005). The use of motivational enhancement therapy and the quit 4 life program as a means to facilitate adolescent smoking cessation, Unpublished doctoral dissertation.
- Sheridan Rains, L., Marston, L., Hinton, M., Marwaha, S., Craig, T., Fowler, D., . . . Johnson, S. (2019). Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. *BMC Medicine*, 17(1), 161.
- Sherwood, N. E., Levy, R. L., Seburg, E. M., Crain, A. L., Langer, S. L., Jaka, M. M., . . . Jeffrey, R. W. (2019 in press). The Healthy Homes/Healthy Kids 5-10 Obesity Prevention Trial: 12 and 24-month outcomes. *Pediatric Obesity*.
- Shestopal, I., & Bramness, J. G. (2019 in press). Effect of hypnotherapy in alcohol use disorder compared with motivational interviewing: A randomized controlled trial. *Addictive Disorders and Their Treatment*.
- Shimada, T., Ohori, M., Inagaki, Y., Shimooka, Y., Sugimura, N., Ishihara, I., . . . Kobayashi, M. (2018). A multicenter, randomized controlled trial of individualized occupational therapy for patients with schizophrenia in Japan. *PLoS One*, 13(4).
- Shippee, N. D., Mattson, A., Brennan, R., Huxsahl, J., Billings, M. L., & Williams, M. D. (2018). Effectiveness in regular practice of collaborative care for depression among adolescents: A retrospective cohort study. *Psychiatric Services*, 69(5), 536-541.
- Shivji, I., & Gandhi, P. (2017). A study of interventions for adolescent emergency patient who screen positive for suicide risk. *International Journal of Scientific Research*, 4(8), 441-442.
- Sibley, M. H., Graziano, P. A., Kuriyan, A. B., Coxe, S., Pelham, W. E., Rodriguez, L., . . . Ward, A. (2016). Parent-teen behavior therapy + motivational interviewing for adolescents with ADHD. *Journal of Consulting and Clinical Psychology*, 84(8), 699-712. doi: 10.1037/ccp0000106
- Silva, M. N., D. Markland, et al. (2008). A randomized controlled trial to evaluate self-determination theory for exercise adherence and weight control: Rationale and intervention description. *BMC Public Health* 8(234).
- Silverstein, M., Diaz-Linhart, Y., Cabral, H., Beardslee, W., Hegel, M., Haile, W., . . . Feinberg, E. (2017). Efficacy of a maternal depression prevention strategy in Head Start. *JAMA Psychiatry*, 74(8), 781-789.
- Silveira, L. C. J., Aliti, G. B., Da Silva, E. M., Pimentel, R. P., Gus, M., & Rabelo-Silva, E. R. (2019). Effect of motivational interviewing in hypertensive patients (MIdNIGHT): Study protocol for a randomized controlled trial. *Trials*, 20(414).
- Simmons, D., Jelsma, J. G., Galjaard, S., Devlieger, R., van Assche, A., Jans, G., . . . van Poppel, M. N. (2015). Results from a European multicenter randomized trial of physical activity and/or healthy eating to reduce the risk of gestational diabetes mellitus: The DALI Lifestyle Pilot. *Diabetes care*, 38(9), 1650-1656. See also Simmons, D., Devlieger, R., van Assche, A., Galjaard, S., Corcoy, R., Adelantado, J. M., . . . van Poppel, M. N. M. (2018). Association between gestational weight gain, gestational diabetes risk, and obstetric outcomes: A randomized controlled trial post hoc analysis. *Nutrients*, 10(11), 1568.
- Simon, G. E., E. J. Ludman, et al. (2004). Telephone psychotherapy and telephone care management for primary care patients starting antidepressant treatment: A randomized controlled trial. *Journal of the American Medical Association* 292(8): 935-942.
- Simpson, H. B., Zuckoff, A., Page, J. R., Franklin, M. E., & Foa, E. B. (2008). Adding motivational interviewing to exposure and ritual prevention for obsessive-compulsive disorder: An open pilot trial. *Cognitive Behaviour Therapy*, 37(1), 38- 49.
- Simpson, H. B., A. M. Zuckoff, et al. (2010). Challenges using motivational interviewing as an adjunct to exposure therapy for obsessive-compulsive disorder. *Behaviour Research and Therapy* 48(10): 941-948.
- Simpson, S. A., McNamara, R., Shaw, C., Kelson, M., Moriarty, Y., Randell, E., Cohen, D., Alam, M. F., Copeland, L., Duncan, D., Espinasse, A., Gillespie, D., Hill, A. J., Owen-Jones, E., Tapper, K., Townson, J., Williams, S. & Hood, K. (2015). A feasibility randomised controlled trial of a motivational interviewing-based intervention for weight loss maintenance in adults. *Health Technology Assessment*, 19(50), doi: [10.3310/hta19500](https://doi.org/10.3310/hta19500)

- Sinclair, K. S., T. S. Campbell, et al. (2010). An adapted postdonation motivational interview enhances blood donor retention. *Transfusion* 50(8): 1778-1786.
- Sinha, R., C. Easton, et al. (2003). Engaging young probation-referred marijuana-abusing individuals in treatment: A pilot trial. *American Journal on Addictions* 12(4): 314-323.
- Siu, A. M., Ko, F. S. L., & Mak, S. K. (2018). Outcome evaluation of a short-term hospitalization and community support program for people who abuse ketamine. *Frontiers in Psychiatry*, 9(313).
- Skaret, E., P. Weinstein, et al. (2003). An intervention program to reduce dental avoidance behaviour among adolescents: A pilot study. *European Journal of Paediatric Dentistry* 4(4): 191-196.
- Skolasky, R. L., Maggard, A. M., Wegener, S. T., & Riley, L. H. (2018). Telephone-based intervention to improve rehabilitation engagement after spinal stenosis surgery: A prospective lagged controlled trial. *Journal of Bone and Joint Surgery*, 100(1), 21-30.
- Smeerdijk, M., Keet, R., Dekker, N., van Raaij, B., Krikke, M., Koeter, M., . . . Linszen, D. (2012). Motivational interviewing and interaction skills training for parents to change cannabis use in young adults with recent-onset schizophrenia: A randomized controlled trial. *Psychological Medicine*, 42(8), 1627-1636. See also Smeerdijk, M., Keet, R., van Raaij, B., Koeter, M., Linszen, D., de Haan, L., & Schippers, G. (2015). Motivational interviewing and interaction skills training for parents of young adults with recent-onset schizophrenia and co-occurring cannabis use: 15-month follow-up. *Psychological Medicine*, 45(13), 2839-2848.
- Smith, A. J., Hodgson, R. J., Bridgeman, K., & Shepherd, J. P. (2003). A randomized controlled trial of a brief intervention after alcohol-related facial injury. *Addiction*, 98(1), 43-52.
- Smith, D. E., C. M. Heckemeyer, et al. (1997). Motivational interviewing to improve adherence to a behavioral weight-control program for older obese women with NIDDM. A pilot study. *Diabetes Care* 20(1): 52-54.
- Smith, S. S., D. E. Jorenby, et al. (2001). Strike while the iron is hot: Can stepped-care treatments resurrect relapsing smokers? *Journal of Consulting and Clinical Psychology* 69(3): 429-439.
- Smithers, L. G., Lynch, J., Hedges, J., & Jamieson, L. M. (2017). Diet and anthropometry at 2 years of age following an oral health promotion programme for Australian Aboriginal children and their carers: A randomised controlled trial. *British Journal of Nutrition*, 118(12), 1061-1069. See also Jamieson, L. M., Smithers, L. G., Hedges, J., Aldis, J., Mills, H., Kapellas, K., . . . Ju, X. (2019). Follow-up of an intervention to reduce dental caries in indigenous Australian children: A secondary analysis of a randomized clinical trial. *JAMA Network Open*, 2(3), e190648.
- Smithers, L. G., Lynch, J. W., Jamieson, L. J., & BTT Team. (2017). The baby teeth talk (BTT) trial: A RCT involving aboriginal children and their families, from pregnancy to 2 years of age. *Journal of Nutrition & Intermediary Metabolism*, 8, 68.
- Sobell, L. C., M. B. Sobell, et al. (2009). Randomized controlled trial of a cognitive-behavioral motivational intervention in a group versus individual format for substance use disorders. *Psychology of Addictive Behaviors* 23(4): 672-683.
- Sobell, L. C., M. B. Sobell, et al. (2002). Promoting self-change with alcohol abusers: A community-level mail intervention based on natural recovery studies. *Alcoholism: Clinical and Experimental Research* 26(6): 936-948.
- Solbrig, L., Whalley, B., Kavanagh, D., May, J., Parkin, T., Jones, R., & Andrade, J. (2019). Functional imagery training versus motivational interviewing for weight loss: A randomised controlled trial of brief individual interventions for overweight and obesity. *International Journal of Obesity*, 43, 883-894.
- Solomon, D. H., Gleeson, T., Iversen, M., Avorn, J., Brookhart, M. A., Lii, J., . . . Katz, J. N. (2010). A blinded randomized controlled trial of motivational interviewing to improve adherence with osteoporosis medications: design of the OPTIMA trial. *Osteoporosis International* 21(1), 137-144. doi: 10.1007/s00198-009-0951-9
- Soria, R., Legia, A., Escolano, C., Yeste, A. L., & Montoya, J. (2006). A randomised controlled trial of motivational interviewing for smoking cessation. *British Journal of General Practice*, 56, 768-774.
- Sorsdahl, K., Stein, D. J., Corrigan, J., Cuijpers, P., Smits, N., Naledi, T., & Myers, B. (2015). The efficacy of a blended motivational interviewing and problem solving therapy intervention to reduce substance use among patients presenting for emergency services in South Africa: A randomized controlled trial. *Substance Abuse Treatment, Prevention & Policy*, 10(46). doi: 10.1186/s13011-015-0042-1
- Southard, K. J., Ellingson, L. D., Lansing, J. E., Perez, M., & Welk, G. J. (2018). Fitness trackers and motivational interviewing: Effects on body composition in chronic low back pain. *Medicine & Science in Sports & Exercise*, 50(5S), 48.

- Spees, C. K., Braun, A. C., Hill, E. B., Grainger, E. M., Portner, J., Young, G. S., . . . Clinton, S. K. (2019). Impact of a tailored nutrition and lifestyle intervention for overweight cancer survivors on dietary patterns, physical activity, quality of life, and cardiometabolic profiles. *Journal of Oncology Hindawi*, 2019(Article ID 1503195).
- Spirito, A., Hernandez, L., Marceau, K., Concilliere, M. K., Barnett, N. P., Graves, H. R., . . . Knopik, V. S. (2017). Effects of a brief, parent-focused intervention for substance using adolescents and their sibling. *Journal of Substance Abuse Treatment*, 77, 156-165. doi: 10.1016/j.jsat.2017.02.002
- Spirito, A., P. M. Monti, et al. (2004). A randomized clinical trial of a brief motivational intervention for alcohol-positive adolescents treated in an emergency department. *Journal of Pediatrics* 145(3): 396-402.
- Spirito, A., Sindelar-Manning, H., Colby, S. M., Barnett, N. P., Lewander, W., Rohsenow, D. J., & Monti, P. M. (2011). Individual and family motivational interventions for alcohol-positive adolescents treated in an emergency department: Results of a randomized clinical trial. *Archives of Pediatric Adolescent Medicine*, 165(3), 269-274.
- Spoelstra, S. L., Sikorskii, A., Majumder, A., Burhenn, P. S., Schueller, M., & GIven, B. (2017). Oral anticancer agents: An intervention to promote medication adherence and symptom management. *Clinical Journal of Oncology Nursing*, 21(2), 157-160. doi: 10.1188/17.CJON.157-160
- Sridhar, O. T. S., Murthy, P., & Kumar, K. V. K. (2017). Integrated brief tobacco and alcohol cessation intervention in a primary health-care setting in Karnataka. *Indian Journal of Public Health*, 61(5), 29-34.
- Srinivasan, A., Zwillenberg, J., Chadda, A., Gissel, H., Lettera, M., Bender, S., . . . Margulies, I. G. (2019 in press). Monitoring and developing volunteer patient navigation intervention to improve mammography compliance in a safety net hospital. *Journal of Clinical Oncology*.
- Stark, L. J., Filigno, S. S., Kichler, J. C., Bolling, C., Ratcliff, M. B., Robson, S. M., . . . Mara, C. A. (2019 in press). Maintenance following a randomized trial of a clinic and home-based behavioral intervention of obesity in preschoolers. *Journal of Pediatrics*.
- Starks, T. J., Feldstein Ewing, S. W., Lovejoy, T., Gurung, S., Cain, D., Fan, C. A., . . . Parsons, J. T. (2019). Adolescent Male Couples-Based HIV Testing Intervention (We Test): Protocol for a Type 1, Hybrid Implementation-Effectiveness Trial. *JMIR Research Protocols*, 8(6), e11186.
- Starks, T. J., Robles, G., Pawson, M., Jimenez, R. H., Gandhi, M., Parsons, J. T., & Millar, B. M. (2019). Motivational interviewing to reduce drug use and HIV incidence among young men who have sex with men in relationships and are high priority for pre-exposure prophylaxis (Project PARTNER): Randomized controlled trial protocol. *JMIR Research Protocols*, 8(7).
- Staton, M., Strickland, J. C., Webster, J. M., Leukefeld, C., Oser, C., & Pike, E. (2018). HIV prevention in rural Appalachian jails: Implications for re-entry risk reduction among women who use drugs. *AIDS and Behavior*, 22(12), 4009-4018.
- Staton-Tindall, M., Wahler, E., Webster, J. M., Godlaski, T., Freeman, R., & Leukefeld, C. (2012). Telemedicine-based alcohol services for rural offenders. *Psychological Services*, 9(3), 298-309.
- Stauffer, C., Moschetto, J., McKernan, S., Hsiang, E., & Woolley, J. (2018). Oxytocin-enhanced motivational interviewing group therapy for methamphetamine use disorder in men who have sex with men: Preliminary results from a randomized controlled trial. *Biological Psychiatry*, 83(9 (Supplement)), S230-S231.
- Stauffer, C. S., Moschetto, J. M., McKernan, S. M., Hsiang, E., Borsari, B., & Woolley, J. D. (2019). Oxytocin-enhanced motivational interviewing group therapy for methamphetamine use disorder in men who have sex with men: Study protocol for a randomized controlled trial. *Trials*, 20(145).
- Stein, L. A. R., S. M. Colby, et al. (2006). Effects of motivational interviewing for incarcerated adolescents on driving under the influence after release. *American Journal on Addictions* 15(Suppl. 1): 50-57.
- Stein, L. A. R., S. M. Colby, et al. (2006). Enhancing substance abuse treatment engagement in incarcerated adolescents. *Psychological Services* 3(1): 25-34.
- Stein, L. A., Lebeau, R., Colby, S. M., Barnett, N. P., Golembeske, C., & Monti, P. M. (2011). Motivational interviewing for incarcerated adolescents: Effects of depressive symptoms on reducing alcohol and marijuana use after release. *Journal of Studies on Alcohol and Drugs*, 72(3), 497-506.
- Stein, M. D., B. Anderson, et al. (2002). A brief intervention for hazardous drinkers in a needle exchange program. *Journal of Substance Abuse Treatment* 22(1): 23-31.
- Stein, M. D., Caviness, C. M., Morse, E. F., Grimone, K. R., Audet, D., Herman, D. S., . . . Anderson, B. J. (2018). A developmental-based motivational intervention to reduce alcohol and marijuana use among non-treatment-seeking young adults: a randomized controlled trial. *Addiction*, 113(3), 440-453.

- Stein, M. D., A. Charuvastra, et al. (2002). A randomized trial of a brief alcohol intervention for needle exchangers (BRAINE). *Addiction* 97(6): 691-700.
- Stein, M. D., D. S. Herman, et al. (2009). A motivational intervention trial to reduce cocaine use. *Journal of Substance Abuse Treatment* 36(1): 118-125.
- Stein, M. D., D. S. Herman, et al. (2009). A trial to reduce hepatitis C seroincidence in drug users. *Journal of Addictive Diseases* 28(4): 389-398.
- Steinberg, M. L., Ziedonis, D. M., Krejci, J. A., & Brandon, T. H. (2004). Motivational interviewing with personalized feedback: A brief intervention for motivating smokers with schizophrenia to seek treatment for tobacco dependence. *Journal of Consulting and Clinical Psychology*, 72(4), 723-728.
- Stenman, J., Lundgren, J., Wennstrom, J. L., Ericsson, J. S., & Abrahamsson, K. H. (2012). A single session of motivational interviewing as an additive means to improve adherence in periodontal infection control: a randomized controlled trial. *Journal of clinical periodontology*, 39(10), 947-954. doi: 10.1111/j.1600-051X.2012.01926.x
- Stephens, R. S., R. A. Roffman, et al. (2000). Comparison of extended versus brief treatments for marijuana use. *Journal of Consulting and Clinical Psychology* 68(5): 898-908.
- Stephens, R. S., Roffman, R. A., Fearer, S. A., Williams, C., & Burke, R. S. (2007). The Marijuana Check-up: promoting change in ambivalent marijuana users. *Addiction*, 102(6), 947-957.
- Stephens, S. A. (2001). The effectiveness of motivational enhancement therapy in adolescent smoking cessation. *Dissertation Abstracts International: Section B: The Sciences and Engineering*. US, ProQuest Information & Learning. 62.
- Stephenson, R., Bonar, E. E., Carrico, A., Hunter, A., Connochie, D., Himmelstein, R., & Baumeister, J. (2018). Intervention to increase HIV testing among substance-using young men who have sex with men: Protocol for a randomized controlled tria. *JMIR Research Protocols*, 7(4), e114.
- Sterling, S., Kline-Simon, A. H., Jones, A., Satre, D. D., Parthasarathy, S., & Weisner, C. (2017). Specialty addiction and psychiatry treatment initiation and engagement: Results from an SBIRT randomized trial in pediatrics. *Journal of Substance Abuse Treatment*, 82, 48-54.
- Stevens, J., Hayes, J., & Pakalnis, A. (2014). A randomized trial of telephone-based motivational interviewing for adolescent chronic headache with medication overuse. *Cephalgia*, 34(6), 446-454.
- Stevens, J., Lutz, R., Osuaqwu, N., Rotz, D., & Goesling, B. (2017). A randomized trial of motivational interviewing and facilitated contraceptive access to prevent rapid repeat pregnancy among adolescent mothers. *American Journal of Obstetrics and Gynecology*, 217(4), e1-423.e429.
- Stevens, V. J., R. E. Glasgow, et al. (2000). Implementation and effectiveness of a brief smoking-cessation intervention for hospital patients. *Medical Care* 38(5): 451-459..
- Stewart, D. G., Felleman, B. I., & Arger, C. A. (2015). Effectiveness of motivational incentives for adolescent marijuana users in a school-based intervention. *Journal of Substance Abuse Treatment*, 58, 43-50.
- Stormshak, E. A., Seeley, J. R., Caruthers, A. S., & Cardenas, L. (2019 in press). Evaluating the efficacy of the Family Check-Up Online: A school-based, eHealth model for the prevention of problem behavior during the middle school years. *Development and Psychopathology*.
- Stotts, A. L., K. A. DeLaune, et al. (2004). Impact of a motivational intervention on mechanisms of change in low-income pregnant smokers. *Addictive Behaviors* 29(8): 1649-1657.
- Stotts, A. L., C. C. Diclemente, et al. (2002). One-to-one: A motivational intervention for resistant pregnant smokers. *Addictive Behaviors* 27(2): 275-292.
- Stotts, A. L., J. Y. Groff, et al. (2009). Ultrasound feedback and motivational interviewing targeting smoking cessation in the second and third trimesters of pregnancy. *Nicotine and Tobacco Research* 11(8): 961-968.
- Stotts, A. L., Northrup, T. F., Schmitz, J. M., Green, C., Tyson, J., Velasquez, M. M., . . . Hovell, M. F. (2013). Baby's Breath II protocol development and design: A secondhand smoke exposure prevention program targeting infants discharged from a neonatal intensive care unit. *Contemporary Clinical Trials* 35(1), 97-105.
- Stotts, A. L., G. F. Potts, et al. (2006). Preliminary feasibility and efficacy of a brief motivational intervention with psychophysiological feedback for cocaine abuse. *Substance Abuse* 27(4): 9-20.
- Stotts, A. L., Schmitz, J. M., Rhoades, H. M., & Grabowski, J. (2001). Motivational interviewing with cocaine-dependent patients: a pilot study. *Journal of Consulting and Clinical Psychology*, 69(5), 858-862.

- Strait, G. G., Smith, B. H., McQuillin, S., Terry, J., Swan, S., & Malone, P. S. (2012). A randomized trial of motivational interviewing to improve middle school students' academic performance. *Community Psychology*, 40(8), 1032-1039. doi: 10.1002/jcop.21511
- Strait, G. G., Williams, C., & Peters, C. (2019, in press). Classroom-based motivational interviewing for improving college students' academic performance: A randomized trial. *Teaching of Psychology*.
- Stuart, G. L., McGeary, J., Shorey, R. C., & Knopik, V. S. (2016). Genetics moderate alcohol and intimate partner violence treatment outcomes in a randomized controlled trial of hazardous drinking men in batterer intervention programs: A preliminary investigation. *Journal of Consulting and Clinical Psychology*, 84(7), 592-598.
- Su, T., Lu, J., & Ma, H. (2016). Lifestyle intervention prevents pregnant woman from gestational diabetes mellitus: A Chinese randomized controlled trial. *International Journal of Clinical and Experimental Medicine*, 9(12), 23584-23590.
- Sued, O., Cassetti, I., Cecchini, D., Cahn, P., de Murillo, L. B., Weiss, S. M., . . . Jones, D. L. (2018). Physician-delivered motivational interviewing to improve adherence and retention in care among challenging HIV-infected patients in Argentina (COPA2): Study protocol for a cluster randomized controlled trial. *Trials*, 19(396).
- Sullivan, M. D., Turner, J. A., DiLodovico, C., D'Appolonio, A., Stephens, K., & Chan, Y.-F. (2017). Prescription opioid taper support for outpatients with chronic pain: A randomized controlled trial. *Journal of Pain*, 18(3), 308-318. doi: 10.1016/j.jpain.2016.11.003
- Supplee, P. D. (2005). The importance of providing smoking relapse counseling during the postpartum hospitalization. *Journal of Obstetric, Gynecologic, and Neonatal Nursing*, 34(6): 703-712.
- Sussman, S., Sun, P., Rohrbach, L. A., & Spruijt-Metz, D. (2012). One-year outcomes of a drug abuse prevention program for older teens and emerging adults: Evaluating a motivational interviewing booster component. *Health Psychology*, 31(4), 476-485.
- Swanson, A. J., Pantalon, M. V., & Cohen, K. R. (1999). Motivational interviewing and treatment adherence among psychiatric and dually diagnosed patients. *Journal of Nervous and Mental Disease*, 187(10), 630-635.
- Swoboda, C. M., Miller, C. K., & Wills, C. E. (2017). Impact of a goal setting and decision support telephone coaching intervention on diet, psychosocial, and decision outcomes among people with type 2 diabetes. *Patient Education and Counseling*, 100(7), 1367-1373. doi: 10.1016/j.pec.2017.02.007
- Tagkaloglou, S., & Kasser, T. (2018). Increasing collaborative, pro-environmental activism: The roles of motivational interviewing, self-determined motivation, and self-efficacy. *Journal of Environmental Psychology*, 58(August), 86-92.
- Taheri, F., Nasiri, A., & Rezaii, S. M. (2019). The effects of motivational interviewing on asthma control among adolescents with asthma. *Modern Care Journal*, 16(1), e86277.
- Tan, E., Khoo, J., Gani, L. U., Malakar, R. D., Tay, T. L., Tirukonda, P. S., . . . Tang, T. Y. (2019). Effect of multidisciplinary intensive targeted care in improving diabetes mellitus outcomes: a randomized controlled pilot study – the Integrated Diabetes Education, Awareness and Lifestyle modification in Singapore (IDEALS) Program. *Trials*, 20(549).
- Tapert, S., S. Colby, et al. (2003). Depressed mood, gender, and problem drinking in youth. *Journal of Child and Adolescent Substance Abuse* 12(4): 55-68.
- Tappin, D. M., M. A. Lumsden, et al. (2000). A pilot study to establish a randomized trial methodology to test the efficacy of a behavioural intervention. *Health Education Research* 15(4): 491-502.
- Tappin, D. M., Lumsden, M. A., Gilmour, W. H., Crawford, F., McIntyre, D., Stone, D. H., . . . Mohammed, E. (2005). Randomised controlled trial of home based motivational interviewing by midwives to help pregnant smokers quit or cut down. *British Medical Journal*, 331, 373-377.
- Taylor, K. (2018). *Effect of a nurse-led lymphoma survivorship model of care: A pragmatic phase II pilot randomised controlled trial*. Ph.D., University of Notre Dame Australia. Retrieved from <https://researchonline.nd.edu.au/theses/206>.
- Taylor, K. L., Hagerman, C. J., Luta, G., Bellini, P. G., Stanton, C., Abrams, D. B., . . . Ramsaier, M. (2017). Preliminary evaluation of a telephone-based smoking cessation intervention in the lung cancer screening setting: A randomized clinical trial. *Lung Cancer*, 108, 242-246.. doi: 10.1016/j.lungcan.2017.01.020
- Ten Hoor, G. A., Rutten, G. M., Van Breukelen, G. J. P., Kok, G., Ruiter, R. A. C., Meijer, K., . . . Plasqui, G. (2018). Strength exercises during physical education classes in secondary schools improve body composition: A cluster randomized controlled trial. *International Journal of Behavioral Nutrition and Physical Activity*, 15(92). See also:

- Ten Hoor, G. A., Kok, G., Rutten, G. M., Ruiter, R. A. C., Kremers, S. P. J., Schols, A. M. J. W., & Plasqui, G. (2016). The Dutch "Focus on Strength" intervention study protocol: Programme design and production, implementation and evaluation plan. *BMC Public Health*, 16(496).
- Terry, J. (2016). *Preliminary evaluation of "Footprints:" Motivational interviewing to promote cognitive-behavioral skills, academic outcomes, and academic protective factors in middle school students*. Ph.D. Dissertation, University of South Carolina. (10165012)
- Terry, J., Smith, B., Strait, G., & McQuillin, S. (2013). Motivational interviewing to improve middle school students' academic performance: A replication study. *Journal of Community Psychology*, 41(7), 902-909. doi: 10.1080/1754730X.2013.851995
- Terry, J., Strait, G., McQuillin, S., & Smith, B. F. (2014). Dosage effects of motivational interviewing on middle-school students' academic performance: Randomized evaluation of one versus two sessions. *Advances in School Mental Health Promotion*, 7(1), 62-74.
- Tevyaw, T. O., S. M. Colby, et al. (2009). Contingency management and motivational enhancement: A randomized clinical trial for college student smokers. *Nicotine and Tobacco Research* 11(6): 739-749.
- Thanh, V. N., Guignard, R., Lancrenon, S., Bertrand, C., Delva, C., Berlin, I., . . . Arwidson, P. (2018). Effectiveness of a fully automated internet-based smoking cessation program: a randomized controlled trial (STAMP). *Nicotine & Tobacco Research*.
- Thevos, A. K., R. E. Quick, et al. (2000). Motivational interviewing enhances the adoption of water disinfection practices in Zambia. *Health Promotion International* 15(3): 207-214.
- Thiabpho, C., Changbumrung, S., Soonthornworasiri, N., Yoddumnern-Attig, B., Thaboot, P., Nissayan, P., & Kwanbunjan, K. (2018). Intensive lifestyle modification program on weight loss and metabolic syndrome risk reduction among obese women in rural areas of Thailand. *Journal of Health Research*, 32(3), 203-216. DOI: 10.1108/JHR-05-2018-022
- Thomas, M. L., Elliott, J. E., Rao, S. M., Fahey, K. F., Paul, S. M., & Miaskowski, C. (2012). A randomized clinical trial of education or motivational-interviewing-based coaching compared to usual care to improve cancer pain management. *Oncology Nursing Forum*, 39(1), 39-49.
- Thompson, R. G., Elliott, J. C., Mei-Chen, H., Aivadyan, C., Aharonovich, E., & Hasin, D. S. (2017). Short-term effects of a brief intervention to reduce alcohol use and sexual risk among homeless young adults: Results from a randomized controlled trial. *Addiction Research & Theory*, 25(1), 24-31. doi: 10.1080/16066359.2016.1193165
- Thompson, T. J. (2018). *Impact of motivational interviewing on body mass index*. Doctor of Nursing Practice Dissertation, Andrews University, Barrien Springs, MI. Pro Quest database #13861575.
- Thompson, T. P., Callaghan, L., Hazeldine, E., Quinn, C., Walker, S., Byng, R., . . . Taylor, A. H. (2018). Health trainer-led motivational intervention plus usual care for people under community supervision compared with usual care alone: a study protocol for a parallel-group pilot randomised controlled trial (STRENGTHEN) *BMJ Open Diabetes Research & Care*, 8(e023123).
- Thomsen, T., Aasahl, M., Beyer, N., Hetland, M. L., Løppenthin, K., Midtgård, J., . . . Esbensen, B. A. (2016). Motivational counselling and SMS-reminders for reduction of daily sitting time in patients with rheumatoid arthritis: a descriptive randomised controlled feasibility study. *BMC Musculoskeletal Disorders*, 17(434).
- Thurstone, C., P. D. Riggs, et al. (2010). Randomized, controlled trial of atomoxetine for attention-deficit/hyperactivity disorder in adolescents with substance use disorder. *Journal of the American Academy of Child and Adolescent Psychiatry* 49(6): 573-582.
- Tilton, J. J., Edakkunnathu, M. G., Moran, K. M., Vaysman, A. M., DaPisa, J. L., Goen, M., & Touchette, D. R. (2019). Impact of a medication therapy management clinic on glycosylated hemoglobin, blood pressure, and resource utilization. *Annals of Pharmacotherapy*, 53(1), 13-20.
- Timko, C., Harris, A. H. S., Jannausch, M., & Ilgen, M. (2019). Randomized controlled trial of telephone monitoring with psychiatry inpatients with co-occurring substance use and mental health disorders. *Drug and Alcohol Dependence*, 194, 230-237. See also Timko, C., Below, M., Vittorio, L., Taylor, E., Chang, G., Lash, S., . . . Brief, D. (2019). Randomized controlled trial of enhanced telephone monitoring with detoxification patients: 3- and 6-month outcomes. *Journal of Substance Abuse Treatment*, 99, 24-31.
- Tiozzo, S. N., Basso, C., Capodaglio, G., Schievano, E., Dotto, M., Avossa, F., . . . Corti, M. C. (2019). Effectiveness of a community care management program for multimorbid elderly patients with heart failure in the Veneto Region. *Aging Clinical and Experimental Research*, 31, 241-247.

- Toell, T., Boehme, C., Mayer, L., Krebs, S., Lang, C., Willeit, K., . . . Willeit, J. (2018). Pragmatic trial of multifaceted intervention (STROKE-CARD care) to reduce cardiovascular risk and improve quality-of life after ischaemic stroke and transient ischaemic attack: Study protocol. *BMC Neurology*, 18(187).
- Tolchin, B., Baslet, G., Suzuki, J., Martino, S., Blumenfeld, H., Hirsch, L. J., . . . Dworetzky, B. A. (2019 in press). Randomized controlled trial of motivational interviewing for psychogenic nonepileptic seizures. *Epilepsia*.
- Tolin, D. F., Woolton, B. M., Levy, H. C., Hallion, L. S., Worden, B. L., Diefenbach, G. J., . . . Stevens, M. C. (2019 in press). Efficacy and mediators of a group cognitive-behavioral therapy for hoarding disorder: A randomized trial. *Journal of Consulting and Clinical Psychology*.
- Tomlin, K., Bambulas, T., Sutton, M., Pazdernik, V., & Coonrod, D. V. (2016). Motivational interviewing to promote long-acting reversible contraception in postpartum teenagers. *Journal of Pediatric and Adolescent Gynecology*, 30(3), 383-388. doi: 10.1016/j.jpag.2016.11.001
- Town, G., P. Fraser, et al. (2000). Establishment of a smoking cessation programme in primary and secondary care in Canterbury. *New Zealand Medical Journal* 113(1107): 119-121.
- Treasure, J. L., M. Katzman, et al. (1999). Engagement and outcome in the treatment of bulimia nervosa: First phase of a sequential design comparing motivation enhancement therapy and cognitive behavioural therapy. *Behavior Research and Therapy* 37(5): 405-418.
- Trevisi, L., Orav, J. E., Atwood, S., Brown, C., Curley, C., King, C., . . . Shin, S. S. (2019). Integrating community health representatives with health care systems: clinical outcomes among individuals with diabetes in Navajo Nation. *International Journal for Equity in Health*, 18(183).
- Tsai, S. L., Clements, M. A., & Apodaca, T. R. (2016). Reflections on incorporating a behavioral intervention into a busy pediatric subspecialty clinic. *Journal of Pediatric Health Care*. doi: 10.1016/j.pedhc.2016.08.011
- Tse, M. M., Vong, S. K. A., & Tang, S. K. (2013). Motivational interviewing and exercise programme for community-dwelling older persons with chronic pain: A randomised controlled study. *Journal of Clinical Nursing*, 22(13-14), 1843-1856.
- Tsianakas, V., Harris, J., Ream, E., Van Hemelrijck, M., Purushotham, A., Mucci, L., . . . Armes, J. (2017). CanWalk: a feasibility study with embedded randomised controlled trial pilot of a walking intervention for people with recurrent or metastatic cancer. *BMJ Open*, 7, e013719.
- Tucker, J. M., DeFrang, R., Orth, J., Wakefield, S., & Howard, K. (2019). Evaluation of a primary care weight management program in children aged 2–5 years: Changes in feeding practices, health behaviors, and body mass index. *Nutrients*, 11(498).
- Tucker, J. S., D'Amico, E. J., Ewing, B. A., Miles, N. V., & Pedersen, E. R. (2017). A group-based motivational interviewing brief intervention to reduce substance use and sexual risk behavior among homeless young adults. *Journal of Substance Abuse Treatment*, 76, 20-27. doi: 10.1016/j.jsat.2017.02.008
- Tucker, S. J., Ytterberg, K. L., Lenoch, L. M., Schmit, T. L., Mucha, D. I., Wooten, J. A., & Lohse, C. M. (2013). Reducing pediatric everweight: Nurse-delivered motivational interviewing in primary care. *Journal of Pediatric Nursing*, 28(6), 536-547. doi: 10.1016/j.pedn.2013.02.031
- Tufail, M. W., Khan, R., Shahadan, M. A., & Saleem, M. (2017). A psycho-physical intervention for waist circumference and waist hip ratio among Pakistani women: A randomized control trial study. *Jurnal Psikologi Malaysia*, 31(3), 137-146.
- Turrisi, R., Mastroleo, N. R., Stapleton, J., & Mallett, K. (2008). A comparison of two brief intervention approaches to reduce indoor tanning behavior in young women who indoor tan very frequently. *Archives of Dermatology*, 141(8), 963-966.
- Tuthill, E. L., Butler, L. M., Pellowski, J. A., McGrath, J. M., Cusson, R. M., Gable, R. K., & Fisher, J. D. (2017). Exclusive breast-feeding promotion among HIV-infected women in South Africa: An information-motivation-behavioural skills model-based pilot intervention. *Public Health Nutrition*, 20(8), 1481-1490. doi: 10.1017/S1368980016003657
- UKATT Research Team. (2005). Effectiveness of treatment for alcohol problems: Findings of the randomized UK alcohol treatment trial (UKATT). *BMJ: British Medical Journal*, 331(7516), 541-544.
- Utter, G. H., Young, J. B., Theard, L. A., Cropp, D. M., Mohar, C. J., Eisenberg, D., . . . Owens, L. J. (2014). The effect on problematic drinking behavior of a brief motivational interview shortly after a first arrest for driving under the influence of alcohol: A randomized trial. *Journal of Trauma and Acute Care Surgery*, 76(3), 661-670.

- Vader, A. M., S. T. Walters, et al. (2010). The language of motivational interviewing and feedback: Counselor language, client language, and client drinking outcomes. *Psychology of Addictive Behaviors*, 24(2): 190-197.
- Valanis, B., Lichtenstein, E., Mullooly, J. P., Labuhn, K., Brody, K., Severson, H. H., & Stevens, N. (2001). Maternal smoking cessation and relapse prevention during health care visits. *American Journal of Preventive Medicine*, 20(1), 1-8.
- Valanis, B., E. E. Whitlock, et al. (2003). Screening rarely screened women: Time-to-service and 24-month outcomes of tailored interventions. *Preventive Medicine*, 37(5): 442-450.
- Valanis, B. G., R. E. Glasgow, et al. (2002). Screening HMO women overdue for both mammograms and pap tests. *Preventive Medicine*, 34(1): 40.
- Valente, J. Y., Moreira, T., Ferigolo, M., & Barros, H. M. T. (2019 in press). Randomized clinical trial to change parental practices for drug use in a telehealth prevention program: a pilot study. *Journal de Pediatria*. doi: 10.1016/j.jped.2018.02.004
- Valentiner, L. S., Ried-Larsen, M., Karstoft, K., Brinkløv, C. F., Brøns, C., Nielsen, R. O., . . . Langberg, H. (2017). Long-term effect of smartphone-delivered Interval Walking Training on physical activity in patients with type 2 diabetes: protocol for a parallel group single-blinded randomised controlled trial. *BMJ Open*, 7(e014036). doi: 10.1136/bmjopen-2016-014036
- van Dijk, D. J. A. (2017). Favourable outcomes of a preventive screening and counselling programme for older people in underprivileged areas in the Netherlands: The PRIMUS project. *Preventive Medicine Reports*, 6, 258-264. doi: 10.1016/j.pmedr.2017.03.013
- Van Dorn, R. A., Desmarais, S. L., Rae, C. B., Burris, E. N., Cuddeback, G. S., Johnson, K. L., . . . Mueser, K. T. (2017). Jail-to-community treatment continuum for adults with co-occurring substance use and mental disorders: study protocol for a pilot randomized controlled trial. *BMC Trials*, 18(365).
- van Grieken, A., Vlasblom, E., Wang, L., Beltman, M., Boere-Boonekamp, M. M., L'Hoir, M. P., & Raat, H. (2017). Personalized web-based advice in combination with well-child visits to prevent overweight in young children: Cluster randomized controlled trial. *Journal of Medical Internet Research*, 19(7), e268.
- van Keulen, H. M., Mesters, I., Ausems, M., van Breukelen, G., Campbell, M., Resnicow, K., . . . de Vries, H. (2011). Tailored print communication and telephone motivational interviewing are equally successful in improving multiple lifestyle behaviors in a randomized controlled trial. *Annals of Behavioral Medicine*, 41, 104-118.
- van Vilsteren, M. C., M. H. De Greef, et al. (2005). The effects of a low-to-moderate intensity pre-conditioning exercise programme linked with exercise counselling for sedentary haemodialysis patients in The Netherlands: results of a randomized clinical trial. *Nephrology Dialysis Transplantation*, 20: 141-146.
- van Voorhees, B. W., J. Fogel, et al. (2009). Randomized clinical trial of an internet-based depression prevention program for adolescents (Project CATCH-IT) in primary care: 12-week outcomes. *Journal of Developmental and Behavioral Pediatrics*, 30(1): 23-37.
- van Voorhees, B. W., K. Vanderplough-Booth, et al. (2008). Integrative internet-based depression prevention for adolescents: A randomized clinical trial in primary care for vulnerability and protective factors. *Journal of the Canadian Academy of Child and Adolescent Psychiatry*, 17(4): 184-196.
- Velasquez, M. M., K. von Sternberg, et al. (2009). Reducing sexual risk behaviors and alcohol use among HIV-positive men who have sex with men: A randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 77(4): 657-667.
- Velasquez, M. M., von Sternberg, K. L., Floyd, L., Parrish, D., Kowalchuk, A., Stephens, N. S., . . . Mullen, P. D. (2017). Preventing alcohol and tobacco exposed pregnancies: CHOICES Plus in primary care. *American Journal of Preventive Medicine*, 53(1), 85-95. doi: 10.1016/j.amepre.2017.02.012
- Vella-Zarb, R. A., Mills, J. S., Westra, H. A., Carter, J. C., & Keating, L. (2015). A Randomized controlled trial of motivational interviewing + self-help versus psychoeducation + self-help for binge eating. *The International Journal of Eating Disorders*, 48(3), 328-332. doi: 10.1002/eat.22242
- Vellone, E., Paturzo, M., D'Agostine, F., Petruzzo, A., Masci, S., Ausili, D., . . . Riegel, B. (2017). MOTIVATIONAL intErviewing to improve self-care in Heart Failure patients (MOTIVATE-HF): Study protocol of a three-arm multicenter randomized controlled trial. *Contemporary Clinical Trials*, 55(April), 34-38. doi: 10.1016/j.cct.2017.02.003

- Verberne, L. D. M., Hendriks, M. R. C., Rutten, G. M., Spronk, I., Savelberg, H. H. C. M., Veenhof, C., & Nielsen, M. M. J. (2016). Evaluation of a combined lifestyle intervention for overweight and obese patients in primary health care: A quasi-experimental design. *Family Practice*, 33(6), 671-677. doi: 10.1093/fampra/cmw070
- Vidmar, A. P., Salvy, S. J., Pretlow, R., Mittelman, S. D., Wee, C. P., Fink, C., . . . Raymond, J. K. (2019). An addiction-based mobile health weight loss intervention: Protocol of a randomized controlled trial. *Contemporary Clinical Trials*, 78, 11-19.
- Vidoni, M. L., Lee, M., Mitchell-Bennett, L., & Reininger, B. M. (2019 in press). Home visit intervention promotes lifestyle changes: Results of an RCT in Mexican Americans. *American Journal of Preventive Medicine*.
- Vidrine, D. J., Frank-Pearce, S. G., Vidrine, J., Tahay, P. D., Marani, S. K., Chen, S., . . . Prokhorov, A. V. (2019 in press). Efficacy of mobile phone-delivered smoking cessation interventions for socioeconomically disadvantaged individuals: A randomized clinical trial. *JAMA Internal Medicine*.
- Viglione, C., Bouwman, D., Rahman, N., Fang, Y., Beasley, J. M., Sherman, S., . . . Jay, M. (2019). A technology-assisted health coaching intervention vs. enhanced usual care for Primary Care-Based Obesity Treatment: A randomized controlled trial. *BMC Obesity*, 6(4).
- Villanueva, E. M. (2019). *Evaluating the efficacy of motivational interviewing on enhancing medication adherence for heart failure patients at an academic health system*. Master of Science in Pharmacy Leadership and Administration University of Houston.
- Viner, R. M., Christie, D., Taylor, V., & Hey, S. (2003). Motivational/solution-focused intervention improves HbA_{1c} in adolescents with Type 1 diabetes: a pilot study. *Diabetic Medicine*, 20(9), 739-742.
- Vlaar, E. M. A., Nierkens, V., Nicolaou, M., Middelkoop, B. J. C., Busschers, W. B., Stronks, K., & van Valkengoed, I. G. M. (2017). Effectiveness of a targeted lifestyle intervention in primary care on diet and physical activity among South Asians at risk for diabetes: 2-year results of a randomised controlled trial in the Netherlands. *BMJ Open*, 7(6).
- Vong, S. K., G. L. Cheing, et al. (2011). Motivational enhancement therapy in addition to physical therapy improves motivational factors and treatment outcomes in people with low back pain: A randomized controlled trial. *Archives of Physical Medicine and Rehabilitation* 92(2): 176-183.
- Wade, M., Brown, N., & Majumdar, A. (2018). Effectiveness of a community based physical activity intervention grounded in motivational interviewing. *The Lancet*, 392(Supplement 2), S90.
- Wade, T. D., A. Frayne, et al. (2009). Motivational change in an inpatient anorexia nervosa population and implications for treatment. *Australian and New Zealand Journal of Psychiatry* 43(3): 235-243.
- Wagner, A. J., Garbers, R., Lang, A., Borgert, A. J., & Fisher, M. (2016). Increasing follow-up outcomes of at-risk alcohol patients using motivational interviewing. *Journal of Trauma Nursing*, 23(3), 165-168.
- Wagner, Y., & Heinrich-Weltzien, R. (2016). Evaluation of an interdisciplinary preventive programme for early childhood caries: findings of a regional German birth cohort study. *Clinical Oral Investigations*, 20, 1943-1952.
- Wain, R. M., Wilbourne, P. L., Harris, K. W., Pierson, H., Teleki, J., Burling, T. A., & Lovett, S. (2011). Motivational interview improves treatment entry in homeless veterans. [Comparative Study]. *Drug and Alcohol Dependence*, 115(1-2), 113-119.
- Wakefield, M., Oliver, I., Whitford, H., & Rosenfeld, E. (2004). Motivational interviewing as a smoking cessation intervention for patients with cancer: Randomized controlled trial. *Nursing Research*, 53, 396-405.
- Walitzer, K. S., K. H. Dermen, et al. (2009). Facilitating involvement in alcoholics anonymous during out-patient treatment: A randomized clinical trial. *Addiction* 104(3): 391-401.
- Walker, D. D., R. A. Roffman, et al. (2006). Motivational enhancement therapy for adolescent marijuana users: A preliminary randomized controlled trial. *Journal of Consulting and Clinical Psychology* 74(3): 628-632.
- Walker, D. D., Stephens, R. S., Blevins, C. E., Banes, K. E., Matthews, L., & Roffman, R. A. (2016). Augmenting brief interventions for adolescent marijuana users: The impact of motivational check-ins. *Journal of Consulting and Clinical Psychology*, 84(11), 983-992. doi: 10.1037/ccp0000094
- Walker, D. D., Stephens, R. S., Towe, S., Banes, K., & Roffman, R. (2015). Maintenance check-ups following treatment for cannabis dependence. *Journal of Substance Abuse Treatment*, 56, 11-15.
- Walker, D. D., Walton, T. O., Neighbors, C., & Kaysen, D. (2017). Randomized trial of motivational interviewing plus feedback for soldiers with untreated alcohol abuse. *Journal of Consulting and Clinical Psychology*, 85(2), 99-110. doi: 10.1037/ccp0000148

- Walpole, B., Dettmer, E., Morrongiello, B. A., McCrindle, B. W., & Hamilton, J. (2013). Motivational interviewing to enhance self-efficacy and promote weight loss in overweight and obese adolescents: A randomized controlled trial. [v't]. *Journal of Pediatric Psychology*, 38(9), 944-953. doi: 10.1093/jpepsy/jst023
- Walters, S. T., Bennett, M. E., & Miller, J. H. (2000). Reducing alcohol use in college students: A controlled trial of two brief interventions. *Journal of Drug Education*, 30, 361-372.
- Walters, S. T., A. M. Vader, et al. (2009). Dismantling motivational interviewing and feedback for college drinkers: A randomized clinical trial. *Journal of Consulting and Clinical Psychology* 77(1): 64-73.
- Walters, S. T., Vader, A. M., Nguyen, N., Harris, T. R., & Eells, J. (2010). Motivational interviewing as a supervision strategy in probation: A randomized effectiveness trial. *Journal of Offender Rehabilitation*, 49(5), 309-323.
- Walton, M. A., Chermack, S. T., Shope, J. T., Bingham, C. R., Zimmerman, M. A., Blow, F. C., & Cunningham, R. M. (2010). Effects of a brief intervention for reducing violence and alcohol misuse among adolescents: A randomized controlled trial. *Journal of the American Medical Association*, 304(5), 527-535.
- Wandera, B., Tumwesigye, N. M., Nankabirwa, J. I., Mafigiri, D. K., Parkes-Ratanshi, R. M., Kapiga, S., . . . Sethi, A. K. (2016). Efficacy of a Single, Brief Alcohol Reduction Intervention among Men and Women Living with HIV/AIDS and Using Alcohol in Kampala, Uganda: A Randomized Trial. *Journal of the International Association of Providers of AIDS Care*. doi: 10.1177/2325957416649669
- Wang, Z., Lau, J. T. F., Ip, M., Ho, S. P. Y., Mo, P. K. H., Latkin, C., . . . Kim, Y. (2018). A randomized controlled trial evaluating efficacy of promoting a home-based HIV self-testing with online counseling on increasing HIV testing among men who have sex with men. *AIDS and Behavior*, 22(1), 190-201.
- Watkins, C. L., M. F. Auton, et al. (2007). Motivational interviewing early after acute stroke: A randomized, controlled trial. *Stroke* 38(3): 1004-1009.
- Watkins, K. E., Ober, A. J., Lamp, K., Lind, M., Setodji, C., Osilla, K. C., . . . Pincus, H. A. (2017). Collaborative care for opioid and alcohol use disorders in primary care: The SUMMIT randomized clinical trial. *JAMA Internal Medicine*, 177(10), 1480-1488.
- Watson, J., Tober, G., Raistrick, D., Mdege, N., Dale, V., Crosby, H., . . . Parrott, S. (2013). An alcohol-focused intervention versus a healthy living intervention for problem drinkers identified in a general hospital setting (ADAPTA): Study protocol for a randomized, controlled pilot trial. *Trials*, 14(117).
- Wattanakorn, K., Deenan, A., Puapan, S., & Kraenzle Schneider, J. (2013). Effects of an eating behaviour modification program on thai people with diabetes and obesity: A randomised clinical trial. *Pacific Rim International Journal of Nursing Research*, 17, 356-370
- Waugh, A., Forde, C., Kelleher, E., Crumlish, N., & Broderick, J. (2018). A feasibility study of a physiotherapy-led motivational programme to increase physical activity and improve cardiometabolic risk in people with major mental illness. *General Hospital Psychiatry*, 54, 37-44.
- Webb, H. J., Thomas, R., McGregor, L., Avdagic, E., & Zimmer-Gembeck, M. J. (2017). An evaluation of parent-child interaction therapy with and without motivational enhancement to reduce attrition. *Journal of Clinical Child & Adolescent Psychology*, 46(4), 537-550.
- Webber, K. H. (2008). Evaluating the efficacy of internet based motivational interviewing group treatment for weight loss. US, ProQuest Information & Learning. 68.
- Webber, K. H., D. F. Tate, et al. (2008). Motivational interviewing in internet groups: A pilot study for weight loss. *Journal of the American Dietetic Association* 108(6): 1029-1032.
- Wegener, S., Kirkhart, T., Castillo, R., Fauerbach, J., Weichman, S., & Acton, A. (2019). Brief motivational interviewing increases participation in the Take Charge of Burn Pain self- management program. *Burn Care & Research, Supplement 1*, S79.
- Weiner, L. S., Takemoto, M., Godbole, S., Nelson, S. H., Natarajan, L., Sears, D. D., & Hartman, S. J. (2019 in press). Breast cancer survivors reduce accelerometer-measured sedentary time in an exercise intervention. *Journal of Cancer Survivorship*. See also Hartman, S. J., Weiner, L. S., Nelson, S. H., Natarajan, L., Patterson, R. E., Palmer, B. W., . . . Sears, D. D. (2019). Mediators of a physical activity intervention on cognition in breast cancer survivors: Evidence from a randomized controlled trial. *JMIR Cancer*, 5(2), e13150.
- Weinstein, A., Gentile, D., Singh, A., Skoner, D., Maiolo, J., Sharara, R., . . . Kong, A. (2017). Preliminary evaluation of an adult asthma adherence management program. *American Journal of Respiratory and Critical Care Medicine* 195, A7619 See also: Weinstein, A. G., Gentile, D. A., Singh, A., Skoner, D. P., Maiolo, J., Sharara, R., . . .

- Kong, A. (2018). Validation of The Asthma Adherence Management Model (AAMM). *Journal of Allergy and Clinical Immunology*, 141(2 Supplement), AB60.
- Weinstein, P., Harrison, R., & Benton, T. (2004). Motivating parents to prevent caries in their young children: One-year findings. *Journal of the American Dental Association*, 135(6), 731-738.
- Weinstein, P., R. Harrison, et al. (2006). Motivating mothers to prevent caries: Confirming the beneficial effect of counseling. *Journal of the American Dental Association* 137(6): 789-793.
- Weinstock, J., Petry, N. M., Pescatello, L. S., & Henderson, C. E. (2016). Sedentary college student drinkers can start exercising and reduce drinking after intervention. *Psychology of Addictive Behaviors*, 30(8), 791-801. doi: 10.1037/adb0000207
- Weinstock, J., Petry, N. M., Pescatello, L. S., Henderson, C. E., & Nelson, C. R. (2019 in press). Randomized clinical trial of exercise for nontreatment seeking adults with alcohol use disorder. *Psychology of Addictive Behaviors*.
- Weir, B. W., K. O'Brien, et al. (2009). Reducing HIV and partner violence risk among women with criminal justice system involvement: A randomized controlled trial of two motivational interviewing-based interventions. *AIDS and Behavior* 13(3): 509-522.
- Weirauch, K., & Phillips, J. (2017). Promoting healthy family behaviors in the primary care setting. *PRiMER: Peer-Reviewed Reports in Medical Education Research*. Retrieved from doi:10.22454/PRiMER.2017.1.2
- Welch, G., Zagarins, S. E., Feinberg, R. G., & Garb, J. L. (2011). Motivational interviewing delivered by diabetes educators: Does it improve blood glucose control among poorly controlled type 2 diabetes patients? *Diabetes Research and Clinical Practice*, 91, 54-66.
- Welschen, L. M. C., van Oppen, P., Bot, S. D. M., Kostense, P. J., Dekker, J. M., & Nijpels, G. (2013). "Effects of a cognitive behavioural treatment in patients with type 2 diabetes when added to managed care: A randomised controlled trial. *Journal of Behavioral Medicine*, 36(6), 556-566.
- Wernette, G. T., Plegue, M., Mmeje, O., Sen, A., Countryman, K., Ngo, Q. M., . . . Zlotnick, C. (2019 in press). Reducing sexual health risks and substance use in the prenatal setting: A study protocol for a randomized controlled trial. *Contemporary Clinical Trials*.
- Wertz, Jennifer S. (1994). The effect of motivational interviewing on treatment participation, self-efficacy, and alcohol use at follow-up in inpatient alcohol dependent adults. *Dissertation Abstracts International: Section B: The Sciences and Engineering*, Vol 55(1-B), 1994, 6721
- West, D. S., DiLillo, V., Bursac, Z., Gore, S. A., & Greene, P. G. (2007). Motivational interviewing improves weight loss in women with type 2 diabetes. *Diabetes care*, 30(5), 1081-1087. doi: 10.2337/dc06-1966
- West, D. S., Harvey, J. R., Kruckowski, R. A., Prewitt, T. E., Priest, J., & Ashikaga, T. (2016). Do individual, online motivational interviewing chat sessions enhance weight loss in a group-based, online weight control program? *Obesity*, 24(11), 2334-2340. doi: 10.1002/oby.21645
- Westman, J., Eberhard, J., Gaughran, F. P., Lundin, L., Stenmark, R., Edman, G., . . . Ösby, U. (2019 in press). Outcome of a psychosocial health promotion intervention aimed at improving physical health and reducing alcohol use in patients with schizophrenia and psychotic disorders (MINT). *Schizophrenia Research*.
- Westra, H. A., H. Arkowitz, et al. (2009). Adding a motivational interviewing pretreatment to cognitive behavioral therapy for generalized anxiety disorder: A preliminary randomized controlled trial. *Journal of Anxiety Disorders* 23(8): 1106-1117.
- Westra, H. A., Constantino, M. J., & Antony, M. M. (2016). Integrating motivational interviewing with cognitive-behavioral therapy for severe generalized anxiety disorder: An allegiance-controlled randomized clinical trial. *Journal of Consulting and Clinical Psychology*, 84(9), 768-782. doi: 10.1037/ccp0000098
- Westra, H. A. and D. J. A. Dozois (2006). Preparing clients for cognitive behavioral therapy: A randomized pilot study of motivational interviewing for anxiety. *Cognitive Therapy and Research* 30(4): 481-498.
- Whitaker, A. K., Quinn, M. T., Munroe, E., Martins, S. L., Mistretta, S. Q., & Gilliam, M. L. (2016). A motivational interviewing-based counseling intervention to increase postabortion uptake of contraception: A pilot randomized controlled trial. *Patient Education and Counseling*, 99(10): 1663-1669.
- White, H. R., T. J. Morgan, et al. (2006). Evaluating two brief substance-use interventions for mandated college students. *Journal of Studies on Alcohol* 67(2): 309-317.

- White, H. R., E. Y. Mun, et al. (2007). Long-term effects of brief substance use interventions for mandated college students: Sleeper effects of an in-person personal feedback intervention. *Alcoholism: Clinical and Experimental Research* 31(8): 1380-1391.
- Whittemore, R., Melkus, G. D., Sullivan, A., & Grey, M. (2004). A nurse-coaching intervention for women with type 2 diabetes. *The Diabetes Educator*, 30(5), 795-804. doi: 10.1177/014572170403000515
- Whittemore, R., Melkus, G., Wagner, J., Dziura, J., Northrup, V., & Grey, M. (2009). Translating the diabetes prevention program to primary care: A pilot study. *Nursing Research*, 58(1), 2-12. doi: 10.1097/NNR.0b013e31818fcf3
- Wilbur, J., Miller, A. M., Fogg, L., McDevitt, J., Castro, C. M., Schoeny, M. E., . . . Dancy, B. L. (2016). Randomized clinical trial of the women's lifestyle physical activity program for African-American women. *American Journal of Health Promotion*, 30(5), 335-345. doi: 10.1177/0890117116646342
- Wilcox, S., Liu, J., Addy, C. L., Turner-McGrievy, G., Burgis, J. T., WIngard, E., . . . Boutte, A. K. (2018). A randomized controlled trial to prevent excessive gestational weight gain and promote postpartum weight loss in overweight and obese women: Health In Pregnancy and Postpartum (HIPP). *Contemporary Clinical Trials*, 66, 51-63.
- Wilhelm, S. L., M. B. Stepans, et al. (2006). Motivational interviewing to promote sustained breastfeeding. *Journal of Obstetric, Gynecologic, and Neonatal Nursing* 35(3): 340-348.
- Williams, A. F., Manias, E., Walker, R., & Gorelik, A. (2012). A multi-factorial intervention to improve blood pressure control in co-existing diabetes and kidney disease: A pilot randomized controlled trial. *Journal of Advanced Nursing*, 68(11), 2515-2525.
- Williams, L. T., Hollis, J. L., Collins, C. E., & Morgan, P. J. (2014). Can a relatively low-intensity intervention by health professionals prevent weight gain in mid-age women? 12-Month outcomes of the 40-Something randomised controlled trial. *Nutrition & Diabetes*, 4(e116). See also Williams, L. T., Collins, C. E., Morgan, P. J., & Hollis, J. L. (2019, in press). Maintaining the outcomes of a succesful weight gain prevention intervention in mid-age women: Two year results from the 40-something randomized control trial. *Nutrients*.
- Wilson, D. K., Kitzman-Ulrich, H., Resnicow, K., Van Horn, M. L., St. George, S. M., Siceloff, R., . . . Prinz, R. (2015). An overview of the Families Improving Together (FIT) for weight loss randomized controlled trial in African American families. *Contemporary Clinical Trials*, 42(May), 145-157.
- Wilson, G. B., McGovern, R., Antony, G., Cassidy, P., Deverill, M., Graybill, E., . . . Rankin, J. (2012). Brief intervention to reduce risky drinking in pregnancy: study protocol for a randomized controlled trial. *Trials*, 13(174).
- Winhusen, T., Kropp, F., Babcock, D., Hague, D., Erickson, S.J., Renz, C., Rau, L., Lewis, D., Leimberger, J., Somoza, E., 2008. Motivational enhancement therapy to improve treatment utilization and outcome in pregnant substance users. *Journal of Substance Abuse Treatment*, 35, 161-173.
- Wittleder, S., Ajenikoko, A., Bouwman, D., Fang, Y., McKee, M. D., Meissner, P., . . . Jay, M. (2019 in press). Protocol for a cluster-randomized controlled trial of a technology-assisted health coaching intervention for weight management in primary care: The GEM (goals for eating and moving) intervention. *Contemporary Clinical Trials*.
- Wohl, D. A., Golin, C. E., Knight, K., Gould, M., Carda-Auten, J., Groves, J. S., . . . Flynn, P. M. (2017). A randomized controlled trial of an intervention to maintain suppression of HIV viremia following prison release: The imPACT trial. *Journal of Acquired Immune Deficiency Syndromes*. doi: 10.1097/QAI.0000000000001337
- Woodall, W. G., H. D. Delaney, et al. (2007). A randomized trial of a DWI intervention program for first offenders: Intervention outcomes and interactions with antisocial personality disorder among a primarily American-Indian sample. *Alcoholism: Clinical and Experimental Research* 31(6): 974-987.
- Woodin, E. M., & O'Leary, K. D. (2010). A brief motivational intervention for physically aggressive dating couples. *Prevention Science*, 11(4), 371-381.
- Woodruff, S. I., T. L. Conway, et al. (2007). Evaluation of an Internet virtual world chat room for adolescent smoking cessation. *Addictive Behaviors* 32(9): 1769-1786.
- Woppard, J., L. Beilin, et al. (1995). A controlled trial of nurse counselling on lifestyle change for hypertensives treated in general practice: Preliminary results. *Clinical and Experimental Pharmacology and Physiology* 22(6-7): 466-468.
- Woppard, J., V. Burke, et al. (2003). Effects of general practice-based nurse-counselling on ambulatory blood pressure and antihypertensive drug prescription in patients at increased risk of cardiovascular disease. *Journal of Human Hypertension* 17(10): 689-695.
- Worthy, K. M. (2016). *The impact of a nutritional intervention to increase knowledge and behaviors among female college freshmen*. M.A. Thesis, Southeastern Louisiana University, Hammond, LA.
- Wray, T. B., Kahler, C. W., Simpanen, E. M., & Operario, D. (2019, in press). A preliminary randomized controlled trial of Game Plan, a web application to help men who have sex with men reduce their HIV risk and alcohol use. *AIDS and Behavior*.

- Wu, D., G. X. Ma, et al. (2009). The effect of a culturally tailored smoking cessation for Chinese American smokers. *Nicotine and Tobacco Research* 11(12): 1448-1457.
- Wu, J. Z., Dai, M. H., Xiong, J., & Liu, H. X. (2016). Effect of motivational interviewing combined with peer participation on obesity management in adolescents. *Chinese Journal of Contemporary Pediatrics (Zhongguo Dang Dai Er Ke Za Zhi)*, 18(7), 645-649.
- Wu, L., Gao, X., Lo, E. C. M., Ho, S. M. Y., McGrath, C. P. J., & Wong, M. C. M. (2016). Motivational interviewing for improving adolescents' oral health behaviors. *Journal of Dental Research*, 95(B), 106.
- Wulfert, E., Blanchard, E. B., Freidenberg, B. M., & Martell, R. S. (2006). Retaining pathological gamblers in cognitive behavior therapy through motivational enhancement: A pilot study. *Behavior Modification*, 30, 315-340.
- Wuthrich, V. M., Rapee, R. M., Draper, B., Brodaty, H., Low, L.-F., & Naismith, S. L. (2018). Reducing risk factors for cognitive decline through psychological interventions: A pilot randomized controlled trial. *International Psychogeriatrics*, 24(October), 1-11.
- Yanez, B. R., Buitrago, D., Buscemi, J., Iacobelli, F., Adler, R. F., Corden, M. E., . . . Penedo, F. J. (2018). Study design and protocol for My Guide: An e-health intervention to improve patient-centered outcomes among Hispanic breast cancer survivors. *Contemporary Clinical Trials*, 65, 61-68.
- Yeager, A., Cash, N. R., Parham, T., Amaro, A., Deo, R., Frankel, D. S., . . . Dixit, S. (2018). Efficacy of a nurse-led risk factor modification program in achieving weight loss in obese atrial fibrillation patients. *Circulation*, 11(A146).
- Yeh, E. A., Grover, S. A., Powell, V. E., Alper, G., Banwell, B. L., Edwards, K., . . . Pediatric MS Adherence Study Group. (2017). Impact of an electronic monitoring device and behavioral feedback on adherence to multiple sclerosis therapies in youth: Results of a randomized trial. *Quality of Life Research*, 26(9), 2333-2349. doi: 10.1007/s11136-017-1571-z
- Young, D. R., Ngyuen, M. K., Yamamoto, A., Pomichowsky, M., Cornejo, M., Paz, S., . . . Fortmann, S. P. (2019). Telephone-based motivational interviewing versus usual care in primary care to increase physical activity: A randomized pilot study. *BMC Pilot and Feasibility Studies*, 5(6).
- Zahradnik, A., Otto, C., Crackau, B., Lohrmann, I., Bischof, G., John, U., & Rumpf, H. J. (2009). Randomized controlled trial of a brief intervention for problematic prescription drug use in non-treatment-seeking patients. *Addiction*, 104(1), 109-117. doi: 10.1111/j.1360-0443.2008.02421.x
- Zangeneh, F., Masoumi, S. Z., Shayan, A., Matinnia, N., Mohagheghi, H., & Mohammadi, Y. (2019). The effect of motivational interviewing-based counseling on women's sexual satisfaction and body image. *Evidence Based Care*, 9(3), 58-62.
- Zatzick, D., P. Roy-Byrne, et al. (2004). A randomized effectiveness trial of stepped collaborative care for acutely injured trauma survivors. *Archives of General Psychiatry* 61(5): 498-506.
- Zeinali, K., & Masoudi, R. (2016). Motivational interviews to improve nurses' motivation and self-efficacy for the use of Closed Suctioning System in the ICU *International Journal of Medical Research & Health Sciences*, 5(9S), 100-107.
- Zeliadt, S., Greene, P., Au, D. H., Krebs, P., Klein, D., Ko, B., . . . Heffner, J. (2017). A controlled pilot trial of a proactive telephone outreach approach to integrating smoking cessation into delivery of lung cancer screening. *American Journal of Respiratory and Critical Care Medicine*, 195, A7374.
- Zolfaghari, Z., Rezaee, N., Shakiba, M., & Navidian, A. (2018). Motivational interviewing-based training vs traditional training on the uptake of cervical screening: a quasi-experimental study. *Public Health*, 160, 94-99.
- Zule, W. A., Costenbader, E. C., Coomes, C. M., & Wechsberg, W. M. (2009). Effects of a hepatitis C virus educational intervention or a motivational intervention on alcohol use, injection drug use, and sexual risk behaviors among injection drug users. *American Journal of Public Health*, 99 Suppl 1, S180-186.
- Zunza, M., Cotton, M. F., Mbuagbaw, L., Lester, R., & Thabane, L. (2017). Interactive weekly mobile phone text messaging plus motivational interviewing in promotion of breastfeeding among women living with HIV in South Africa: study protocol for a randomized controlled trial. *BMC Trials*, 18(331).

Hewett, Paul C., Mutinta Nalubamba, Fiammetta Bozzani, Mardieh Dennis, Jean Digitale, Lung Vu, Eileen Yam, and Mary Nambao. 2015. "REach: Randomized Evaluation of HIV/FP Service Models." New York: Population Council.